



January 7, 2022  
Project Number: 210166-05

Ministry of the Environment, Conservation and Parks (MECP)  
Director, Client Services and Permissions Branch  
135 St. Clair Avenue West, 1<sup>st</sup> Floor  
Toronto, ON M4V 1P5

**Re: Amendment to Environmental Compliance Approval No. 1688-8HZNJG**

To whom it may concern,

Please find attached an Environmental Compliance Approval (ECA) application and supporting documentation for an amendment to ECA No. 1688-8HZNJG, dated January 10, 2012, and issued to Waste Management of Canada Corporation (WM) for the leachate collection and disposal facility and stormwater management facility at the Richmond Landfill site (the Site) located in the Town of Greater Napanee, ON. This package has been prepared in consultation with WM and is being provided on their behalf.

On December 24, 2015, the Environmental Review Tribunal issued a decision regarding Waste Disposal Site ECA No. A371203, also issued to WM for the Site, including a requirement to demonstrate delineation of leachate-impacted groundwater at the Site, and off-Site. On August 24, 2021, MECP Kingston District Manager Trevor Dagilis confirmed that the extent of leachate-impacted groundwater related to the Site has been delineated (see Attachment B). As such, a separate amendment application has been submitted simultaneously to this application to incorporate a contaminant attenuation zone (CAZ), a proposed updated environmental monitoring plan (EMP), and a hydraulic control system (HCS) into ECA No. A371203 (*MECP Reference #3258-C93K73*).

A pre-consultation meeting with the MECP was held on December 14, 2021, and included the following participants:

- MECP: David Arnott/Victor Castro/Kyle Stephenson/Katrina Chrzanowska
- WM: Bill McDonough/Chris Prucha/Noah Wayt
- BluMetric Environmental Inc: Francois Richard/Michael Duchene

Tel. 613-531-2725

Fax. 613-531-1852

**BluMetric Environmental Inc.**

The Tower, The Woolen Mill, 4 Cataraqui Street, Kingston, Ontario, Canada K7K 1Z7

**[www.blumetric.ca](http://www.blumetric.ca)**



The purpose of the pre-consultation meeting was to discuss a recommendation described in the MECP confirmation letter dated August 24, 2021 (Attachment B) to secure groundwater rights to the property to the east of the site or establish an engineered system to ensure hydraulic control of off-site migration of landfill leachate impacted groundwater in the intermediate bedrock flow zone. As such, a conceptual design has been prepared for the inclusion of a hydraulic control system (HCS) (Attachment C). Following this meeting, it was determined that the HCS conceptual design should be incorporated into an application to amend ECA No. A371203 and a separate application to amend ECA No. 1688-8HZNJG be prepared to incorporate the additional flow of 10.9 m<sup>3</sup>/day anticipated from the proposed HCS into Stormwater Pond No. 3. It is noted that Stormwater Pond No. 3 is designed for the 1:100-year storm event and a flow of 247,104 m<sup>3</sup>/day (2.86 m<sup>3</sup>/s) (WSP, 2008). The additional flow anticipated from the HCS discharge (less than 0.01 % of the pond design flow) is not significant. The MECP Technical Support Section provided an email on December 20, 2021 (Attachment D) indicating that the pre-consultation meeting on December 14, 2021 satisfies the pre-consultation requirement for the ECA amendment.

The application includes the following documentation:

- Attachment A – ECA Application Form
- Attachment B – MECP Confirmation of Delineation (letter dated August 24, 2021)
- Attachment C – Conceptual Design for Southeast Hydraulic Control System (HCS) (BluMetric, 2021)
- Attachment D – Confirmation from the MECP Technical Support Section (email dated December 20, 2021)
- Attachment E – Proof of Legal Name

WM is requesting changes to the following Conditions as listed below:

ECA Section and Condition	Change Requested and Rationale
III – Stormwater Management Facility 8.0 Monitoring and Recording; Table 2	Proposed changes; include sample parameter 1,4-dioxane

However, it is noted that the effluent criteria and compliance point is S8R as per ECA no. A371203. An amended Post-Closure Environmental Monitoring Plan (EMP) was submitted under the application to amend ECA No. A371203 (*MECP Reference #3258-C93K73*) and has not been included in this application. The amended Post-Closure EMP notes that in the absence of an ODWS for 1,4-dioxane, a Site-specific RUL of 0.001 mg/L (1 µg/L) is used as required by Condition 8.9 in the current ECA. Should Ontario amend O. Reg. 169/03 to set an ODWS for 1,4-dioxane, or should WM petition for modification of the mandated, Site-specific RUL for 1,4-dioxane, the RUL will be re-calculated in accordance with procedure document B-7-1, and the EMP shall be amended as necessary to reflect the re-calculated RUL. Likewise, the assessment limit for boron is based on the CCME guidelines for the protection of aquatic life (CCME, 2009). This was discussed at the pre-consultation meeting on December 14, 2021 (Attachment D).

We trust that the information provided herein is complete and contains sufficient detail. Please contact the undersigned should you have any concerns or questions.

Respectfully submitted,  
**BluMetric Environmental Inc.**



S'rana Scholes, B.A.Sc., P.Eng.  
Senior Environmental Engineer  
[sscholes@blumetric.ca](mailto:sscholes@blumetric.ca)  
(519) 588-3000



François Richard, Ph.D. P.Geo.  
Senior Hydrogeologist  
[frichard@blumetric.ca](mailto:frichard@blumetric.ca)  
(613) 558-5936

Encl.

## ATTACHMENT A





## Table of Contents

<b>General Information and Instructions . . . . .</b>	<b>1</b>	<b>5 Facility Information . . . . .</b>	<b>14</b>
<b>1 Applicant Information . . . . .</b>	<b>2</b>	5.1 Air . . . . .	14
1.1 Applicant Information . . . . .	2	5.2 Noise . . . . .	16
1.2 Applicant Physical Address . . . . .	2	5.3 Sewage Works . . . . .	17
1.3 Applicant Mailing Address . . . . .	3	5.4 Waste Disposal Site . . . . .	19
<b>2 Project Information . . . . .</b>	<b>4</b>	5.5 Waste Management Systems (Except Mobile Waste Processing) . . . . .	22
2.1 Project Name and Description . . . . .	4	5.6 Waste Management System – Mobile Waste Processing . . . . .	25
2.2 Application Type . . . . .	4	5.7 Cleanup of Contaminated Sites . . . . .	26
2.3 Project Type . . . . .	5	<b>6 Supporting Documentation and Technical Requirements . . . . .</b>	<b>28</b>
2.4 Approval Information . . . . .	5	6.1 General . . . . .	28
2.5 Other Approval/Permits for Facility . . . . .	6	6.2 Air . . . . .	29
2.6 Technical Contacts . . . . .	6	6.3 Noise and Vibration . . . . .	29
<b>3 Regulatory Requirements . . . . .</b>	<b>7</b>	6.4 Sewage Works . . . . .	29
3.1 Environmental Bill of Rights (EBR) Requirements . . . . .	7	6.5 Waste Disposal Sites . . . . .	30
3.2 <i>Environmental Assessment Act</i> (EAA) Requirements . . . . .	7	6.6 Waste Management Systems . . . . .	31
3.3 Consultation/Notification . . . . .	8	6.7 Mobile Waste Processing . . . . .	32
<b>4 Site Information . . . . .</b>	<b>10</b>	6.8 Cleanup of Contaminated Sites . . . . .	32
4.1 Site Address or Storage Location . . . . .	10	6.9 Other Attachments . . . . .	32
4.2 Site or Storage Location Information . . . . .	11	6.10 Confidentiality . . . . .	32
4.3 Site Zoning and Classification . . . . .	11	<b>7 Authorization . . . . .</b>	<b>34</b>
4.4 Point of Entry into Ontario . . . . .	12	7.1 Statement of the Applicant . . . . .	34
4.5 Source Protection/Drinking Water Threats . . . . .	12	7.2 Statement of the Municipality . . . . .	34
4.6 Receiver of Effluent Discharge . . . . .	12	7.3 Statement of Technical Contacts . . . . .	34
		<b>8 Payment Information . . . . .</b>	<b>35</b>
		<b>Application Summary . . . . .</b>	<b>37</b>

## General Information and Instructions

### General Information

Information requested in this form is collected under the authority of the *Environmental Protection Act* (EPA), *Ontario Water Resources Act* (OWRA) and Environmental Bill of Rights (EBR), and will be used to evaluate applications for Environmental Compliance Approvals (ECAs) issued under Part II.1 of the EPA. This application form should not be used for mobile PCB destruction facilities.

**For all questions related to preparing or submitting this form or about the Ministry's collection of information related to applying for an ECA, contact:**

Client Services and Permissions Branch  
135 St. Clair Ave. West, 1st Floor  
Toronto Ontario M4V 1P5  
Telephone outside Toronto 1-800-461-6290 or in Toronto 416-314-8001.

### Instructions

1. Applicants are responsible for ensuring that they complete the most recent application form. Application forms and information about the required supporting documentation and technical requirements are available from the Client Services and Permissions Branch (the address and phone number are provided in the General Information on this page). As well, you can get this information from your local District Office of the Ministry of the Environment and Climate Change, and online at: <https://www.ontario.ca/page/environmental-approvals>
2. A complete application consists of:
  - a completed and signed application form;
  - all required supporting documents and technical requirements identified in:
    - i. this form,
    - ii. Ministry guidance,
    - iii. the Applications for Environmental Compliance Approvals regulation, and
  - payment of the application fee (in Canadian funds) by certified cheque or money order made payable to the Minister of Finance, or credit card payment (for payments up to \$10,000). For Transfer of Review, make the cheque or money order payable to the appropriate municipality. **The Ministry may return or refuse incomplete applications to the applicant.** The Director may require additional information of any application initially accepted as complete.
3. Submit the complete application as follows:
  - One (1) paper copy (unless the application is a Transfer of Review), one (1) electronic copy and the fee to the Director, Client Services and Permissions Branch at the address provided in the General Information on this page.
  - If the application is a Transfer of Review, the applicant must submit two (2) copies of the completed application and the fee to the designated municipal authority.
4. The applicant must also send a copy of the application without the fee to the local Ministry District Office that has jurisdiction over the area where the facilities are located. DO NOT send payment to the District Office.
  - To locate the appropriate local Ministry District Office, visit the Ministry of the Environment and Climate Change website at: <http://www.ontario.ca/environment-and-energy/ministry-environment-and-climate-change-regional-and-district-offices>
5. For Waste Disposal Sites the applicant must also send a copy of the application without the fee to the Clerk's office of the local municipality (both upper and lower tier) in which the facility/proposed facility is located unless the application is for a revocation or an amendment that is environmentally insignificant or the applicant is a municipality. DO NOT send any payment information to the municipality.

Information collected by the Ministry of the Environment and Climate Change is subject to the *Freedom of Information and Protection of Privacy Act (FIPPA)*. If the applicant is of the view that any part of the application is confidential on the grounds that such information constitutes a trade secret or scientific, technical, commercial, financial or labour relations information, please make this known now. Otherwise, the Ministry may make the information available to the public without further notice to the applicant.

It is an offence under the EPA and OWRA to provide false or misleading information in this application and/or accompanying documents.

Complete the sections as shown below.

- Section 1: Applicant Information
- Section 2: Project Information
- Section 3: Regulatory Requirements
- Section 4: Site Information
- Section 5: Facility Information
- Section 6: Supporting Documentation
- Section 7: Payment Information
- Section 8: Authorization

Fields marked with an asterisk (\*) are mandatory.

1. Applicant Information

1.1 Applicant Information

Applicant Type \*

☒ Corporation

☐ Individual

☐ Federal Government

☐ Municipal Government

☐ Partnership

☐ Provincial Government

☐ Sole Proprietor

☐ Other (specify) \_\_\_\_\_

Applicant Name (Legal name of individual or organization as evidenced by legal documents) \*

Waste Management of Canada Corporation

☒ Select if Business Name same as Applicant Name

Business Name \*

Waste Management of Canada Corporation

Business Number *	Business Website Address
876294844	<a href="https://www.wm.com/ca/en">https://www.wm.com/ca/en</a>

Primary North American Industry Classification System (NAICS) Code \*

005621

Other NAICS Code

Separate list attached?

☐ Yes

☐ No

Business Activity Description

✓

Completion Status (1.1 Applicant Information)

1.2 Applicant Physical Address

Address Type? \*

☒ Civic Address

☐ Survey Address

**Civic Address**

Unit Number	Street Number *	Street Name *
	1271	Beechwood Road

**Survey Address**

Enter Lot and Concession or Part and Reference Plan

Lot	Concession	Part	Reference Plan
-----	------------	------	----------------

Municipality/Unorganized Township *		County/District		
Napinee				
Province/State *		Country *		Postal/Zip Code *
ON		Canada		K7R 3L1
Telephone Number *	Fax Number	Mobile Number	Email Address *	
613-388-1057 ext.	613 388-2785		wmcdonou@wm.com	

**Geo Reference**

Description of location	Map Datum	Zone	Accuracy Estimate	Geo-Referencing Method	UTM Easting	UTM Northing
Southwest corner of property	NAD83	18	10 m	Google Earth	335,530.00	4,901,390.00
Physical location of front door or main entrance	NAD83	18	10 m	Google Earth	335,357.00	4,902,582.00

✓ Completion Status (1.2 Applicant Physical Address)

**1.3 Applicant Mailing Address**☒ Select if same as Physical Address

Unit Number	Street Number *	Street Name *
	1271	Beechwood Road

Delivery Designator	Delivery Identifier	Postal Station
---------------------	---------------------	----------------

Municipality/Unorganized Township *		County/District		
Napinee				
Province/State *		Country *		Postal/Zip Code *
ON		Canada		K7R 3L1
Telephone Number *	Fax Number	Mobile Number	Email Address *	
613-388-1057 ext.			wmcdonou@wm.com	

✓ Completion Status (1.3 Applicant Mailing Address)

## 2. Project Information

### 2.1 Project Name and Description

Project Name \*

WM Richmond Landfill - Application to Amend ECA No. 1688-8HZNJG

Project Description Executive Summary \*

The purpose of this amendment is to: include additional flow of 10.9 m3/day related to a proposed Hydraulic Control System (HCS) to be incorporated in the approved stormwater management facility that services the WM Richmond Landfill (the Site).

Supplemental Application Information (select information button for required information for this field) \*

Following an Environmental Review Tribunal decision issued in 2015 for the Site's Waste Disposal Site ECA No. A371203, WM was required to demonstrate delineation of leachate-impacted groundwater at the Site, and off-Site. This was completed and in August 2021 the MECP Kingston District Manager confirmed that the extent of leachate-impacted groundwater related to the Site has been delineated. This confirmation required incorporation of contaminant attenuation zone (CAZ) and a revised Environmental Monitoring Plan (EMP) into the Waste Disposal Site ECA No. A371203 and a separate application was submitted to the MECP in November 2021 (MECP Reference 3258-C93K73). Furthermore an addendum to the November 2021 application for ECA No. A371203 is being submitted simultaneously to this application to incorporate a Hydraulic Control System (HSC) to ensure hydraulic control of off-site migration of landfill leachate impacted groundwater to the East of the Site.

This application seeks to incorporate the additional flow of 10.9 m3/day related to the proposed HCS into the existing Stormwater Pond No.3 as approved in ECA No. 1688-8HZNJG.



Completion Status (2.1 Project Name and Description)

### 2.2 Application Type

Type \*

☐ New ECA

☐ Revocation of existing ECA

☐ Application for renewal of limited operational flexibility

☒ Amendment to existing ECA

☐ Administrative amendment to existing ECA

☐ Consolidation of existing ECAs

Is this application for the addition of a new project type to the site or a new municipal waste category/class code to the waste management systems or a new sewage facility type? \*

☐ Yes ☒ No

Is this application for Transfer of Review? \*

☐ Yes ☒ No



Completion Status (2.2 Application Type)

## 2.3 Project Type

Project Type (Select all that apply) *	Limited Operational Flexibility?	Pilot Project?
<input type="checkbox"/> Air - Stationary	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Air - Mobile	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Noise	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Vibration	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Waste Disposal Site - Landfill site	N/A	<input type="checkbox"/>
<input type="checkbox"/> Waste Disposal Site - Transfer site	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Waste Disposal Site - Processing site	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Waste Disposal Site - Composting site	N/A	<input type="checkbox"/>
<input type="checkbox"/> Waste Disposal Site - Thermal Treatment site	N/A	<input type="checkbox"/>
<input checked="" type="checkbox"/> Sewage - Industrial	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Sewage - Municipal	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Sewage - Private	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Waste Management System – General Waste Management System	N/A	<input type="checkbox"/>
<input type="checkbox"/> Waste Management System - Hauled Sewage (Septage)	N/A	<input type="checkbox"/>
<input type="checkbox"/> Waste Management System – Soil Conditioner for transport to a site for Application on Land	N/A	<input type="checkbox"/>
<input type="checkbox"/> Waste Management System - Mobile Waste Processing	N/A	<input type="checkbox"/>
<input type="checkbox"/> Cleanup of contaminated sites - Mobile	N/A	<input type="checkbox"/>
<input type="checkbox"/> Cleanup of contaminated sites - Site specific	N/A	<input type="checkbox"/>



Completion Status (2.3 Project Type)

## 2.4 Approval Information

Application initiated by \*

- |  |   |
|--|---|
| <input checked="" type="checkbox"/> Applicant            | <input type="checkbox"/> S. 20.18 Order (attach copy)           |
| <input type="checkbox"/> Condition of existing approval  | <input type="checkbox"/> Provincial Officer Order (attach copy) |
| <input type="checkbox"/> Inspection Report (attach copy) | <input type="checkbox"/> Other (specify) _____                  |

**Current Environmental Compliance Approvals that may be changed or amended by this application:** ☐ N/A

Environmental Compliance Approval Number *	Date of Issuance (yyyy/mm/dd) *
1688-8HZNJG (Amended)	2012/01/10
A371203 (Amended)	2021/03/19

Separate list attached?

☐ Yes ☒ No

**Proposed Environmental Compliance Approvals related to this project:** ☒ N/A

Project Type	Ministry Reference Number (if applicable)	Have Submitted	Have not Submitted
		<input type="checkbox"/>	<input type="checkbox"/>

Separate list attached?

☐ Yes ☒ No



Completion Status (2.4 Approval Information)

## 2.5 Other Approval/Permits for Facility ☐ N/A

List all other instruments (approvals or permits) issued by the Ministry of the Environment and Climate Change or applied for under the *Environmental Protection Act*, *Environmental Assessment Act*, *Ontario Water Resources Act* and *Safe Drinking Water Act*, 2002 and any Environmental Activity and Sector Registrations that are relevant to this application.

Instrument Type	Instrument Number/ Application Reference Number	Approval or Application Date (yyyy/mm/dd)
Environmental Compliance Approval	1688-8HZNJG (Amended)	2012/01/10
Environmental Compliance Approval	A371203 (Amended)	2021/03/19

Separate list attached?

☐ Yes ☒ No

List all other instruments (approvals or permits) issued by an agency, municipality or another ministry that are relevant to this application.

Issuing Agency	Approval or Permit Name	Approval or Permit Number	Issued Date (yyyy/mm/dd)

Separate list attached?

☐ Yes ☒ No

✓ Completion Status (2.5 Other Approval/Permits for Facility)

## 2.6 Technical Contacts

### Technical Contact 1

Area of Responsibility (Select all that apply) \*

☐ Air ☐ Noise/Vibration ☒ Sewage ☐ Waste

Name of Technical Contact

Last Name \*

Richard

First Name \*

Francois

Company \*

BluMetric Environmental Inc.

### Address Information

☐ Select if same as Applicant Mailing Address

### Civic Address

Unit Number

Tower

Street Number \*

4

Street Name \*

Catarauqui Street

Delivery Designator

Delivery Identifier

Postal Station

Municipality/Unorganized Township \*

Kingston

County/District

Province/State \*

ON

Country \*

Canada

Postal/Zip Code \*

K7K 1Z7

Telephone Number \*

613-558-5936

ext.

Fax Number

Mobile Number

613-558-5936

Email Address \*

frichard@blumetric.ca

✓ Completion Status (2.6 Technical Contacts)

### 3. Regulatory Requirements

#### 3.1 Environmental Bill of Rights (EBR) Requirements

Is this a proposal for a prescribed instrument under the EBR? \*

☒ Yes ☐ No

If yes, is this proposal exempted from the EBR requirements? \*

☐ Yes ☒ No

If yes, please check one of the following (Please provide supporting information.)

☐ This proposal has been considered in a substantially equivalent process of public participation. (EBR, 1993, s.30.)

Was the public participation process carried out in fulfillment of the requirements related to an approval under the *Planning Act*?

☐ Yes ☐ No

If yes, was the *Planning Act* approval related to a plan of subdivision?

☐ Yes ☐ No

☐ This proposal is for an emergency situation. (EBR, 1993, s. 29.)

☐ This proposal is for an amendment to or revocation of an existing Environmental Compliance Approval that is not environmentally significant. (EBR, 1993, s. 22 (3).)

☐ This proposal has been subject to or exempted from EAA Requirements or considered in a decision of a tribunal. (EBR, 1993, s. 32.)



Completion Status (3.1 Environmental Bill of Rights (EBR) Requirements)

#### 3.2 Environmental Assessment Act (EAA) Requirements

Is the proposed undertaking subject to the requirements of the EAA? \*

☐ Yes ☒ No

If yes, please select one of the following:

☐ The proposed undertaking has fulfilled the requirements of the EAA through the completion of a Class EA process

Name of Class EA \_\_\_\_\_

Schedule/Group/Category (if applicable) \_\_\_\_\_

If applicable, please submit a copy of the proof of completion (for example, Notice of Completion).

Was the undertaking subject of a Part II Order request(s)?

☐ Yes ☐ No

If yes, please submit a copy of the Director's or Minister's decision letter.

☐ The proposed undertaking has fulfilled all of the requirements for the EAA through:

Select all that apply:

☐ completion of an Environmental Screening Process pursuant to O. Reg. 101/07 of the EAA

☐ completion of an Environmental Screening Process pursuant to O. Reg. 116/01 of the EAA

Was the undertaking subject of an elevation request(s)?

☐ Yes ☐ No

If yes, please submit a copy of the Director's decision letter. If an appeal was made to the Director's decision, please also submit a copy of the Minister's decision letter.



☐ completion of an Environmental Screening Process pursuant to O. Reg. 231/08 of the EAA

Was the undertaking subject of an objection(s)?

☐ Yes ☐ No

If yes, please submit a copy of the Minister's decision letter.

☐ The proposed undertaking has fulfilled the requirements of the EAA through the completion of an individual Environmental Assessment.

Please submit a copy of the signed Notice of Approval.

Was the undertaking exempted from the requirements of the EAA? \*

☐ Yes ☒ No

The proposed undertaking has fulfilled the requirements of the EAA through an exemption provided under:

Select one of the following

☐ Section \_\_\_\_\_ of Ontario Regulation No. \_\_\_\_\_ or

☐ Declaration/Exemption Order Number \_\_\_\_\_

If Regulation, Declaration Order or Exemption Order does not refer directly to this undertaking, please provide supporting documentation to explain why it applies to this facility

✓ Completion Status (3.2 *Environmental Assessment Act* (EAA) Requirements)

### 3.3 Consultation/Notification

#### Indigenous Consultation:

Is the proposed project/activity on Crown land or does/would it alter access to Crown land? \* ☐ Yes ☒ No

Is the proposed project/activity in an open or forested area where hunting, trapping or plant gathering could occur? \* ☐ Yes ☒ No

Does the proposed project/activity involve the clearing of forested land? \* ☐ Yes ☒ No

Could the proposed project/activity impact a water body (e.g., direct discharge) or alter access to a water body? \* ☒ Yes ☐ No

Could the proposed project/activity impact cultural heritage or archaeological resources, or access to them? \* ☐ Yes ☒ No

Is the proposed project/activity adjacent or close to a First Nation Reserve? \* ☒ Yes ☐ No

Is the applicant aware of any concerns from Indigenous communities about this proposed project/activity? \* ☒ Yes ☐ No

Were there conditions placed, or direction provided, in another (or previous) permit or approval for consultation in relation to this project/activity? \* ☒ Yes ☐ No

Based on the online Guide to Applying for an Environmental Compliance Approval, or direction provided by the ministry or another agency, are Indigenous consultation activities likely required as part of this application process? \* ☒ Yes ☐ No

If Yes to the question above, please describe the consultation/notification activities undertaken for this application or as part of another process (e.g., EAA) in relation to the proposed project/activity, including a summary of the notification/consultation, First Nation and Métis communities contacted, key issues raised and how they were addressed, any changes to the project as a result of these activities, and any planned consultation/notification activities in the future. \*

[Consultation in relation to ERT Appeal Case No. 12-033](#)

Please attach supporting documents (e.g., record of consultation, delegation letter and/or direction provided by the Crown, materials provided to communities, meeting notes and agendas, correspondence with communities as appropriate).

---

If the applicant has determined that consultation with First Nation and Métis communities is not likely required for the proposed project/activity, please provide a rationale why:

---

**Other Consultation/Notification:**

Has the applicant had a ministry pre-application consultation in relation to the proposed project? \*

☒ Yes ☐ No

If this application is for a waste disposal site, have the neighbour notification requirements been completed?

☐ Yes ☐ No

If yes, please attach a Public Consultation/Notification Report that includes the notice and list of recipients.

If no, please select the reason for not undertaking neighbour notification:

- ☐ Application is for an administrative amendment
- ☐ The proposal was subject to public consultation through an Environmental Assessment process
- ☐ other , please explain \_\_\_\_\_

Are there any other consultation/notification activities that have been undertaken to fulfill requirements by other legislation or through voluntary efforts? \*

☒ Yes ☐ No

If yes, please: \*


1. describe the consultation/notification activities below; and
2. attach documents describing each of these consultation\nnotification activities, any changes to the project as a result of these activities and any planned consultation/notification activities in the future.

---

Consultation with stakeholders (CCCTE, MBQ, PLC) in relation to ERT Appeal Case No. 12-033

Pre-Consultation Meeting with the MECP (including David Arnott, Victor Castro, Kyle Stephenson, Katrina Chrzanowska), WM (Bill McDonough, Chris Prucha, Noah Wayt), and BluMetric Environmental Inc. (Francois Richard, Mike Duchene) on December 14, 2021.

---

 Completion Status (3.3 Consultation/Notification)

## 4. Site Information

### 4.1 Site Address or Storage Location

Will the vehicles or equipment be stored at more than one location?

☐ Yes ☐ No

(If yes, please enter all vehicle or equipment storage locations below and attach separate list, as necessary.)

☐ Select if same as Applicant Physical Address

Address Type? \*

☒ Civic Address ☐ Survey Address

#### Primary Civic Address

Unit Number	Street Number *	Street Name *
	1271	Beechwood Road

#### Additional Civic Addresses

Unit Number	Street Number	Street Name
	1252	Beechwood Road

Unit Number	Street Number	Street Name
	1250	Beechwood Road

Unit Number	Street Number	Street Name
	1206	Beechwood Road

Unit Number	Street Number	Street Name
	1144	Beechwood Road

Unit Number	Street Number	Street Name
	1264	Beechwood Road

Separate list attached?

☐ Yes ☒ No

#### Primary Survey Address

Enter Lot and Concession or Part and Reference Plan

Lot	Concession	Part	Reference Plan
-----	------------	------	----------------

#### Additional Survey Address

Enter Lot and Concession or Part and Reference Plan

Lot	Concession	Part	Reference Plan
-----	------------	------	----------------

Separate list attached?

☐ Yes ☐ No

Municipality/Unorganized Township *	County/District
Napanee	

Province/State *	Country *	Postal/Zip Code *
ON	Canada	K7R3L1

Non-address Information (includes any additional information to clarify the physical location)

### Geo Reference (required)

☐ Select if same as Applicant Physical Geo Reference

Description of location	Map Datum *	Zone *	Accuracy Estimate *	Geo-Referencing Method *	UTM Easting *	UTM Northing *
Southwest corner of property	NAD83	18	10 m	GoogleEarth	335,530.00	4,901,390.00
Physical location of front door or main entrance	NAD83	18	10 m	GoogleEarth	335,357.00	4,902,582.00

✓ Completion Status (4.1 Site Address or Storage Location)

### 4.2 Site or Storage Location Information

Site Name \*

WM Richmond Landfill

Days and Hours of Operation \*

Site is closed

Ministry of the Environment and Climate Change District Office \*

Kingston District Office

Is the site (property) that is the subject of this application owned by the applicant? \*

☒ Yes ☐ No

If no, please include the owner's name, address and a signed document indicating that the applicant has the authority to install and operate the proposed activity, or store vehicles or equipment on the land.

Is the applicant the operating authority of the site that is the subject of this application? \*

☒ Yes ☐ No

If no, please include the operating authority name, address and phone number.

Is the site located in an area of development control as defined by the *Niagara Escarpment Planning and Development Act* (NEPDA)? \*

☐ Yes ☒ No

If yes, please attach a copy of the NEPDA permit for proposed activity.

Is the site within an area covered by the Oak Ridges Moraine Conservation Plan? \*

☐ Yes ☒ No

If yes, please attach proof of municipal planning approval for the proposed activity/work (for example, zoning by-law, letter from municipality, etc.).

✓ Completion Status (4.2 Site or Storage Location Information)

### 4.3 Site Zoning and Classification ☐ N/A

Current Land Use \*

Agricultural; Rural

Official Plan Designation \*

Rural

Current Zoning (Please attach zoning map, if available.) \*

Rural (RU), Rural Industrial (M3-2) & Extractive (M4)

Adjacent Land Use (select all that apply) \*

☐ Industrial

☒ Agricultural

☐ Commercial

☐ Recreational

☒ Residential

☒ Other (specify) \* General rural, wooded

Adjacent Land Zoning \*

Rural (RU)

Does the current zoning permit the proposed activity? \*

☒ Yes ☐ No

Does the applicant have correspondence from the municipality to confirm that the current zoning of the property permits the proposed use? \*

☐ Yes ☒ No If yes, please attach correspondence from the municipality.

Does the official plan designation support the proposed activity? \*

☒ Yes ☐ No ☐ N/A

✓ Completion Status (4.3 Site Zoning and Classification)

**4.4 Point of Entry into Ontario** ☐ N/A

(for waste management system vehicles that are stored at an address outside of Ontario)

City in closest proximity to the point of entry

---

Description of Point of Entry

✓ Completion Status (4.4 Point of Entry into Ontario)

**4.5 Source Protection/Drinking Water Threats** (sewage or waste disposal site applications only) ☐ N/A

Check the source protection area(s) where the activity is/will be located \*

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Ausable Bayfield                 | <input type="checkbox"/> Cataraqui Region                        | <input type="checkbox"/> Catfish Creek         |
| <input type="checkbox"/> Central Lake Ontario             | <input type="checkbox"/> Credit Valley                           | <input type="checkbox"/> Crowe Valley          |
| <input type="checkbox"/> Essex                            | <input type="checkbox"/> Ganaraska                               | <input type="checkbox"/> Grand River           |
| <input type="checkbox"/> Grey Sauble                      | <input type="checkbox"/> Halton                                  | <input type="checkbox"/> Hamilton              |
| <input type="checkbox"/> Kawartha-Haliburton              | <input type="checkbox"/> Kettle Creek                            | <input type="checkbox"/> Long Point            |
| <input type="checkbox"/> Lakehead                         | <input type="checkbox"/> Lake Simcoe and Couchiching/Black River | <input type="checkbox"/> Lower Trent           |
| <input type="checkbox"/> Lower Thames Valley              | <input type="checkbox"/> Maitland Valley                         | <input type="checkbox"/> Mattagami             |
| <input type="checkbox"/> Mississippi Valley               | <input type="checkbox"/> Niagara                                 | <input type="checkbox"/> North Bay Mattawa     |
| <input type="checkbox"/> Northern Bruce Peninsula         | <input type="checkbox"/> Nottawasaga Valley                      | <input type="checkbox"/> Rideau Valley         |
| <input type="checkbox"/> Raisin Region                    | <input type="checkbox"/> South Nation                            | <input type="checkbox"/> Saugeen Valley        |
| <input type="checkbox"/> Sault Ste. Marie                 | <input type="checkbox"/> Severn Sound                            | <input type="checkbox"/> Sudbury               |
| <input type="checkbox"/> St. Clair Region                 | <input type="checkbox"/> Toronto and Region                      | <input type="checkbox"/> Otonabee-Peterborough |
| <input type="checkbox"/> Outside a source protection area | <input checked="" type="checkbox"/> Quinte                       | <input type="checkbox"/> Upper Thames River    |

Is the proposed activity located or planned to be located in a vulnerable area identified in a local assessment report source protection plan under the *Clean Water Act, 2006*? \*

☐ Yes ☒ No

If yes, what is/are the vulnerable area(s)/zone(s)?

- ☐ Wellhead Protection Areas ☐ Surface Water Intake Protection Zones ☐ Highly Vulnerable Aquifers  
☐ Significant Groundwater Recharge Areas

Is the activity being applied for identified as a significant drinking water threat in the assessment report for the local source protection area? \*

☐ Yes ☒ No

✓ Completion Status (4.5 Source Protection/Drinking Water Threats)

**4.6 Receiver of Effluent Discharge** (sewage applications only) ☐ N/A

Intermediate Receiver Name \*

[Beechwood Ditch, Marysville Creek](#)

---

Watershed Name \*

[Quinte](#)

Type of Receiver \*

☒ Surface Water      ☐ Groundwater      ☐ Other (specify) \_\_\_\_\_

Has the facility received local Conservation Authority clearance? (for stormwater management facility discharging to the natural environment) \*

☐ Yes ☒ No

If yes, please include a copy of the Conservation Authority clearance.

**Final Receivers** ☐ N/A

Will the proposed activity discharge sewage to any of the following critical receivers? \*

<input type="checkbox"/> Lake Simcoe	<input type="checkbox"/> Rideau River	<input type="checkbox"/> Detroit River
<input type="checkbox"/> Great Lakes	<input type="checkbox"/> Rouge River	<input checked="" type="checkbox"/> Bay of Quinte
<input type="checkbox"/> Other (specify) _____		

Is the receiver a Policy 2 receiver? \*

☐ Yes ☒ No

Does the applicant have a Policy 2 deviation approval from the directors?

☐ Yes ☐ No

If yes, please attach a copy of the Director’s approval.

 Completion Status (4.6 Receiver of Effluent Discharge)

## 5. Facility Information

**5.1 Air** Note\*\* - If the application does not have air emissions please proceed to Section 5.2

[Information](#)

### 5.1.1 Summary of Equipment that Discharges Contaminants to the Air

Select Type of Equipment	Number of Pieces of Equipment
<input type="checkbox"/> Combustion equipment that uses natural gas, propane, no. 2 oil, landfill gas or sewage treatment gas for fuel for the purpose of providing comfort heating or emergency power, producing hot water or steam, or heating material in a system that does not discharge to the atmosphere (Total Heat input of all units: $\leq 50,000,000$ kJ/hr)	N/A
<input type="checkbox"/> Storage tanks	N/A
<input type="checkbox"/> Welding operations that use a maximum of 10 kilograms of welding rod per hour	N/A
<input type="checkbox"/> Combustion equipment that uses waste-derived fuel for the purpose of providing comfort heating, burning $\leq 15$ litres per hour	
<input type="checkbox"/> Heat cleaning ovens used for parts cleaning and associated parts washers or degreasing equipment, other than solvent degreasing equipment	
<input type="checkbox"/> Cooling towers	
<input type="checkbox"/> Equipment used to control emissions of contaminants, other than a fume incinerator	
<input type="checkbox"/> Laboratory fume hoods	
<input type="checkbox"/> Paint spray booths and associated equipment that have a design capacity of up to 8 litres per hour of paint	
<input type="checkbox"/> Grain dryers	
<input type="checkbox"/> Any other equipment not listed above with a flow rate of less than or equal to $1.5 \text{ m}^3/\text{second}$	
<input type="checkbox"/> Any other equipment not listed above with a flow rate of greater than $1.5 \text{ m}^3/\text{second}$	
<input type="checkbox"/> Equipment that is subject to an Environmental Compliance Approval, and from which there is no proposed increase in the discharge of any contaminant that was previously reviewed by the Director.	N/A



Completion Status (5.1.1 Summary of Equipment that Discharges Contaminants to the Air)

### 5.1.2 Emission Summary and Dispersion Modelling (ESDM) Report

Is the review of an existing, approved ESDM required as part of this proposed application?

☐ Yes ☐ No

If yes, identify the number of emission sources described in the existing ESDM Report that emit contaminants in common with the sources forming the subject of the application (if none, enter zero).

Have all of these emission sources been described in an ESDM Report that was previously reviewed as part of an application for an existing Environmental Compliance Approval?

☐ Yes ☐ No



Completion Status (5.1.2 ESDM Report)

### 5.1.3 O. Reg. 419/05 Requirements

Which of the following sections of O. Reg. 419/05 applies to the facility?

☐ s.19 (Schedule 2)

☐ s. 20 (Schedule 3)

☐ Does not apply. Please indicate reason \_\_\_\_\_

Has an instrument under O. Reg. 419/05 been issued?

☐ Yes ☐ No

If yes, what type(s) of instruments (including any notices, orders or approvals) has (have) been issued? (select all that apply)

☐ ss. 4(2) Adjacent Properties

☐ ss. 7(1) Specified Dispersion Models

☐ ss. 8(2) Negligible Sources

☐ ss. 10(2) Operating Conditions

☐ ss. 11(2) Refined Emission Rates

☐ ss. 13.1 Value of Dispersion Modeling Parameters

☐ ss. 13(1) Meteorological Data

☐ ss. 14(6) Area of Modelling Coverage

☐ ss. 20(4) Speed-up Request

☐ ss. 20(5) Speed-up Order

☐ s. 35 Site-specific Standard

☐ ss. 35(14) Site-specific Standard Order

☐ ss. 39(3) Technical Standard Registration (Industry Standard)

☐ ss. 39(4) Technical Standard Registration (Equipment Standard)

☐ Other (list all that have been issued) \_\_\_\_\_

Is an instrument under O. Reg. 419/05 being requested as part of this application?

☐ Yes ☐ No

If yes, what type(s) of notice, order or approval is (are) being requested?

☐ ss. 7(1) Specified Dispersion Models

☐ ss. 8(2) Negligible Sources

☐ ss. 10(2) Operating Conditions

☐ ss. 11(2) Refined Emission Rates

☐ ss. 13(1) Meteorological Data

☐ ss. 14(6) Area of Modelling Coverage

☐ ss. 20(4) Speed-up Request

☐ s. 32 Request for a Site-specific Standard Order

☐ ss. 39(1)(a) Application for Technical Standard Registration (Industry Standard)

☐ ss. 39(1)(b) Application for Technical Standard Registration (Equipment Standard)

☐ Other (list all that have been issued) \_\_\_\_\_

Please attach the form(s) requesting the notice(s) and/or order(s) and any additional supporting information.

Has an s. 30 Upper Risk Threshold (Schedule 6) been exceeded?

☐ Yes ☐ No

If yes, please include additional supporting information.

Is the facility located in a multi-tenant building?

☐ Yes ☐ No

If yes, additional information may be requested.

Are all of the contaminants to which the application relates represented in the Ministry of the Environment and Climate Change publication titled "Summary of Standards and Guidelines to support Ontario Regulation 419: Air Pollution- Local Air Quality" or have they been screened out based on the publication titled " Jurisdictional Screening Level (JSL) List, A Screening Tool for Ontario Regulation 419: Air Pollution - Local Air Quality"?

☐ Yes ☐ No

(If no, please attach Supporting Information for a Maximum Ground Level Concentration Acceptability Request for Compounds with no Ministry POI Limit - Supplement to Application for Approval, EPA S. 9).



✓ Completion Status (5.1.3 O. Reg. 419/05 Requirements)

✓ Completion Status (5.1 Air)

**5.2 Noise** Note\*\* - If the application does not have noise emissions please proceed to Section 5.3

**5.2.1 Noise Assessment** [Information](#)

Has an Acoustic Assessment Report (AAR) been completed in relation to the proposed project/activity?

☐ Yes ☐ No

If yes, please attach the Acoustic Assessment Report

Does the AAR show that applicable limits are met?

☐ Yes ☐ No

If no, please attach the Acoustic Assessment Report including the Noise Abatement Action Plan

If no, is the application eligible for Primary or Secondary Noise Screening?

☐ Yes ☐ No

Note that if the proposed activity is not eligible for either of the screenings, an AAR must be submitted.

If yes, is the proposed activity eligible for the Primary Noise Screening?

☐ Yes ☐ No

If yes, is the actual separation distance between the facility and the nearest noise sensitive point of reception (POR) greater than the minimum required separation distance calculated from the Primary Noise Screening?

☐ Yes ☐ No

If yes, please attach the Primary Noise Screening form and supporting documentation.

Note that if the Primary Noise Screening is not successful then the applicant may attempt to proceed with the Secondary Noise Screening.

If no, does the Secondary Noise Screening Form show that the applicable sound level limits are met?

☐ Yes ☐ No

If yes, please attach the Secondary Noise Screening Form and supporting documentation.

Note that if meeting the applicable sound level limits cannot be demonstrated, then an AAR must be submitted.

✓ Completion Status (5.2.1 Noise Assessment)

## 5.2.2 Equipment Subject to Noise Review

Description	Number of Pieces of Equipment
<input type="checkbox"/> Arc Furnaces	
<input type="checkbox"/> Asphalt Plants	
<input type="checkbox"/> Blow-down Devices	
<input type="checkbox"/> Co-Generation Facilities	
<input type="checkbox"/> Crushing Operations	
<input type="checkbox"/> Flares	
<input type="checkbox"/> Gas Turbines	
<input type="checkbox"/> Pressure Blowers or Large Induced Draft Fans (flow rate > 47 m <sup>3</sup> /second or static pressure > 1.25 kilopascals)	
<input type="checkbox"/> Any other equipment not listed above that has not previously been reviewed by the Director in connection with an application for an Environmental Compliance Approval with respect to the facility	
<input type="checkbox"/> Any other equipment not listed above that is identical to equipment for which a noise assessment was previously reviewed by the Director in connection with an application for an Environmental Compliance Approval with respect to the facility	

✓ Completion Status (5.2.2 Equipment Subject to Noise Review)

✓ Completion Status (5.2 Noise)

## 5.3 Sewage Works [Information](#)

Note\*\* - If the application does not contain Sewage Works please proceed to Section 5.4

### 5.3.1 Facility Type - Sewage Works

Select the type of facility that is the subject of the application (select all that apply). \*

☐ Sewage Treatment Plant (STP) ☒ Stormwater Management Facility

For the following, the applicant must complete and attach the relevant sections of the pipe data form:

☐ Storm Sewers ☐ Ditches ☐ Combined Sewers  
☐ Force mains ☐ Sanitary Sewers ☐ Pumping Station

#### Sewage Treatment Plant Details

☐ Primary ☐ Secondary ☐ Tertiary  
☐ Receives septage ☐ Constructed/Engineered Wetlands ☐ On-site system  
☐ Lagoons (check all that apply below)

☐ Septage ☐ Municipal ☐ Other (specify) \_\_\_\_\_

#### Facility Type

☐ Municipal or private facility

Category: ☐ New ☐ 1 ☐ 2 ☐ 3 ☐ 4

Please indicate the maximum design capacity of the municipal or private sewage treatment plant:

☐ ≤ 4,500 m<sup>3</sup>/day ☐ > 4,500 m<sup>3</sup>/day

☐ Facility for the treatment of leachate

Category: ☐ New ☐ 1 ☐ 2 ☐ 3 ☐ 4

☐ Facility for the treatment of industrial process wastewater

Category: ☐ New ☐ 1 ☐ 2 ☐ 3 ☐ 4

☐ Facility for the disposal of non-contact cooling water

☐ Subsurface disposal

Please indicate the design capacity of the subsurface disposal:

☐  $\leq 15\text{m}^3/\text{day}$  ☐  $> 15\text{m}^3/\text{day}$  and  $< 50\text{m}^3/\text{day}$  ☐  $> 50\text{m}^3/\text{day}$

### Stormwater Management Facility Details

Category: \* ☐ New ☐ 1 ☐ 2 ☐ 3 ☒ 4

Pond Type \*

☒ Wet Pond ☐ Dry Pond ☐ Other (specify) \_\_\_\_\_

What is the drainage area (in hectares) associated with the proposed activity? \* 20

Does the applicant own all, or part of the drainage area? \*

☒ Applicant owns all of the drainage area

☐ Applicant owns part of the drainage area

☐ Applicant does not own the drainage area

For the drainage area land that the applicant does not own, does the applicant have an agreement with the owner(s) of the drainage area?

☐ Yes ☐ No

What is the predominant type of land use in the drainage area? \*

☐ Rural or Agricultural ☒ Commercial or Industrial ☐ Residential

Is a Hydrogeological Assessment required? \*

☐ Yes ☒ No

(If yes, please attach the hydrogeological assessment.)

Is a review of effluent criteria assessment for stormwater management, cooling water or soil remediation facilities required? \*

☐ Yes ☒ No

(If yes, please attach the final effluent criteria accepted by the Regional Office of the Ministry.)

Is a review of effluent criteria assessment for municipal or private sewage, industrial process wastewater or leachate treatment plant required? \*

☐ Yes ☒ No

(If yes, please attach the final effluent criteria accepted by the Regional Office of the Ministry.)

Note: The Hydrogeological Assessment, effluent criteria, and surface water assessment must be discussed and prepared with the Ministry's regional technical support section during a pre-application meeting(s) and consultation(s) with the Ministry. A proof of concurrence from technical support must be included as part of the ECA application package.

✓ Completion Status (5.3.1 Facility Type - Sewage Works)

### 5.3.2 Servicing

The works will provide sewage servicing for (select all that apply): \*

☐ Residential

Residential Type

☐ Subdivision

☐ Condominium

☐ Institutional

☐ Other (specify) \_\_\_\_\_

Is there a Municipal Responsibility Agreement in place?

☐ Yes ☐ No ☐ N/A

(If yes, please attach a copy of the Municipal Responsibility Agreement.)

☒ Commercial

Commercial Type \*

☐ Hotel, Motel, Inn

☐ Campground, Park

☐ Rental Cabins

☐ Resort

☐ Shopping Malls

☐ Restaurant

☐ Highway Service Station/Gas Bars

☒ Other (specify) \* Closed Landfill

☐ Industrial

Describe \_\_\_\_\_



Completion Status (5.3.2 Servicing)

### 5.3.3 Sewage Servicing for Waste Disposal/Landfill Sites

Does/Will the sewage treatment facility receive waste disposal/landfill site leachate? \*

☐ Yes ☒ No

If yes, please identify the site(s) below.

Name of Site Contributing Leachate	Environmental Compliance Approval Number	Volume of Leachate (m³)
1.		



Completion Status (5.3.3 Sewage Servicing for Waste Disposal/Landfill Sites)



Completion Status (5.3 Sewage Works)

### 5.4 Waste Disposal Site

Note\*\* - If the application is not for a waste disposal or processing site please proceed to Section 5.5

#### 5.4.1 Facility Description - Waste Disposal Site (information on the nature of the proposed business or activity at this site)

Service Area

Total Area of Site (hectares)

Monitoring (select all that apply)

☐ Groundwater

☐ Surface Water

☐ Landfill Gas

☐ Leachate

☐ None

☐ Other (specify) \_\_\_\_\_

Type(s) of waste to be accepted at this site (select all that apply)

Subject:

Non-subject:

☐ Hazardous Waste

☐ Municipal (non-hazardous)

☐ Liquid Industrial Waste

☐ Other Liquid Waste

Municipal waste categories to be accepted at this site (select all that apply)

☐ All Categories

☐ Contaminated Soil

☐ Domestic Sources

☐ IC & I Sources

☐ Source Separated Organics

☐ Tires

☐ Leaf and Yard Waste

☐ Wood Waste

☐ Blue Box Materials

☐ Other (specify) \_\_\_\_\_

Other liquid waste categories to be accepted at this site (select all that apply)

- ☐ Processed Organics
- ☐ Hauled Sewage
- ☐ Waste from Food Processing/Preparation Operations
- ☐ Other (specify) \_\_\_\_\_

Hazardous Waste / Liquid Industrial Waste

Class Code	Class Code	Class Code	Class Code	Class Code

✓ Completion Status (5.4.1 Facility Description - Waste Disposal Site)

5.4.2 Waste Transfer/Processing/Composting - Complete this information if waste transfer and/or processing and/or composting take(s) place at this facility

Waste Type to be Transferred or Processed

- ☐ Hazardous waste or liquid industrial waste

Design Capacity

- ☐ ≤ 100 tonnes per day
- ☐ > 100 tonnes per day

- ☐ Waste other than hazardous waste and liquid industrial waste

Design Capacity

- ☐ ≤ 100 tonnes per day
- ☐ > 100 tonnes per day

Change to Operations

- ☐ No Change Proposed
- ☐ Change does not require fundamental design review
- ☐ Change requires fundamental design review

Liquid Waste

Maximum Storage Capacity (m³)

Hazardous	Liquid Industrial	Other Liquid Waste

Maximum Residual for Final Disposal (m³)

Hazardous		Liquid Industrial Waste		Other Liquid Waste	
Daily	Annually	Daily	Annually	Daily	Annually

Solid Waste

Maximum Storage Capacity (tonnes)

Hazardous	Non-Hazardous

Maximum Residual for Final Disposal (tonnes)

Hazardous		Non-hazardous	
Daily	Annually	Daily	Annually

Maximum Amount of Waste to be Received Daily

Liquid (m³)			Solid (tonnes)	
Hazardous	Liquid Industrial	Other Liquid Waste	Hazardous	Non-hazardous

✓ Completion Status (5.4.2 Waste Transfer/Processing/Composting)

5.4.3 Thermal Treatment Facility - Complete this information if thermal treatment takes place at this facility

Waste Type for Thermal Treatment

☐ Hazardous waste or liquid industrial waste

Design Capacity

☐ ≤ 100 tonnes per day      ☐ > 100 tonnes per day

☐ Waste other than hazardous waste and liquid industrial waste

Design Capacity

☐ ≤ 100 tonnes per day      ☐ > 100 tonnes per day

Change to Operations

☐ No Change Proposed

☐ Change does not require fundamental design review

☐ Change requires fundamental design review

Liquid Waste

Maximum Storage Capacity (m³)

Hazardous	Liquid Industrial	Other Liquid Waste
-----------	-------------------	--------------------

Maximum Residual for Final Disposal (m³)

Hazardous		Liquid Industrial Waste		Other Liquid Waste	
Daily	Annually	Daily	Annually	Daily	Annually

Solid Waste

Maximum Storage Capacity (tonnes)

Hazardous	Non-Hazardous
-----------	---------------

Maximum Residual for Final Disposal (tonnes)

Hazardous		Non-hazardous	
Daily	Annually	Daily	Annually

Maximum Amount of Waste to be Received Daily

Liquid (m³)			Solid (tonnes)		
Hazardous	Liquid Industrial	Other Liquid Waste	Hazardous	Non-hazardous	

Maximum Daily Feed Rate (tonnes/m³)

Hazardous Waste (tonnes)	Non-hazardous Waste (tonnes)	Liquid Industrial Waste (m³)	Other Liquid Waste (m³)
--------------------------	------------------------------	------------------------------	-------------------------

✓ Completion Status (5.4.3 Thermal Treatment Facility)

5.4.4 Landfill Site - Complete this information if this facility operates as a landfill site

Waste Types to be accepted at the Landfill

☐ Hazardous waste or liquid industrial waste

Design Capacity

☐ ≤ 40,000 m³      ☐ > 40,000 m³ ≤ 3 million m³      ☐ > 3 million m³

☐ Waste is only uncontaminated tree stumps, leaves, branches, concrete and rocks

**Design Capacity**

☐ ≤ 40,000 m<sup>3</sup>                      ☐ > 40,000 m<sup>3</sup> ≤ 3 million m<sup>3</sup>                      ☐ > 3 million m<sup>3</sup>

- ☐ Waste other than hazardous waste and liquid industrial waste, other than uncontaminated tree stumps, leaves, branches, concrete and rocks.

**Design Capacity**

☐ ≤ 40,000 m<sup>3</sup>                      ☐ > 40,000 m<sup>3</sup> ≤ 3 million m<sup>3</sup>                      ☐ > 3 million m<sup>3</sup>

**Change to Operations**

- ☐ No Change Proposed
- ☐ Change does not require fundamental design review or hydrogeological assessment
- ☐ Change requires fundamental design review or hydrogeological assessment

Note: The Hydrogeological Assessment, effluent criteria, and surface water assessment must be discussed and prepared with the Ministry's regional technical support section during a pre-application meeting(s) and consultation(s) with the Ministry. A proof of concurrence from technical support must be included as part of the ECA application package.

**Maximum Landfilling Capacity (m<sup>3</sup>)**

Hazardous Waste	Non-hazardous Waste	Liquid Industrial Waste	Other Liquid Waste

**Maximum Amount of Waste to be Received**

Hazardous Waste (tonnes)		Non-hazardous Waste (tonnes)		Liquid Industrial Waste (m <sup>3</sup> )		Other Liquid Waste (m <sup>3</sup> )	
Daily	Annually	Daily	Annually	Daily	Annually	Daily	Annually

**Landfill Information**

Area to be Landfilled (hectares)	Total Site Area including Buffer Area (hectares)
Estimated Date of Closure (yyyy/mm/dd)	Population Served

**Control Types (select all that apply)**

- ☐ Leachate Collected and Treated Off-site                      ☐ Leachate Collected and Treated On-site
- ☐ Landfill Gas Collected and Flared                      ☐ Landfill Gas Collected for Energy Generation
- ☐ Other (specify) \_\_\_\_\_



Completion Status (5.4.4 Landfill Site)



Completion Status (5.4 Waste Disposal Site)

**5.5 Waste Management Systems (Except Mobile Waste Processing)**

Note\*\*- If the application is not for a waste management system please proceed to Section 5.7.

**5.5.1 Fleet List** (all vehicles and equipment to be used in the operation of the Waste Management System)

Year	Make	Model	Vehicle Identification Number (VIN)	License Plate Number	Province/State

Separate list attached?

☐ Yes ☐ No



Completion Status (5.5.1 Fleet List)

5.5.2 Vehicle Information

Are all the vehicles to be used owned by the applicant?


☐ Yes    ☐ No

If no, please include additional information about ownership arrangements for each vehicle not owned by the applicant.

Has a minimum of \$1,000,000.00 liability insurance been obtained for all vehicles for which it is required?

☐ Yes    ☐ No

Describe any additional insurances that are held (for example, environmental impairment liability insurance).

 Completion Status (5.5.2 Vehicle Information)

5.5.3 General Waste Management System

Type(s) of Waste to be Transported by the General Waste Management System (select all that apply)

Subject:

- ☐ Hazardous Waste
- ☐ Liquid Industrial Waste

Non-subject:

- ☐ Municipal (non-hazardous)
- ☐ Other Liquid Waste

Non-subject Categories to be Transported by the General Waste Management System (select all that apply)

- ☐ Blue Box Materials
  - ☐ Commercial
  - ☐ Leaf/Yard Waste
  - ☐ Spill Cleanup Material
  - ☐ Tires
  - ☐ Waste Wash Water
  - ☐ Waste from Food Processing/ Preparation Operations
  - ☐ Processed Organics (not for land application)
- ☐ Domestic Sources
  - ☐ Non-Hazardous Solid Industrial
  - ☐ Wood Waste
  - ☐ Contaminated Soil
  - ☐ Asbestos Waste in Bulk
  - ☐ Grease Trap Waste
  - ☐ Dewatered Catch Basin Clean-out Material
  - ☐ Other (specify) \_\_\_\_\_

Subject Waste Categories to be Transported by the General Waste Management System

Hazardous Waste / Liquid Industrial Waste

Class Code	Class Code	Class Code	Class Code	Class Code

Separate list attached?

☐ Yes    ☐ No

- ☐ All drivers are/will be trained in accordance with O. Reg. 347 and all pertinent environmental legislation.
- ☐ Each vehicle used to transport a specific subject waste class is suitable for that waste transportation in order to protect the health and safety of the public and the natural environment.

Note: For transporters of pathological waste and PCBs (waste classes 243 and 312) Operations Manual and Driver Training Manual must also be attached and Financial Assurance must be provided.

General Waste Management System - Disposal Site Information

What is the Final Destination of Waste to be Transported by the General Waste Management System? (select all that apply)

- ☐ A disposal site in Ontario approved by the Ministry of the Environment and Climate Change
- ☐ Disposal sites outside of Ontario approved by another regulatory agency

List the destination province(s)/state(s)



Province/State	Province/State	Province/State	Province/State

✓ Completion Status (5.5.3 General Waste Management System)

**5.5.4 Soil Conditioner Waste Management System** (includes non-agricultural source material (NASM) that is waste and processed organic waste (biosolids) destined for land application only)

Has the applicant received recommendation from Biosolids Utilization Committee (BUC) for land application of processed organic waste (biosolids) or NASM?

☐ Yes If yes, please provide a copy of the BUC recommendation.

☐ No If no, please clarify \_\_\_\_\_

**Spreading equipment** (land application only)

Equipment Type	Make and Model	Description

Separate list attached?

☐ Yes ☐ No

**Method of system operation** (land application only)

Estimated quantity to be handled on an annual basis (cubic metres/litres/tonnes)

Please describe the loading procedures:

Please describe the spreading methods:

Please describe the storage facilities (tanks, lagoons, etc.):

### Soil Conditioner Waste Management System - Land Application Sites

What is the final destination of waste to be transported by the soil conditioner waste management system? (must include for land application only)

☐ Non-agricultural land

☐ Agricultural land

☐ Both agricultural and non-agricultural land

✓ Completion Status (5.5.4 Soil Conditioner Waste Management System)

### 5.5.5 Hauled Sewage (Septage) Waste Management System

Type(s) of hauled sewage (septage) to be transported

☐ Portable toilet waste

☐ Septic tank waste

☐ Holding tank waste

☐ Other (specify) \_\_\_\_\_

**Spreading equipment** (land application only)

Equipment Type	Make and Model	Description

Separate list attached?

☐ Yes ☐ No

Does this system include in-transit storage?

☐ Yes ☐ No

If yes:

a) What is the duration of storage? Please specify (Maximum period of in-transit storage should not exceed more than two weeks):

b) Is the storage tank a prefabricated tank with the capacity < 100,000 L, designed and constructed in accordance with a Class 5 Sewage System under the Ontario Building Code or CAN/CSA B66-05?

☐ Yes ☐ No If no, please provide a copy of the design of the storage tank signed and dated by a professional engineer.

Does this system include in-transit processing?

☐ Yes ☐ No

If yes:

a) Location of in-transit processing:

☐ In Vehicle ☐ In-storage Tank

b) Describe the method of in-transit processing:

Does this system use barge/boat to transport hauled sewage (septage)?

☐ Yes ☐ No

If yes:

a) Has a minimum of \$1,000,000.00 liability insurance been obtained for the barge/boat for which it is required?

☐ Yes ☐ No

b) Does the barge/boat have an engine of 10 horsepower (hp) or more, for which a commercial vessel license is required from Transport Canada?

☐ Yes ☐ No If yes, please include a copy of the commercial vessel license.

Note: For in-transit storage or processing the applicant must include with the application the consent of the landowner, if the landowner is different than the applicant. A financial assurance estimate must be provided by applicants using in-transit storage or using in-transit processing where processing is conducted in the in-transit storage tanks.

**Hauled Sewage (Septage) Waste Management System - Land Application Sites** ☐ N/A

List the Environmental Compliance Approval Number(s) of all disposal site(s) approved by the Ministry of the Environment and Climate Change for land application of hauled sewage in association with this waste management system.

Instrument Type	Instrument Number	Approval or Application Date (yyyy/mm/dd)

- ✓ Completion Status (5.5.5 Hauled Sewage (Septage) Waste Management System)
- ✓ Completion Status (5.5 Waste Management Systems (Except Mobile Waste Processing))

**5.6 Waste Management System - Mobile Waste Processing**

Note\*\*: If the application is not for the use and operation of mobile waste processing equipment, proceed to Section 5.7

5.6.1 Mobile Waste Management System Process and Equipment Description

Type(s) of Waste to be Processed (select all that apply)

Subject:

- ☐ Hazardous Waste
- ☐ Liquid Industrial Waste

Non-subject:

- ☐ Municipal (non-hazardous)
- ☐ Other Liquid Waste

Type of Waste to be Processed by the Unit(s)	Number of Units	Financial Assurance (per unit)	Financial Assurance Required
Non-hazardous Solid Waste		\$5,000	
Hazardous Waste		\$20,000	
Liquid Industrial Waste		\$20,000	
Other Liquid Waste		\$20,000	
Multiple Types of Waste from the Categories Above		\$20,000	

Total Financial Assurance

Municipal (non-hazardous) Waste Categories to be Processed (select all that apply)

- ☐ Contaminated Soil at Cleanup Site
- ☐ Wood Waste
- ☐ Construction and Demolition Waste
- ☐ Asbestos Waste
- ☐ Tires
- ☐ Domestic Waste
- ☐ Other (specify) \_\_\_\_\_

Other Liquid Waste Categories to be Processed (select all that apply)

- ☐ Hauled Sewage
- ☐ Waste from Food Processing/Preparation Operations
- ☐ Processed Organic
- ☐ Other (specify) \_\_\_\_\_

Hazardous / Liquid Industrial Waste Types to be Processed

Class Code	Class Code	Class Code	Class Code	Class Code

✓ Completion Status (5.6.1 Mobile Waste Management System Process and Equipment Description)

5.6.2 Equipment Information - Please attach a separate list if more space is required.

Equipment List

Unit No.	Unit Type	Process Description	Equipment Type	Make	Model	Serial Number	Equipment Capacity (including unit of measurement)

Separate list attached?

- ☐ Yes
- ☐ No

✓ Completion Status (5.6.2 Equipment Information)

✓ Completion Status (5.6 Waste Management System - Mobile Waste Processing)

5.7 Cleanup of Contaminated Sites

Note\*\* - If the application is not for a cleanup of a contaminated site please proceed to Section 6.

Type of Cleanup

- ☐ In-situ
- ☐ Ex-situ
- ☐ Both

Contaminated media to be treated:

☐ Groundwater

☐ Surface water

☐ Sediment

☐ Soil

Waste Type

Subject:

- ☐ Hazardous Waste
- ☐ Liquid Industrial Waste

Non-subject:

- ☐ Municipal (non-hazardous)
- ☐ Other Liquid Waste

Type of discharge

- ☐ Air
- ☐ Groundwater
- ☐ Storm or sanitary
- ☐ Surface water
- ☐ Noise

☒

 Completion Status (5.7 Cleanup of Contaminated Sites)

## 6. Supporting Documentation and Technical Requirements

### 6.1 General

This is a list of supporting information to this application and is subject to the FIPPA and EBR.

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Proof of legal name	Optional	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Enhanced EBR description	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Provincial Officer Notice	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Inspection Report	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Detailed project and process description	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Pre-application Consultation Record	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Legal Survey(s)	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Site Plan(s)	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Scaled area location plan(s) with geo-referencing points identified	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Documentation in support of EBR Exception	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Proof of Compliance with EAA Requirements	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Proof of Consultation/Notification	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Financial Assurance Estimate	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Not applicable	<input type="checkbox"/>
Name, address and consent of land/site owner for the installation and operation of the proposed activity or storage location of equipment or vehicle	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Name, address and phone number of the Operating Authority	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of NEPDA Permit	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy/Proof of Municipal Planning Approval (ORMCA, general)	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Municipal Zoning Confirmation Letter	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Zoning map	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Not available	<input type="checkbox"/>
Conservation Authority Clearance	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Director's approval for Policy 2 Deviation	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Application Fee	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Contact Francois Richard for credit card information (613) 558-5936 or <a href="mailto:frichard@blumetric.ca">frichard@blumetric.ca</a>	<input type="checkbox"/>
A copy of this application has been sent to the Ministry Local District Office	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>



Completion Status (6.1 General)

## 6.2 Air

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Emission Summary and Dispersion Modelling (ESDM) Report prepared in accordance with s. 22 and of O. Reg. 419/05 (including signed checklist)	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Electronic copy of the Dispersion Modelling input and output files prepared in accordance with s. 26 of O. Reg. 419/05	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Supporting Information for a Maximum Ground Level Concentration Acceptability Request for Compounds with no Ministry POI Limit - Supplement to Application for Approval, EPA S. 9	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copies of forms requesting O. Reg. 419/05 instruments and supporting documentation	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>



Completion Status (6.2 Air)

## 6.3 Noise and Vibration

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Primary Noise Screening	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Secondary Noise Screening	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Acoustic Assessment Report including signed checklist (AAR)	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Vibration Assessment Report	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Noise Abatement Action Plan	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>



Completion Status (6.3 Noise and Vibration)

## 6.4 Sewage Works

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Signed Municipal Responsibility Agreement	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Detailed description of the proposed activities/works	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Notice of Completion for the Environmental Study Report (ESR)	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Not applicable.	<input type="checkbox"/>

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Design Brief	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Preliminary Engineering Report	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	See design brief (included with this application as Appendix C)	<input type="checkbox"/>
Final Plans	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Engineering Drawings and Specifications	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	See design brief (included with this application as Appendix C)	<input type="checkbox"/>
Sewage quantity and quality characteristics	Required	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Stormwater Management Report	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Previously Provided for Approved ECA	<input type="checkbox"/>
Stormwater Management Plan	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Previously Provided for Approved ECA	<input type="checkbox"/>
Hydrogeological Assessment with proof of concurrence from the Ministry's Regional technical support section	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Environmental Impact Analysis	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Not applicable.	<input type="checkbox"/>
Final effluent criteria accepted with proof of concurrence from the Ministry's Regional Technical Support Section	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Sewage Works Limited Operational Flexibility Requirements - Engineer's Report	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Sewage Works Limited Operational Flexibility Requirements - Declarations	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Pipe Design Data Form	Required	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	No applicable.	<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>



Completion Status (6.4 Sewage)

## 6.5 Waste Disposal Sites

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Design and Operations Report	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Stormwater Management Report	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	not applicable	<input type="checkbox"/>
Hydrogeological Assessment with proof of concurrence from the Ministry's Regional technical support section	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Assessment of Physical and Water Use Conditions	Optional	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Not applicable	<input type="checkbox"/>
Waste Limited Operational Flexibility Requirements - Engineer's Report	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Waste Limited Operational Flexibility Requirements - Declarations	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of notification to adjacent landowners	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>



Completion Status (6.5 Waste Disposal Sites)

### 6.6 Waste Management Systems

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Proof of vehicle and/or equipment ownerships	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Complete Fleet List (list of all vehicles, trailers and equipment used)	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of the Liability Insurance for all vehicles for which insurance is required	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of BUC recommendation	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of the storage tank design	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Copy of commercial vehicle licence	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Description of the physical location where the vehicles transporting biomedical waste are being disinfected	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Drivers Training Manual (for PCB/ Biomedical Waste)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
A copy of the applicant's Operation Plan including detailed packaging and biomedical waste handling methods	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Contingency and Emergency Procedures Plan (for PCB/ Biomedical Waste/Hauled Sewage (Septage))	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>




Completion Status (6.6 Waste Management Systems)



**6.7 Mobile Waste Processing** ☐ N/A

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Design and Operations Report - Mobile Waste Processing of General Waste	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Design and Operations Report - Mobile Waste Processing of Liquid Waste	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>

 Completion Status (6.7 Mobile Waste Processing)**6.8 Cleanup of Contaminated Sites** ☐ N/A

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Design Report for Cleanup of Contaminated Sites	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>
Other (please describe)	Optional	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>


 Completion Status (6.8 Cleanup of Contaminated Sites)**6.9 Other Attachments** ☐ N/A

Title	Reference	Confidential
MECP Confirmation of Delineation Letter	Attachment B	<input type="checkbox"/>
Conceptual Design for Southeast Hydraulic Control System (HCS)	Attachment C	<input type="checkbox"/>
Email Confirmation from MECP Technical Support Section	Attachment D	<input type="checkbox"/>
Proof of Legal Name	Attachment E	<input type="checkbox"/>
		<input type="checkbox"/>

Is there an attachment of an additional list of attachments?

☐ Yes ☒ No

If there is not enough space to list all of the attachments included in this application package, please include an additional listing of these attachments.

 Completion Status (6.9 Other Attachments)**6.10 Confidentiality**

Attachment	Required, Optional or N/A	Attached?	If no, provide explanation, (include referenced attachment if more space is required for rationale)	Confidential
Explanation for confidentiality	N/A	<input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>

 Completion Status (6.10 Confidentiality)

Please note: The collection of personal information in this application is necessary to administer the Ministry's approvals program, which is authorized pursuant to the *Environmental Protection Act* and the *Ontario Water Resources Act*. The personal information collected in this application will be used to administer the program, including for the purposes of the Ministry's compliance and enforcement activities under the aforementioned acts, and for the purposes of making information in respect of Environmental Compliance Approvals available to the public with the exception of payment information. Questions about the collection of the information can be directed to a Client Service Representative, Client Services and Permissions Branch, 135 St. Clair Avenue West, 1st Floor, Toronto ON M4V 1P5; Telephone outside Toronto 1-800-461-6290 or in Toronto 416-314-8001 or Fax 416-314-8452.

## 7. Authorization

### 7.1 Statement of the Applicant

I am authorized to prepare and submit this application and to make this certification. I have reviewed the complete application and I have made all inquiries that are necessary to declare to the best of my knowledge, information and belief:

- The information contained in this application is complete and accurate.
- The Technical Contact(s) identified in this application has/have been authorized to prepare certain technical material, and act on behalf of the applicant to discuss this application with the Ministry of the Environment and Climate Change and to provide additional information about this application to the Ministry on request.
- The information provided to the Technical Contact(s) in relation to this application is complete and accurate.

Name of Signing Authority (Please print) \*

Bill McDonough

Title \*

Senior Project Manager

Telephone Number

ext.

Mobile Number

226-280-1795

Fax Number

Email Address

wmcdonou@wm.com

Signature



Date (yyyy/mm/dd)

2022/01/07

✓ Completion Status (7.1 Statement of the Applicant)

### 7.2 Statement of the Municipality ☐ N/A

I, the undersigned hereby declare on behalf of the Municipality, that the Municipality has no objection to the construction of the works in the Municipality.

Name (Please print)

Title

Name of Municipality

Signature

Date (yyyy/mm/dd)

✓ Completion Status (7.2 Statement of the Municipality)

### 7.3 Statement of Technical Contacts

#### Technical Contact 1

I have been authorized by the applicant to prepare the technical materials for the area(s) of responsibility identified in section 2.6 that are included in the application. I have reviewed those technical materials and I have made all inquiries that are necessary to declare to the best of my knowledge, information and belief:

- The technical materials contained in this application in respect of the area(s) of responsibility identified in section 2.6 are complete and accurate.
- I have the relevant education and experience necessary to provide this certification.

Name of Technical Contact (Please print) \*

Francois Richard

Signature



Date (yyyy/mm/dd)

2022/01/07

✓ Completion Status (7.3 Statement of Technical Contacts)

## 8. Payment Information - Application for an Environmental Compliance Approval

Please Note:

1. If this form has been completed by hand, the fee calculations must be completed and attached separately. The supplemental fee calculations do not need to be included if this form has been completed electronically.
2. If this form has been completed electronically, the fees for this application have been calculated based on the information provided. The Ministry may require additional information during the review of the application that could impact the total fee required.
3. All fees should be paid in Canadian funds, payable to the *Minister of Finance*, except fees for *Transfer of Review*, which are payable to the local municipality.
4. Credit card payments are accepted for payments under \$10,000 only. **Never email credit card information.**
5. If payment is being made by certified cheque or money order, please staple the payment to this page.
6. The information collected in this section of the form is considered confidential and will only be used to process the application fee.
7. To protect credit card information, do not submit this page containing payment information via e-mail or any other electronic means if it includes credit card information. Credit card information should be submitted only by mail, facsimile, or hand-delivery. Applications containing payment information that are submitted via e-mail or any other electronic means will not be processed and will be destroyed.

**Do not include this page in the copies of the application that are being provided to the Local Ministry District Office.**

Amount Enclosed

Method of Payment \*

☐ Certified Cheque ☐ Money Order ☐ VISA ☐ MasterCard

Credit Card Information (if paying by VISA or MasterCard)

Name of Cardholder (Please print)

Card Number

Expiry Date (mm/yy)


Card Holder's Signature

Date (yyyy/mm/dd)



Completion Status (8 Payment Information)

If paying by certified cheque or money order, please attach it here.





## Application Summary

### For Office Use Only

Reference Number	Payment Received (\$)	Date (yyyy/mm/dd)	Initials
------------------	-----------------------	-------------------	----------

Applicant Name

Waste Management of Canada Corporation

Project Name

WM Richmond Landfill - Application to Amend ECA No. 1688-8HZNJG

Project Description Executive Summary

The purpose of this amendment is to: include additional flow of 10.9 m3/day related to a proposed Hydraulic Control System (HCS) to be incorporated in the approved stormwater management facility that services the WM Richmond Landfill (the Site).

Supplemental Application Information

Following an Environmental Review Tribunal decision issued in 2015 for the Site's Waste Disposal Site ECA No. A371203, WM was required to demonstrate delineation of leachate-impacted groundwater at the Site, and off-Site. This was completed and in August 2021 the MECP Kingston District Manager confirmed that the extent of leachate-impacted groundwater related to the Site has been delineated. This confirmation required incorporation of contaminant attenuation zone (CAZ) and a revised Environmental Monitoring Plan (EMP) into the Waste Disposal Site ECA No. A371203 and a separate application was submitted to the MECP in November 2021 (MECP Reference 3258-C93K73). Furthermore an addendum to the November 2021 application for ECA No. A371203 is being submitted simultaneously to this application to incorporate a Hydraulic Control System (HSC) to ensure hydraulic control of off-site migration of landfill leachate impacted groundwater to the East of the Site.

This application seeks to incorporate the additional flow of 10.9 m3/day related to the proposed HCS into the existing Stormwater Pond No.3 as approved in ECA No. 1688-8HZNJG.

## Application Status

Section	Completed?			
1. Application Information	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
2. Project Information	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
3. Regulatory Requirements	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
4. Site Information	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
5. Facility Information	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
6. Supporting Documentation	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
7. Payment Information	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No
8. Authorization	<input checked="" type="checkbox"/>	Yes	<input type="checkbox"/>	No

Fee Summary

Activity	Amount (\$)
Administrative Processing	\$200.00
Review of EPA s. 9 activities	\$0.00
Review of EPA s. 27 activities	\$0.00
Review of OWRA s. 53 activities	\$600.00
Total Fee	\$800.00

The Ministry may request additional fees upon review of this application.  
If this form is submitted in print version only and the smart calculation feature is not used, please attach the fee calculation separately.

## ATTACHMENT B





**Ministry of the  
Environment,  
Conservation and Parks**  
Kingston District Office  
1259 Gardiners Road, Unit 3  
Kingston ON K7P 3J6

**Ministère de l'Environnement,  
de la Protection de la nature  
et des Parcs**  
Bureau du district de Kingston  
1259, rue Gardiners, unité 3  
Kingston (Ontario) K7P 3J6



William (Bill) McDonough  
Senior Project Manager  
Via Email : wmcdonou@wm.com

August 24, 2021

Dear Bill McDonough:

On December 24, 2015 the Environmental Review Tribunal (now called the Ontario Land Tribunal, and referred to the "Tribunal" in this letter) issued a decision ("the Decision") regarding the Environmental Compliance Approval issued in relation to the Richmond Landfill (the "Site"). While the Decision was extensive and touched on many aspects of the approval, the Decision laid out a process by which Waste Management ("WMCC" or "the Owner") would be required to demonstrate the delineation of the leachate-contaminated groundwater at the Site, and off-Site.

The Decision noted the criteria for determining whether the leachate-impacted groundwater has been delineated as follows:

*"The extent of leachate impacted groundwater shall be delineated if it is demonstrated that water within a sufficient number of monitoring wells at the outer extent of the impacted area that are hydraulically connected to the defined leachate impacted groundwater does not exceed any reasonable use limits (RUL) as defined in Guideline B-7 and its corresponding procedure, B-7-1 or any RUL set out in this approval."*

Of particular emphasis was the process by which the ministry would evaluate the information put forward by WMCC, and the information provided in response by both the Mohawks of the Bay of Quinte ("MBQ") and the Concerned Citizens Committee of Tyendinaga and Environs ("CCCTE"). The Tribunal Decision laid out a process to ensure CCCTE and MBQ had an opportunity to provide input that could be considered by the ministry when making a decision regarding the acceptability of the proposed delineation. The Decision stated in paragraph 467:

*...8.5(d) The following process shall be followed with respect to the report submitted under 8.5(c) v.:*

- i. CCCTE, the MBQ and NGL shall have until June 1, 2016 to provide written comments on the report to the Owner and the District Manager and specifically whether delineation has been completed in accordance with the criteria.*
- ii. After receiving the written comments from CCCTE, the MBQ and NGL, the District Manager will convene a meeting among all the parties to*

*obtain further input and attempt to reach a consensus on whether delineation has been completed.*

*iii. By no later than July 31, 2016, the District Manager shall issue a written notice to the Owner and copying the parties indicating whether delineation has been completed in accordance with the criteria ...*

It must be noted that the timeframes for completing the necessary work at the Site were much longer than envisioned by the Tribunal. Given the complex hydrogeology at the Site, there were many cycles of installing additional monitoring wells, sampling the new monitoring wells, analysing the sample results and updating the overall site conceptual model based on the results by WMCC. The ministry prepared interim commitments, and the MBQ and CCCTE were given opportunities to review and comment before the ministry finalized a technical review of each major submission. As additional monitoring wells were installed the cycle repeated itself several times.

While some may consider this a slow process, I am satisfied that this was a thorough and practical approach to ensure the leachate-contaminated groundwater plume could be effectively assessed, and the complex groundwater regimes at the Site and off-Site could be properly tested, assessed and understood. The requirement for repeated expansion of the monitoring program is an indication of the complexity of the groundwater at the Site, and also testament to the thoroughness, ability and dedication of all involved to understand the hydrogeologic systems involved in contaminant migration in the area.

While a schedule was developed for a technical meeting as envisioned by the Tribunal in 8.5(d)ii in 2018 and 2020, the technical meeting was held on July 23, 2021. The delay from 2018 and 2020 was in response to assessments made by the ministry, the MBQ and CCCTE, that additional information was needed in order to validate proper delineation of the contamination related to the landfill. While some were frustrated by the delay, I am satisfied that this iterative process in assessing the subsurface of the Site and off-Site is complex and subject to many different competing professional viewpoints. I therefore acknowledge and thank Waste Management, the Mohawks of the Bay of Quinte and Concerned Citizens Committee of Tyendinaga and Environs and their respective technical experts for their continued focus and efforts in providing comments and analysis that was considered by ministry experts throughout the past many years.

I note that the issue at hand is the analysis, consideration and assessment of the submission by Waste Management regarding the delineation of the leachate contaminated groundwater plume at the Site and off-Site. There are several individual documents that collectively form the submission. Rather than identify them here, I will only mention that they are identified in the comments and reports made by ministry surface water scientists and hydrogeologists.

As noted by ministry Technical Support (memo dated August 11, 2021 from Hydrogeologist Kyle Stephenson to Environmental Officer David Arnott), the July 23,

2021 technical meeting, among other topics, allowed for focus on three key areas of discussion and differing opinions: delineation to the east of the landfill, issues related to shallow groundwater and karst features in the south-central off-site area, and issues related to the north lagoon. I will not repeat the various perspectives of the technical contributors or of Mr. Stephenson here. Rather, I have set out below the conclusion I have reached after assessing all of the relevant information.

#### Delineation to the East of the Landfill

In recent years there has been an increasing trend of 1,4 dioxane in the wells to the east of the landfill onto adjacent private property. As noted by Mr. Stephenson, the company will have to secure groundwater rights to this property or establish an engineered system to ensure control of the leachate plume such that it does not extend to the adjacent property.

That said, I understand that the unimpacted wells further east have not been shown to be hydraulically connected to the wells that demonstrate leachate impacts. However, I understand that the hydrogeological reality of limestone in that area indicates extremely low permeability, and that attempts were made at drilling other monitoring wells in the area but they were non-producing, and that the land owner has not been supportive of additional wells being drilled. In sum, I note that based on the specific conditions in that area, I believe that there are a sufficient number of wells at the outer extent of the contaminant plume to confirm delineation to a suitable accuracy and granularity.

I also note that the hydrocarbon contamination on the neighbouring property will require assessment and delineation, and therefore additional monitoring wells will be required in this area for that purpose. If Waste Management owns the property at that time, the testing for 1,4-dioxane can be added as a requirement. If Waste Management does not own the property, the ministry can obtain samples to be tested for 1,4-dioxane as may be needed via the wells drilled by the owner.

I therefore am satisfied that the landfill leachate contaminant plume is sufficiently delineated and that the hydrogeological evaluation of that area is acceptable for the purposes of the ministry at this time.

#### South-Central Off-Site Area

South of the landfill, there is an area where groundwater discharges at times to the surface, and subsequently enters a karst feature and flows into the subsurface again. While groundwater conditions beyond this karst entry point have not been characterized, Mr. Stephenson has identified that the 1,4-dioxane limit for groundwater has not been exceeded in samples of this water. Therefore, this is not considered to be part of the area requiring further delineation for compliance purposes. I agree with Mr. Stephenson's perspective.

I note that updates to the Environmental Monitoring Plan will be required to ensure regular sampling of such waters to allow for on-going monitoring of conditions.

### North Lagoon

While the leachate management at the site has been unacceptable in recent years and was the focus of a Provincial Officer's Order and has led to several amendments of the Site Environmental Compliance Approval, I note that the groundwater and surface water monitoring adjacent to the north lagoon has not shown any associated leachate-related impacts. I am therefore in agreement that the north lagoon issues are an operational and compliance issue, but with the requirement of extensive testing before any additional leachate may be transferred to the north lagoon, I am in agreement that no further groundwater delineation work is required due to issues of the north lagoon.

I therefore hereby agree with the submission by Waste Management and the technical comments from Mr. Stephenson that the extent of leachate impacted groundwater related to the Richmond Landfill leachate contamination plume has been delineated and has been done in accordance with the criteria given the overall risk and the complexity of the hydrogeology at the Site as explained above.

In accordance with Condition 8.5(e) of the Amended Environmental Compliance Approval Number A371203, WMCC is required within 90 days of the receipt of this letter to *"submit to the Director, Environmental Permissions Branch, Ministry of the Environment, Conservation and Parks an application for approval to amend the ECA to address any non-compliance with Condition 8.8 and Guideline B-7, including if warranted an application to incorporate a contaminant attenuation zone into the approval, and including a proposed updated EMP."*

Should you have any additional questions, please feel free to contact me at 613-548-6906 or [trevor.dagilis@ontario.ca](mailto:trevor.dagilis@ontario.ca).

Sincerely,



Trevor Dagilis  
District Manager  
Kingston District

ec: David Arnott, Senior Environmental Officer, MECP  
Kyle Stephenson, Hydrogeologist, MECP  
Victor Castro, Supervisor (A), Water Resources Unit, MECP  
James Mahoney, Manager (A), Technical Support Section, MECP

## ATTACHMENT C





**CONCEPTUAL DESIGN  
FOR SOUTHEAST HYDRAULIC CONTROL SYSTEM**

**WASTE MANAGEMENT RICHMOND LANDFILL  
TOWN OF GREATER NAPANEE, ONTARIO**

Submitted to:



**Waste Management of Canada Corporation**

1271 Beechwood Road  
R.R. #6 Napanee, ON K7R 3L1

Prepared by:

**BluMetric Environmental Inc.**

4 Cataraqui Street  
The Woolen Mill, The Tower  
Kingston, ON K7K 1Z7

Project Number: 210166-06  
6 January 2022

**FINAL REPORT**

**CONCEPTUAL DESIGN FOR  
SOUTHEAST HYDRAULIC CONTROL SYSTEM**

**WASTE MANAGEMENT RICHMOND LANDFILL  
TOWN OF GREATER NAPANEE, ONTARIO**

Submitted to:



**WASTE MANAGEMENT OF CANADA CORPORATION**

1271 Beechwood Road  
R.R. #6 Napanee, ON K7R 3L1

Prepared by:



**BluMetric Environmental Inc.**

The Tower, The Woolen Mill  
4 Cataraqui Street  
Kingston, ON K7K 1Z7

Project Number: 210166-06

6 January 2022

## TABLE OF CONTENTS

<b>1.</b>	<b>INTRODUCTION.....</b>	<b>1</b>
<b>2.</b>	<b>HYDRAULIC EVALUATION .....</b>	<b>1</b>
<b>3.</b>	<b>CONCEPTUAL DESIGN OF HYDRAULIC CONTROL SYSTEM .....</b>	<b>2</b>
3.1	OVERVIEW.....	2
3.1.1	Extraction Wells .....	3
3.1.2	Discharge Forcemain .....	4
3.1.3	Controls, Power and Communications .....	4
3.1.4	Water Quality .....	4
3.2	STORMWATER POND NO. 3 DESIGN AND DISCHARGE .....	5
3.3	DISCHARGE TO STORMWATER POND NO. 3 .....	6
3.3.1	Operation of Stormwater Pond No. 3.....	8
<b>4.</b>	<b>CONTINGENCY MEASURES.....</b>	<b>8</b>
<b>5.</b>	<b>PERFORMANCE MONITORING .....</b>	<b>9</b>
5.1	GROUNDWATER ELEVATION MONITORING .....	9
5.2	DISCHARGE MONITORING.....	9
5.3	REPORTING AND REVIEW OF SYSTEM AND MONITORING PROGRAM.....	10
<b>6.</b>	<b>CLOSING.....</b>	<b>10</b>
<b>7.</b>	<b>REFERENCES.....</b>	<b>11</b>

## LIST OF TABLES

Table 1:	Summary of Groundwater Extraction Wells .....	3
Table 2:	Target Groundwater Extraction Rate and Drawdown at Extraction Wells .....	3
Table 3:	Estimation of Anticipated Concentration of 1,4-Dioxane in Discharge from Stormwater Pond No. 3. ....	7





## LIST OF FIGURES

- Figure 1: Site Plan  
Figure 2: Southeast Portion Site Plan  
Figure 3: Typical Bedrock Extraction Well

## LIST OF APPENDICES

- Appendix A: Hydraulic Control System Complementary Evaluation  
Appendix B: Preliminary Purge Well System Evaluation (BluMetric, 2018)



## 1. INTRODUCTION

A hydraulic control system (HCS) may be required in the southeast portion of the Waste Management (WM) Richmond Landfill property. The objective is to hydraulically control off-site migration of landfill leachate impacted groundwater in the intermediate bedrock flow zone, while minimizing the volume of extracted groundwater.

The groundwater impacted by landfill leachate in the intermediate bedrock flow zone has been delineated from extensive hydrogeological investigations based on the extents of primary leachate indicator 1,4-dioxane.

This document presents the proposed conceptual design developed to achieve the stated objective, with targets and design specifications developed from the field testing completed between 2018 and 2021, as outlined in **Appendix A** where aquifer testing results from evaluations of the proposed HCS are summarized.

## 2. HYDRAULIC EVALUATION

The hydrogeological site conceptual model (SCM) for the site has been developed based on extensive investigations conducted at the site and is summarized in BluMetric (2019) and references therein. The impacted groundwater area that has been delineated within the intermediate bedrock groundwater flow zone downgradient from the waste mound is shown on **Figure 1** of **Appendix A**. The area of impacted groundwater extends off-site onto the proposed Contaminant Attenuation Zone (CAZ) located to the south of Beechwood Road<sup>(1)</sup>, as well as onto the property located to the east of the southeastern portion of the landfill property. The proposed design for the HCS was developed to hydraulically control further off-site migration onto the adjacent property.

Drilling of potential extraction wells and preliminary evaluation of the proposed HCS including analytical modelling was completed in 2018 (BluMetric, 2018, included as **Appendix B**). This involved the installation of four test wells in the south-east area of the site: M212-PW, M213-PW, M214-PW and M215-PW (see **Figure 1**). The wells are cased across the overburden and shallow bedrock and open in the intermediate bedrock flow zone where the impacted groundwater has been delineated. Testing was completed to determine the potential yield of each of the extraction wells individually, and to determine the local hydraulic properties within the intermediate bedrock groundwater flow zone in the southeast portion of the WM property.

---

<sup>1</sup> Application to amend Environmental Compliance Approval No. A371203 submitted to Ministry of the Environment, Conservation and Parks Approvals Branch on November 23, 2021.



Analytical groundwater modelling demonstrated the feasibility of an engineered system to mitigate further off-site migration of groundwater by inducing hydraulic control in the area along the groundwater flow path in the intermediate bedrock flow zone, towards the east/southeast in this area of the site (BluMetric, 2018).

Complementary aquifer testing was conducted in 2021 where the three most productive extraction wells, M212-PW, M214-PW and M215-PW, were pumped over a total period of 57 hours between August 31 and September 2, 2021, and groundwater elevations recorded in nearby monitoring wells. Details of the test and results are included in **Appendix A**. Analysis of the data confirmed that effective hydraulic control can be achieved in the southeastern portion of the landfill property through continuous pumping at the three extraction wells. Maximum drawdown during the long-term pumping test was observed after 49 hours of continuous pumping (combined discharge rate of 15 L/min or 21.8 m<sup>3</sup>/day (4 usgpm)) at the three extraction wells (0.65 to 2.44 m relative to pre-pumping (static) conditions) and all observation wells (0.13 to 0.95 m from static levels). Pumping rates were then reduced by 50% (combined discharge rate of 7.6 L/min or 10.9 m<sup>3</sup>/day (2 usgpm)) and maintained for the remainder of the test.

Quasi-steady state under dynamic (pumping) conditions, with stable yet slightly reducing drawdown in the three extraction wells, was achieved after 57 hours of continuous pumping. Based on these results, the target discharge rate for long-term operation of the HCS was established at 7.6 L/min (10.9 m<sup>3</sup>/day, 2 usgpm).

Furthermore, analytical groundwater quality results from the combined discharge sampled at the end of the long-term pumping test confirmed that groundwater quality collected from the extraction system is expected to meet the proposed discharge limits in surface water (see **Appendix A** for details).

### 3. CONCEPTUAL DESIGN OF HYDRAULIC CONTROL SYSTEM

#### 3.1 OVERVIEW

**Figure 2** shows the southeast portion of the site highlighting the proposed HCS. The HCS will include the following components:

1. Three groundwater extraction wells open in the intermediate bedrock flow zone;
2. Discharge pipe from the extraction wells to existing Stormwater Pond No. 3; and
3. Controls and monitoring including water levels in each extraction well and measurement of cumulative groundwater extraction rate.



### 3.1.1 Extraction Wells

Three existing extraction wells, M212-PW, M214-PW and M215-PW will be used for the permanent extraction system. The conceptual design for the extraction wells is shown on **Figure 3**, while details of the extraction wells are provided in **Table 1**. All wells have a 6.25" diameter casing through overburden and extend between 3.21 and 4.89 m below top of the upper bedrock. As a result, the extraction wells are isolated from the shallow groundwater flow zone comprised of the saturated overburden and upper portion of the bedrock.

**Table 1: Summary of Groundwater Extraction Wells**

Extraction Well	Easting	Northing	Ground Surface (masl)	Top of Bedrock (masl)	Bottom of Well (masl)	Depth to Top of Bedrock (m)	Depth to Bottom of Well (m)	Depth to Bottom of Casing (m)
M212-PW	335891	4902773	128.36	125.47	93.5	2.89	34.86	6.1
M214-PW	335883	4902829	127.25	125.42	93.4	1.83	33.85	6.1
M215-PW	335822	4902889	127.64	126.43	94.4	1.21	33.24	6.1

The groundwater extraction wells will be operated to maintain the initial target drawdowns shown in **Table 2**. Actual target drawdowns will be adjusted and optimized following system commissioning to maintain effective hydraulic control while minimizing discharge volumes.

**Table 2: Target Groundwater Extraction Rate and Drawdown at Extraction Wells**

Extraction Well	Static Groundwater Level Aug. 31 2021 (m below REF)	Maximum Drawdown After 48 Hrs of Pumping (m below static)	Target* Groundwater Extraction Rate (L/min (usgpm))	Target* Drawdown (m below static)
M212-PW	10.11	0.65	3.8 (1.0)	0.75
M214-PW	8.91	2.44	1.9 (0.5)	2
M215-PW	9.18	1.99	1.9 (0.5)	2

\* Initial target – to be optimized during system commissioning

Pressure transducers and submersible groundwater extraction pumps will be installed in each of the three extraction wells to monitor the water level and control the pump discharge. Pitless adapters will be installed in the existing casing to maintain the discharge line below frost. A localized control panel at each extraction well will be installed to control the operations of the pump and transmit data to equipment that will be housed in existing Pumping Station PS3 (see **Figure 2**) for remote monitoring of the system.

The system will be designed and installed to operate year-round.



### 3.1.2 Discharge Forcemain

All three extraction wells will feed into a common forcemain which will discharge into Stormwater Pond No. 3. The forcemain will be installed a minimum 1.8 m below grade except in areas where the bedrock is encountered at a depth less than 1.8 m, where insulation will be added for freeze protection.

The forcemain will discharge onto the existing rip rap at the inlet to Stormwater Pond No. 3. The section of the forcemain adjacent to the discharge where the depth is less than 1.8 m will be heat traced.

A sample port and flow monitor will be installed either inside heated Pumping Station PS3 (Option 1) or downgradient of M215-PW in a maintenance hole (Option 2) (see **Figure 2**). The final location will be determined during detailed design. If the sample port and flow meter is installed in a maintenance hole, sample ports will be configured to provide access without entering the maintenance hole and the flow rates will be transmitted electronically. Heat tracing will be used to prevent freezing.

### 3.1.3 Controls, Power and Communications

Each extraction well pump will be operated by an individual controller located in a weatherproof enclosure adjacent to the well. Input from the pressure transducer will be used to control the pump. Power to each of the extraction wells will be supplied by an underground line from the electrical panel in Pumping Station PS3. Communications back to Pumping Station PS3 will be via either buried cable or wireless and integrated into the communications for Pumping Station PS3. This will enable continuous measurement of the groundwater level in each of the extraction wells (i.e., drawdown), combined flow rate, and operational status. Remote notification will alert operators to issues with the system.

### 3.1.4 Water Quality

Four groundwater samples were collected from the combined discharge from the three extraction wells (M212-PW, M214-PW and M215-PW) during the long-term pumping test, between the start of pumping until just before the pumps were turned off (water samples were collected after 2, 24, 48 and 56 hours of continuous pumping). The results were analyzed for general and inorganic parameters, metals, and volatile organic compounds and are included in the aquifer test memo in **Appendix A**.



The concentrations of all analyzed parameters were below the Provincial Water Quality Objectives (PWQO) except for phosphorus (first and third samples), boron (all four samples) and zinc (initial sample only). The concentration of boron in all four samples collected was stable at 1 mg/L and exceeded the interim PWQO of 0.2 mg/L; however the Canadian Water Quality Guideline for the protection of aquatic life (CCME 2009<sup>2</sup>) for boron of 1.5 mg/L is considered most appropriate for use here and is proposed as the compliance limit.

The concentration of 1,4-dioxane, the primary leachate indicator for the Richmond landfill site, in the samples collected throughout the pumping test ranged from 0.0063 mg/L to 0.0094 mg/L, which is below the PWQO of 0.02 mg/L.

### 3.2 STORMWATER POND NO. 3 DESIGN AND DISCHARGE

Stormwater Pond No. 3 was constructed in 2009 and consists of a series of three inter-connected individual ponds. The discharge from the proposed HCS will enter the furthest upstream location in Stormwater Pond No. 3. Groundwater from the HCS will flow through the forebay for the eastern pond, through the eastern pond, under the site access road, through the forebay for the west pond then the west pond (see **Figure 1**).

The overflow weir with an outlet structure is located at the west side of the western pond. The outlet structure includes an inlet catch basin connected to a 300 mm pipe running through the overflow weir. There is a discharge valve on the 300 mm pipe. Discharge from the overflow weir with the outlet structure flows west through a ditch then south to the property boundary at Beechwood Road. The flow in the ditch from Stormwater Pond No. 3 along with other ditches from other areas of the site flow through a culvert under Beechwood Road and continues within Beechwood Ditch. Surface water sampling location S8R is located at the upstream (north) end of the culvert under Beechwood Road.

The flow in Beechwood Ditch on the south side of Beechwood Road generally flows south and west to the municipal ditches located alongside Deseronto Road. However, flow from Beechwood Ditch to the municipal ditches located alongside Deseronto Road is generally not observed and it has been determined that the flow in Beechwood Ditch spreads out in the open field in this area (see **Figure 1**).

---

<sup>2</sup> CCME 2009, *Canadian Water Quality Guidelines for the Protection of Aquatic Life (Boron)*.  
<https://ccme.ca/en/res/boron-en-canadian-water-quality-guidelines-for-the-protection-of-aquatic-life.pdf>



### 3.3 DISCHARGE TO STORMWATER POND NO. 3

The total daily flow from the HCS into the pond is anticipated to be 10.9 m<sup>3</sup>/day (2 usgpm). Stormwater Pond No. 3 is designed for the 1:100-year storm event and a flow of 247,104 m<sup>3</sup>/day (2.86 m<sup>3</sup>/s) (WSP, 2008). The additional flow anticipated from the HCS discharge (less than 0.005% of the pond design flow) is not significant.

The concentrations of all the parameters analyzed in the final sample collected at the end of the long-term pumping tests were below the PWQO, except for boron with concentrations below the Canadian Water Quality Guideline for the protection of aquatic life (1.5 mg/L) which is a more relevant guideline compared to the Interim PWQO and is proposed for use as a compliance limit.

The maximum concentration of 1,4-dioxane from the aquifer test was 9.4 µg/L (**Appendix A**), which is consistent with the most recent concentrations (e.g., BluMetric, 2022) from samples collected from impacted groundwater monitoring wells located southeastern portion of the site within the radius of influence of the proposed HCS (M70-2, M105, M107, M108, M168, M170 and M192).

A mass balance approach was used to estimate the concentration of 1,4-dioxane anticipated in the discharge from Stormwater Pond No. 3. The discharge flow rate from Stormwater Pond No. 3 is not measured and it would be difficult to obtain an accurate estimate of the annual flow through the pond with a hydrological model since the design of the pond was based on a single event. For 2009, 2010 and 2011, the pond was operated in batch mode by closing the discharge valve and confirming the quality of the stormwater before the valve was opened and the stored water released. A total of 76,528 m<sup>3</sup> was released in 2011 (Genivar, 2012). This annual volume was used in the mass balance to estimate the predicted concentration of 1,4-dioxane in the discharge from Stormwater Pond No. 3. The equation for the mass balance is:

$$C_3 = \frac{C_1V_1 + C_2V_2}{V_1 + V_2}$$

Where:

C<sub>1</sub> = concentration of 1,4-dioxane in the stormwater pond

V<sub>1</sub> = annual volume of water discharged from stormwater pond

C<sub>2</sub> = concentration of 1,4-dioxane in the extracted groundwater

V<sub>2</sub> = annual volume of groundwater extracted

C<sub>3</sub> = predicted concentration of 1,4-dioxane in the effluent from the stormwater pond

V<sub>3</sub> = annual volume of water discharged including groundwater = V<sub>1</sub> + V<sub>2</sub>





The mass balance calculation is shown in **Table 3**.

**Table 3: Estimation of Anticipated Concentration of 1,4-Dioxane in Discharge from Stormwater Pond No. 3.**

Total volume pumped from Stormwater Pond No. 3 in 2011	76,528 m <sup>3</sup>
1,4-dioxane concentration in Stormwater Pond No. 3 (prior to discharge of groundwater)	0 µg/L
Annual volume of groundwater from the HCS	3,979 m <sup>3</sup>
1,4-dioxane concentration from the HCS	9.4 µg/L
Predicted 1,4-dioxane concentration in discharge from Stormwater Pond No. 3	0.46 µg/L

The predicted concentration of 1,4-dioxane in the effluent from Stormwater Pond No. 3 based on a mass balance approach is estimated at 0.46 µg/L, which is over 40 times less than the PWQO of 20 µg/L and less than 50% of the current site-specific groundwater reasonable use limit of 1 µg/L (see Environmental Monitoring Plan (EMP), BluMetric, 2016).

Natural temporal variations in groundwater elevations, influenced by seasonal or event-based increases or reductions in recharge from precipitation and snowmelt, are expected to cause fluctuations in the total discharge volumes and water quality from the HCS. For example, increased groundwater recharge during and shortly after spring freshet generally results in higher groundwater elevations in hydraulically active monitoring wells. Thus, increased pumping rates from the HCS, and lower constituent concentrations because of the increased dilution in the extracted groundwater from higher recharge, are expected as the system operates to maintain the target drawdown. As a result, it is anticipated that effluent concentrations from Stormwater Pond No. 3 should remain relatively constant despite the temporal fluctuations in the HCS discharge rates and water quality.

MECP has proposed to adopt the 1,4-dioxane groundwater RUL as the compliance limit for the surface water released from the pond system. The RUL for 1,4-dioxane is currently 1 µg/L, but may be updated in the future (e.g. when the Ontario Drinking Water Standard (ODWS) value gets established necessitating a recalculation of the RUL). For example, should the recently established (Health Canada, 2021<sup>3</sup>) maximum acceptable concentration (MAC) in drinking water of 0.050 mg/L (50 µg/L) be adopted as the ODWS, the resulting RUL for 1,4-dioxane calculated using Ontario Guideline B-7 would be 0.0125 mg/L (12.5 µg/L).

<sup>3</sup> Health Canada 2021, *Guidelines for Canadian Drinking Water Quality, Guideline Technical Document, 1,4-Dioxane*, published March 2021. <https://www.canada.ca/content/dam/hc-sc/documents/services/publications/healthy-living/guidelines-canadian-drinking-water-quality-guideline-1-4-dioxane/1-4-dioxane-pdf-eng.pdf>





Based on the information provided, both the quantity and quality of the combined discharge to Stormwater Pond No. 3 from the three extraction wells (M212-PW, M214-PW and M215-PW) that will be used for the proposed HCS are acceptable.

### 3.3.1 Operation of Stormwater Pond No. 3

Stormwater Pond No. 3 will be operated continuously with samples collected from the sampling station located along Beechwood Road immediately downstream from Stormwater Pond No. 3 (S8R) as per ECA No. A371203 (see **Figure 1**). If the concentration of 1,4-dioxane is less than the RUL, the gate valve will remain open to discharge the pond water. Operation of the HCS will continue while water is being discharged from the pond as it is expected that the concentration of 1,4-dioxane being extracted will remain stable.

The gate valve on the discharge from the pond will be closed and the system operated in batch mode if the concentration of 1,4-dioxane in samples from surface water monitoring location S8R exceeds the RUL. A grab sample will be collected from Stormwater Pond No. 3 and analyzed for 1,4-dioxane to ensure the concentration is below the RUL before opening the gate valve and resuming continuous flow operation.

## 4. CONTINGENCY MEASURES

Contingency measures will include:

1. If the concentration of 1,4-dioxane in Stormwater Pond No. 3 exceeds the RUL when sampled with the pond filled to 75% capacity, the gate valve will be closed. Stormwater Pond No. 3 will be resampled and allowed to drain once the concentration of 1,4-dioxane decreases below the RUL;
2. Additional optimization of the HCS by reducing the individual pumping rates from some or all extraction wells to reduce total discharge from the system while ensuring that hydraulic control is maintained will be evaluated. Hydraulic control will be confirmed by contouring and interpolating groundwater elevations from monitoring wells included in the HCS performance monitoring network (see Section 5);
3. If necessary, discharge from the HCS may be temporarily redirected to the leachate holding tank for off-site disposal as permitted under the Conditions of ECA No. A371320, until 1,4-dioxane concentrations in Stormwater Pond No. 3 are confirmed to be below the RUL and normal continuous flow operations can resume; and



4. If it is determined that it is not possible to achieve the RUL for 1,4-dioxane on the discharge from Stormwater Pond No. 3, negotiations with the owner of the neighboring property will be conducted to purchase the property or groundwater rights required to extend the CAZ, or negotiations with the MECP to adjust the 1,4-dioxane limit will take place.

## **5. PERFORMANCE MONITORING**

The following monitoring program is proposed to ensure that the hydraulic control system operates as intended, both in terms of groundwater elevations and discharge water quality. The objectives of the HCS monitoring program are to:

- 1) Optimize HCS operation (target drawdown and discharge rate in each extraction well) following system commissioning;
- 2) Ensure that the desired hydraulic control is maintained by contouring groundwater drawdown around extraction wells; and
- 3) Monitor discharge water quality from the HCS and prior to off-site discharge at the outlet.

The proposed monitoring program is provided below.

### **5.1 GROUNDWATER ELEVATION MONITORING**

Data loggers capable of continuous water level measurements will be installed in extraction wells (M212-PW, M214-PW and M215-PW) as well as in monitoring wells M52-2, M105, M107, M108, M168, M170, M192 and M193.

Groundwater elevations will be recorded every 12 hours and interpolated on a weekly basis for a period of one month following commissioning of the system. The frequency will be decreased to once per month for a period of one year, and quarterly after the first year of operation.

### **5.2 DISCHARGE MONITORING**

The combined discharge volume from the extraction wells will be recorded continuously using a flow meter and totalizer and reviewed on a weekly basis for a period of one month following commissioning of the system. This short-term compilation and review frequency will allow for adjustments to optimize drawdown and flow and will then be decreased to once per month for a period of one year, and to quarterly after the first year of operation.



Water samples will be collected from the combined discharge collected from the extraction wells and analyzed for 1,4-dioxane. The sampling frequency will be on a weekly basis for a period of one month following commissioning of the system. The frequency will be decreased to once per month for a period of one year, and quarterly after the first year of operation.

### 5.3 REPORTING AND REVIEW OF SYSTEM AND MONITORING PROGRAM

Results from the system performance monitoring will be evaluated and reported on a quarterly basis for the first year following commissioning of the system, and on an annual basis after the first year of operation. The reports will include interpolated groundwater elevations during the period since the last report, analytical water quality results as well as recommendations regarding modifications to the system operation and monitoring program, as appropriate.

## 6. CLOSING


We trust that the information provided is satisfactory. Do not hesitate to contact the undersigned if you have questions or require additional details.

Report Prepared by:

**BluMetric Environmental Inc.**



François Richard, Ph.D. P.Geo.  
Senior Hydrogeologist



Michael Duchene, M.A.Sc., P.Eng.  
Senior Engineer

## 7. REFERENCES

BluMetric 2016: *Revised Interim Environmental Monitoring Plan v. 05, WM Richmond Landfill, Town of Greater Napanee, Ontario*, BluMetric Environmental Inc., Report dated April 2016.

BluMetric, 2018: *Preliminary Purge Well System Evaluation, Waste Management Richmond Landfill Site*, BluMetric Environmental Inc., Memorandum dated October 15, 2018.

BluMetric, 2019: *Addendum to Site Conceptual Model Update and Contaminant Attenuation Zone Delineation, Waste Management Richmond Landfill Site*, BluMetric Environmental Inc., Report dated May 2019.

BluMetric, 2022: *Fall 2021 Semi-Annual Monitoring Report, Waste Management Richmond Landfill Site*, BluMetric Environmental Inc., Report dated January 2022.

Henderson Paddon, 2008, Design Brief, Stormwater Management Pond No. 3 Upgrade, Existing Richmond Landfill, Napanee, Ontario, Henderson Paddon & Associates Limited, Project 8570G, April 2008.


Genivar, 2012, Richmond Sanitary Landfill Site 081-12459-00, Monitoring Report No. 25, Part of Lots 1, 2, and 3, Concession IV, Township of Richmond, County of Lennox and Addington, GENIVAR Inc., Project No. 081-12459-00 (8570), March 22, 2012



## FIGURES







**LEGEND**

- Test Well
- Surface Water Sampling Location
- Monitoring Well
- Proposed CAZ Boundary
- Landfill Footprint
- Waterbody
- Building
- Hydro Tower
- Road
- Watercourse
- Culvert
- Proposed Forcemain
- Elevation Contour (5 m)
- Elevation Contour (1 m)
- Property Boundary

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

**REFERENCES**  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 20 40 80 120 160  
Meters  
1:5,000

**CLIENT**

**PROJECT**

Waste Management Richmond Landfill - Hydraulic Containment System

**TITLE**

Site Plan


**Blumetric™**  
Environmental

*The Tower - The Woolen Mill,  
4 Cataraqui St.,  
Kingston, Ontario K7K 1Z7*

TEL: (613) 531-2725  
FAX: (613) 531-1852  
Email: [info@blumetric.ca](mailto:info@blumetric.ca)  
Web: <http://www.blumetric.ca>

PROJECT # 210166-05		DATE January 06, 2022	
DRAWN GM	CHECKED MC	FIG NO. 01	REV 0






PLAN VIEW  
SCALE: 1:1000

PUMP	DESCRIPTION
M212-PW	OPEN IN BEDROCK 6.1m - 34.9mbgs TARGET PUMPING RATE = 3.8 L/min.
M214-PW	OPEN IN BEDROCK 6.1m - 33.8mbgs TARGET PUMPING RATE = 1.9 L/min.
M215-PW	OPEN IN BEDROCK 6.1m - 33.2mbgs TARGET PUMPING RATE = 1.9 L/min.

NOTE: SEE FIGURE 2 FOR EXTRACTION WELL DETAILS

#### KEY MAP



#### GENERAL NOTES:

- ALL DIMENSIONS ARE METRIC AND SHOWN IN METRES (UNLESS NOTED OTHERWISE).
- NORTHINGS AND EASTINGS ARE IN METRES.
- ELEVATIONS ARE IN METRES, RELATIVE TO THE LOCAL DATUM. CONTOURS ARE IN 0.5 METRE INTERVALS.
- A WEATHERPROOF ENCLOSURE WILL BE INSTALLED AT EACH OF M212-PW AND M214-PW WELLS. IT WILL CONTAIN THE PUMP CONTROLLER AND A SLAVE DATA LOGGER. THE DATA LOGGER CHECKS AND RECORDS THE PUMP CONTROLLER STATUS AND SENDS THIS INFORMATION TO THE MASTER DATA LOGGER.
- A WEATHERPROOF ENCLOSURE WILL BE INSTALLED AT M215-PW WELL. THIS WILL CONTAIN THE PUMP CONTROLLER AND THE MASTER DATA LOGGER. THE MASTER DATA LOGGER WILL BE USED TO RECORD THE FLOW METER MEASUREMENTS AND THE STATUS OF THE PUMP CONTROLLER (WORKING OR NOT). THIS LOGGER ALSO COMMUNICATES WITH THE LOGGERS INSTALLED AT M212-PW AND M214-PW TO CHECK THEIR STATUS. IN CASE OF A PROBLEM, THIS LOGGER WILL SEND A MESSAGE VIA A CELLULAR MODEM CONNECTED TO IT.

#### LEGEND:

- LIMIT OF DEVELOPMENT
- PROPOSED BURIED DISCHARGE FORCEMAIN
- PROPOSED BURIED POWER AND COMMUNICATIONS
- EXISTING ACCESS ROAD (GRAVEL)
- EXISTING ACCESS ROAD (PAVED)
- EXISTING CULVERT
- EXISTING DITCH CENTRELINE
- EXISTING GROUND SURFACE CONTOURS, 2.5m MAJOR INTERVALS
- x EXISTING SPOT ELEVATION
- EXISTING HYDRO POLE
- ☼ EXISTING LIGHT STANDARD
- VERTICAL CONTROL MONUMENT
- △ HORIZONTAL CONTROL MONUMENT

0 20 40 60 80  
METRES 1:1000

THIS SCALE TO BE USED TO OBTAIN APPROXIMATE DIMENSIONS FOR INFORMATION

A2	ISSUED FOR INTERNAL REVIEW	21/12/07	DRR
A1	ISSUED FOR INTERNAL REVIEW	21/11/25	DRR
REV.	DESCRIPTION	YY/MM/DD	BY CHK

REFERENCES  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL, INC. DO NOT SCALE DRAWING AS THIS DRAWING MAY HAVE BEEN REDUCED.



PROJECT  
RICHMOND LANDFILL  
CONCEPTUAL DESIGN  
HYDRAULIC CONTROL SYSTEM


TITLE  
SOUTH EAST PORTION  
SITE PLAN



PROJECT #	DATE	SCALE
210166	2021-11-23	1:1000
DRAWN	CHECKED	APPROVED
DRR	FR	FIGURE 2
ES NO.	REV	
N/A	A2	

PRELIMINARY  
DRAWING  
NOT TO BE  
USED FOR  
CONSTRUCTION





NOTES:

1. ALL DIMENSIONS ARE METRIC AND SHOWN IN MILLIMETRES (UNLESS NOTED OTHERWISE).

A2	ISSUED FOR INTERNAL REVIEW	21/12/07	DRR	
A1	ISSUED FOR INTERNAL REVIEW	21/11/25	DRR	
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

REFERENCES  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR  
DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC  
ENVIRONMENTAL INC. DO NOT SCALE DRAWING AS THIS DRAWING  
MAY HAVE BEEN REDUCED.

CLIENT




WASTE  
MANAGEMENT

PROJECT

RICHMOND LANDFILL  
CONCEPTUAL DESIGN  
HYDRAULIC CONTROL SYSTEM

TITLE

SOUTH EAST PORTION  
TYPICAL BEDROCK EXTRACTION WELL



Blumetric  
Environmental

The Tower - The Woolen Mill,  
4 Coleridge St.,  
Kingston, Ontario K7K 1Z7  
TEL: (613) 531-5725  
FAX: (613) 531-1852  
Email: info@blumetric.ca  
Web: <http://www.blumetric.ca>

PROJECT #	DATE	SCALE	
210166	2021-11-23	NTS	
DRAWN	CHECKED	APPROVED	ES NO. REV
DRR	FR	FIGURE 3	N/A A2

PRELIMINARY  
DRAWING  
NOT TO BE  
USED FOR  
CONSTRUCTION

DRAWING No.	REFERENCE DRAWINGS



## **APPENDIX A**

### Hydraulic Control System Complementary Evaluation





## MEMORANDUM

**DATE:** January 6, 2022  
**TO:** Chris Prucha, Bill McDonough and Jim Forney (WM)  
**FROM:** Matthew DeGeer and Francois Richard (BluMetric)  
**PROJECT NO:** 210166-06  
**SUBJECT:** Hydraulic Control System Complementary Evaluation,  
WM Richmond Landfill, Town of Greater Napanee

---

### OBJECTIVE

A hydraulic control system (HCS) may be required in the southeast portion of the Waste Management (WM) Richmond Landfill property. The objective is to establish hydraulically control in the intermediate bedrock flow zone to mitigate further off-site migration of landfill leachate impacted groundwater onto the property to the east of the southeast portion of the landfill property, while minimizing the volume of extracted groundwater.

Preliminary design scenarios were developed using aquifer properties derived from aquifer testing results using four test wells (M212-PW through M215-PW) drilled into bedrock and open to the formation across the intermediate bedrock flow zone (**Figure 1**). Results from preliminary aquifer testing (pumping test using M212-PW as pumping well) and analytical modelling confirmed the feasibility of an engineered system to prevent further off-site migration of groundwater. This will be achieved by inducing hydraulic control in the area along the groundwater flow path in the intermediate bedrock flow zone, towards the east/southeast in the southeastern portion of the site. Details and results from the preliminary aquifer testing conducted previously were provided in BluMetric (2018<sup>1</sup>).

Complementary field testing was conducted recently to confirm simulated results and to determine individual extraction well pumping rates required to create sufficient drawdown of hydraulic heads in the southeastern portion of the site where landfill leachate impacted groundwater has been delineated upgradient of the eastern property limit. Details regarding the methodology and results from the field testing program are described below.

---

<sup>1</sup> *Preliminary Purge Well System Evaluation, WM Richmond Landfill Town of Greater Napanee*, prepared by BluMetric Environmental Inc., October 15, 2018



## FIELD METHODOLOGY AND RESULTS

Aquifer testing was conducted between August 24 and September 6, 2021, consisting of a series of step tests with individual extraction wells pumping, followed by a short duration test with three extraction wells pumping simultaneously and finally a long-term aquifer test. All pumping and monitoring wells shown on **Figure 1** were equipped with Solinst Leveloggers (pressure transducers) several days before testing began and operated throughout the entire duration of the testing. Atmospheric pressure was also recorded during the testing period to allow for barometric compensation of the Solinst Levelogger data, and manual water levels were recorded at extraction and monitoring wells using an electronic water level tape.

Groundwater extracted from the pumping wells was discharged through a common forcemain equipped with a FLOMEC Series flowmeter and totalizer into a 1,000 L tank and pumped to a tanker for off-site disposal at the Napanee Wastewater Treatment facility.

Details and results from the aquifer tests are summarized below.

### STEP TESTS

Test wells M213-PW, M214-PW, and M215-PW were individually step tested using Grundfos Redi-flo2 submersible pumps on August 24 and 25, 2021 to examine the response from pumping by monitoring water levels in test wells and monitoring wells, and to estimate the pumping rates required to achieve sufficient drawdown and stabilization of water levels within each of the wells. Water levels were recorded at nine monitoring wells (M105, M107, M108, M168, M193, M192, M70-2, M170, and M52-2) during each short duration pumping test. Pumping rates and water levels within the pumping and monitoring wells were recorded throughout the step tests and are summarized in **Table 1**.

**Table 1: Summary of Step Tests**

Pumping Well	Step Test Date	Initial Water Level (mbTOC)	Average Pump Rate (L/Min)	Duration (hr:min)	Approximate Extracted Volume (L)	Maximum Drawdown* (m)
M213-PW	25-Aug	9.65	9.5	2:20	1,135	10.42
M214-PW	24-Aug	8.76	9.7	3:15	1,900	6.64
M215-PW	25-Aug	7.00	9.1	2:40	1,400	6.64

\* From manual water level readings

Results from the step tests confirmed direct hydraulic connection between extraction wells and most of the monitoring wells installed in the intermediate bedrock groundwater flow zone (**Figure 1**), where response to pumping was observed within seconds or minutes at several monitoring wells (M105, M107, M108, M168, M170 and M192). Unsurprisingly, no apparent response was observed at monitoring wells M52-2, M70-2 and M193, located to the east and southeast in an area where low permeability bedrock has been confirmed to be present through past hydrogeological investigations.

### SHORT-TERM AQUIFER TEST

Three test wells (M212-PW, M214-PW and M215-PW) were pumped synchronously at a fixed flow rate on August 26, 2021, to further refine the target pumping rates for the long-term aquifer test. Initial flow rates between 3.7 and 4.2 L/min (1.0 and 1.1 usgpm) were imposed at the three extraction wells and maintained for a period of approximately 3.5 hours (see **Table 2**). Pumping rates were then increased at each of the test wells (between 8.7 and 10 L/min, 2.3 to 2.6 usgpm) and maintained for an additional period of approximately 3 hours. About 7,080 L of groundwater were extracted over the 6.5 hour of pumping. Water levels were recorded at nine monitoring wells during the short-term aquifer test (M105, M107, M108, M168, M193, M192, M70-2, M170 and M52-2) as well as test well M213-PW (not pumping). Flow rates and water levels in each of the pumping wells were also recorded.

A summary of the short-term aquifer test is provided in **Table 2**. Stabilization of groundwater levels in test and observation wells was not achieved during the short-term aquifer test. Maximum drawdown was similar at M214-PW and M215-PW, reaching 5.17 and 4.91 m, respectively, while the response to pumping was much smaller at M212-PW (0.50 m), confirming that the latter has a higher capacity compared to the other extraction wells. As was observed during previous hydraulic testing (BluMetric, 2018), a response was recorded within seconds or minutes at most monitoring wells, while negligible drawdown was measured at M52-2, M70-2 and M193.

**Table 2: Summary of Short-Term Aquifer Test**

Well	Initial Water Level (mbTOC)	Average Pumping Rate (L/Min)	Duration (min)	Approximate Extracted Volume (L)	Maximum Drawdown* (m)
M212-PW	10.05	3.74	210	786	0.50
		9.95	180	1,791	
M214-PW	8.84	3.47	205	711	5.17
		8.68	173	1,502	
M215-PW	9.10	4.19	200	839	4.91
		8.81	165	1,453	
M105	8.35	-	-	-	0.10
M107	9.60	-	-	-	0.11
M108	9.51	-	-	-	0.29
M168	7.41	-	-	-	0.26
M193	7.65	-	-	-	-0.02
M192	9.23	-	-	-	0.33
M70-2	8.51	-	-	-	0.05
M170	9.12	-	-	-	1.21
M52-2	9.21	-	-	-	-0.02
M213-PW	9.67	-	-	-	0.33

\* From manual water level readings

### LONG-TERM AQUIFER TEST

Groundwater was pumped for a period of approximately 57 hours from test wells M212-PW, M214-PW, and M215-PW between 10:00 am on August 31 to 07:04 pm on September 2, 2021.

The average pumping rate in extraction wells was initially set to a target value of 7.5 L/min (2 usgpm) at M212-PW and 3.8 L/min (1 usgpm) at M214-PW and M215-PW, for a combined discharge rate of 15 L/min (4 usgpm), and maintained for a period of about 49 hours before being reduced by 50% (combined discharge of 7.5 L/min or 2 usgpm) for the final 8 hours of pumping. A total of 49,367 L was extracted from the three pumping wells. **Table 3** summarizes the pumping rate and maximum observed drawdown observed as well as extracted groundwater volume at each of the pumping wells.

**Table 3: Summary of Constant Discharge Aquifer Test Details**

Pumping Well	Initial Water Level (mbTOC)	Average Flow Rate (L/Min)	Duration (hr:min)	Total Extracted Volume (L)	Maximum Drawdown* (m)
M212-PW	10.11	7.46	49:00	21,945	0.65
		3.87	8:00	1,856	
M214-PW	8.84	3.91	48:55	11,481	2.44
		2.19	7:57	1,044	
M215-PW	9.10	4.12	48:50	12,077	1.99
		2.03	7:54	964	

\* From manual water level readings

**Table 4** summarizes the initial (static) groundwater level and maximum drawdown observed after approximately 49 hours of continuous pumping at all observation wells during the constant discharge aquifer test.

**Table 4: Summary of Observation Wells During Long-Term Aquifer Test**

Borehole	Initial Water Level (mbTOC)	Maximum Drawdown* (m)
M52-2	9.24	0.13
M70-2	8.50	0.42
M105	8.45	0.35
M107	9.69	0.37
M108	9.57	0.50
M168	7.50	0.49
M170	9.20	0.95
M193	7.62	0.14
M192	9.29	0.53
M213-PW (not pumping)	9.72	0.54

\* From manual water level readings

Pumping and observation well response curves to the aquifer test conducted at M212-PW, M214-PW, and M215-PW are presented in **Attachment A**. The following observations can be made from these graphs:

- 1) As expected, water levels in the three extraction wells (M212-PW, M214-PW and M215-PW) decreased quickly after the pumps were turned on, followed by a gradual slowdown in the drawdown as pumping continued; while the rate of decline in the water levels slowed down, steady conditions were not achieved at the end of the initial period of pumping (49 hours);
- 2) A very rapid and direct response was observed in water levels at test well M213-PW (not pumping) as well as in monitoring wells M105, M107, M108, M168, M170 and M192;
- 3) The water levels in monitoring well M70-2 showed an apparent but weak response to pumping, consistent with the fact that this monitoring well has poor permeability and is screened much shallower compared to adjacent well M170 where a response was observed immediately after pumping started, and the largest drawdown was recorded compared to all other monitoring wells;
- 4) Conversely, monitoring wells M52-2 and M193 demonstrated a fluctuation in water levels that appears to be mostly correlated with barometric pressure fluctuations, but no distinct response to pumping was observed at these locations located to the east and southeast where low permeability bedrock has been confirmed to exist;
- 5) Water levels stabilized quickly in the three extraction wells when the pumping rates were reduced by 50% after 48 hours (vertical blue line on the graphs), and remained relatively stable for an additional period of 8 hours;

- 6) Similarly, reduced drawdowns (higher water levels) were observed in the hydraulically active monitoring wells (M105, M107, M108, M168, M170 and M192) shortly after the pumping rates were reduced, and either stabilized or showed a slightly declining trend at some wells; and
- 7) All responsive wells started to recover towards their static (pre-pumping) elevations when pumping was shut down (dashed red line) after a total of 57 hours of pumping.

The interpolated maximum drawdowns, recorded in extraction and monitoring wells measured after about 48.5 hours of continuing pumping at a combined discharge rate of 15.5 L/min (4.1 usgpm), are shown on **Figure 2**. The results show continuous drawdown (i.e., overlapping areas of influence away from the pumping wells) across the impacted area immediately upgradient of the property adjacent to the southeastern portion of the landfill property. These results are generally consistent with simulated results obtained from Scenario 2 (BluMetric, 2018 Appendix D), with M212-PW, M214-PW and M215-PW pumping simultaneously.

## GROUNDWATER DISCHARGE QUALITY

Four composite samples were collected throughout the hydraulic test, after approximately 2, 24, 48 and 56 hours of continuous pumping. Each composite sample comprised a mixture of groundwaters from pumping wells M212-PW, M214-PW and M215-PW. The samples were collected from an inline discharge valve located between the temporary storage tank and the storage tanker. All water samples were placed in bottles supplied and prepared by the laboratory for analysis, using the combined lists of groundwater and surface water parameters from the landfill Environmental Monitoring Plan (EMP). The samples were packed in coolers with ice and shipped by courier to the laboratory. All samples were analysed by Bureau Veritas Laboratory of Mississauga, ON, which is accredited by the Canadian Association for Laboratory Accreditation Inc. (CALA).

**Table 5** presents a summary of analytical results. Results are compared to Ontario Provincial Quality Objectives (PWQO), except for boron where the Council of Canadian Ministers of the Environment (CCME, 2009<sup>2</sup>) water quality guidelines for the protection of aquatic life limit of 1.5 mg/L was adopted for comparison, instead of the outdated Interim PWQO.

The concentrations of all analyzed parameters were below the PWQO (CCME guideline in the case of boron), except for phosphorus (first and third samples), and zinc (initial sample only). The concentration of 1,4-dioxane, the primary leachate indicator for the Richmond Landfill site, in the samples collected throughout the aquifer test ranged from 0.0063 mg/L to 0.0094 mg/L, which is below the PWQO of 0.02 mg/L. The concentrations of 1,4-dioxane from the samples collected at 24, 48 and 56 hours of pumping (0.0088, 0.0093 and 0.0094 mg/L) are consistent with the most recent concentrations from samples collected from impacted groundwater monitoring wells located in the southeastern portion of the site within the radius of influence of the proposed HCS (M70-2, M105, M107, M108, M168, M170 and M192).

---

<sup>2</sup> CCME 2009, *Canadian Water Quality Guidelines for the Protection of Aquatic Life (Boron)*.  
<https://ccme.ca/en/res/boron-en-canadian-water-quality-guidelines-for-the-protection-of-aquatic-life.pdf>



**Table 5: Combined Discharge Quality from Extraction Wells**

Parameter	Units	PWQO*	Aug 31, 2021 11:45	Sep 1, 2021 10:15	Sep 2, 2021 10:00	Sep 2, 2021 18:00
<i>Hours since pumping started (approx.):</i>			<b>2</b>	<b>24</b>	<b>48</b>	<b>56</b>
<b>General/Inorganic</b>						
Alkalinity	mg/L		500	550	550	560
Ammonia	mg/L		2.63	1.96	1.82	1.87
Ammonia (unionized)	mg/L	0.02	0.0084	0.0086	0.0091	0.013
Biochemical Oxygen Demand	mg/L		2	4	5	8
Chemical Oxygen Demand	mg/L		13	18	15	15
Chloride	mg/L		350	230	220	210
Conductivity	μS/cm		1900	1700	1700	1700
Dissolved Organic Carbon	mg/L		3.6	4	4.1	3.9
Hardness	mg/L		370	340	360	350
Nitrate	mg/L		< 0.1	< 0.1	< 0.1	< 0.1
Nitrite	mg/L		< 0.01	< 0.01	< 0.01	< 0.01
Phenols	mg/L	0.001	< 0.001	< 0.001	< 0.001	< 0.001
Phosphorus (total)	mg/L	0.03	0.057	< 0.03	0.048	< 0.03
Sulphate	mg/L		24	14	11	12
Total Dissolved Solids	mg/L		955	890	805	865
Total Suspended Solids	mg/L		< 10	< 10	< 10	< 10
<b>Metals</b>						
Boron	mg/L	1.5*	1	1	0.97	1
Cadmium	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Calcium	mg/L		75	66	76	73
Chromium (III)	mg/L	0.0089	< 0.005	< 0.005	< 0.005	< 0.005
Chromium (Total)	mg/L		< 0.005	< 0.005	< 0.005	< 0.005
Chromium (VI)	mg/L	0.001	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Cobalt	mg/L	0.0009	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Copper	mg/L	0.005	< 0.002	< 0.002	< 0.002	< 0.002
Iron	mg/L	0.3	0.3	0.1	< 0.1	< 0.1
Lead	mg/L	0.005	< 0.0005	< 0.0005	< 0.0005	< 0.0005
Magnesium	mg/L		42	40	43	42
Manganese	mg/L		0.014	0.006	0.005	0.006
Nickel	mg/L	0.025	0.002	0.003	0.003	0.003
Potassium	mg/L		32	18	18	17
Sodium	mg/L		260	250	240	250
Zinc	mg/L	0.02	0.11	0.014	< 0.01	< 0.01
Naphthalene	mg/L		<0.00005	<0.00005	<0.00005	<0.00005
<b>PWQO exceedances</b>						

\* CCME (2009)

Parameter	Units	PWQO*	Aug 31, 2021 11:45	Sep 1, 2021 10:15	Sep 2, 2021 10:00	Sep 2, 2021 18:00
<i>Hours since pumping started (approx.):</i>			<i>2</i>	<i>24</i>	<i>48</i>	<i>56</i>
<b>Volatile Organic Compounds (VOCs)</b>						
1,1,1,2-Tetrachloroethane	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,1,1-Trichloroethane	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
1,1,2,2-Tetrachloroethane	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,1,2-Trichloroethane	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,1-Dichloroethane	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
1,1-Dichloroethylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
1,2-Dichlorobenzene (o)	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,2-Dichloroethane	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,3,5-Trimethylbenzene	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,3-Dichlorobenzene (m)	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,4-Dichlorobenzene (p)	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
1,4-Dioxane	mg/L	0.02	0.0063	0.0088	0.0093	0.0094
Benzene	mg/L		0.0001	< 0.0001	< 0.0001	< 0.0001
Chlorobenzene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Chloroethane	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
Chloromethane	mg/L		< 0.0005	< 0.0005	< 0.0005	< 0.0005
Cis-1,2-Dichloroethylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Dichloromethane	mg/L		< 0.0005	< 0.0005	< 0.0005	< 0.0005
Ethylbenzene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
m+p-Xylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
o-Xylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Styrene	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
Tetrachloroethylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Toluene	mg/L		0.0047	0.00035	0.00021	< 0.0002
Total Xylenes	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Trans-1,2-dichloroethylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Trichloroethylene	mg/L		< 0.0001	< 0.0001	< 0.0001	< 0.0001
Vinyl Chloride	mg/L		< 0.0002	< 0.0002	< 0.0002	< 0.0002
Field Temperature	Celsius		15.7	12.9	12.3	13.3
pH (Field)	Unitless		6.96	7.19	7.27	7.39
<b>PWQO exceedances</b>						

\* CCME (2009)

## DISCUSSION AND CONCLUSION

Aquifer testing was completed in the southeastern portion of the landfill property, where leachate impacted groundwater has been delineated and extends onto a portion of the adjacent property to the east. Three test wells installed in the intermediate bedrock flow zone were used as pumping wells to evaluate the feasibility of establishing a hydraulic control system (HCS) designed to mitigate further off-site migration of landfill leachate impacted groundwater onto the property to the east.

The aquifer testing program consisted of step tests where extraction wells were pumped individually over a few hours to establish suitable pumping rates and target drawdowns in each well. A short term (6.5 hours) aquifer test was then conducted by pumping three extraction wells (M212-PW, M214-PW and M215-PW) simultaneously and monitoring groundwater elevations in the pumping wells and monitoring wells located in the vicinity and known to be hydraulically active. Finally, a long-term (57 hours) aquifer test was completed to evaluate the effective drawdown and radius of influence that can be achieved by continuous pumping of the proposed HCS.

Results from the hydraulic testing were consistent with those obtained from previous preliminary field testing and modelling results and confirmed that effective hydraulic control can be achieved in the southeastern portion of the landfill property and hydraulically upgradient from the property to the east. The hydraulic connectivity among the pumping wells and the monitoring wells is such that the intermediate bedrock groundwater flow zone contamination can be effectively controlled to mitigate and eventually prevent further off-site migration.

Groundwater quality from the combined discharge was monitored during the long-term aquifer test, and the results from the final sample collected met the surface water criteria (PWQO for all parameters except for boron, and the CCME guideline for boron). Direct discharge to surface water can be considered without requiring treatment.

## CLOSING

We trust that the information provided is satisfactory. Do not hesitate to contact the undersigned if you have questions or require additional details.

Report Prepared by:  
**BluMetric Environmental Inc.**

A blue ink signature of François Richard, consisting of a stylized 'F' followed by a cursive 'Richard'.

François Richard, Ph.D. P.Geo.  
Senior Hydrogeologist

A black ink signature of Matthew DeGeer, written in a cursive style.

Matthew DeGeer, M.Sc., GIT  
Geoscientist-in-Training

### Attachments:

- Figure 1: Extraction Wells and Monitoring Network
- Figure 2: Interpolated Groundwater Drawdown – September 2, 2021
- Attachment A: Long Term Aquifer Test Drawdown Plots

## FIGURES







**LEGEND**

- Test Well
- Monitoring Well
- Potentiometric Surface (masl) - May 14, 2018
- Inferred Potentiometric Surface (masl) - May 14, 2018
- Extents of 1,4 Dioxane Impacted Area
- Property Boundary
- Proposed CAZ Boundary
- Landfill Footprint

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

**REFERENCES**  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 20 40 80 120 160  
Meters  
1:5,000

**CLIENT**

**PROJECT**

Waste Management Richmond Landfill - Hydraulic Containment System

**TITLE**


Extraction Wells and Monitoring Network

**Blumetric™**  
Environmental

*The Tower - The Woolen Mill,  
4 Cataraqui St.,  
Kingston, Ontario K7K 1Z7  
TEL: (613) 531-2725  
FAX: (613) 531-1852  
Email: [info@blumetric.ca](mailto:info@blumetric.ca)  
Web: <http://www.blumetric.ca>*

PROJECT # 210166-06		DATE January 06, 2022	
DRAWN GM	CHECKED MC	FIG NO. 01	REV 0






**LEGEND**


- Test Well
- Monitoring Well
- Not Used in Contouring
- Extents of 1,4 Dioxane Impacted Area
- Property Boundary
- Proposed CAZ Boundary
- Landfill Footprint
- Drawdown Contours (0.1 m interval)

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

**REFERENCES**  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING. THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.



Meters  
1:2,000



**CLIENT**



**PROJECT**

Waste Management Richmond Landfill - Hydraulic **Control** System

**TITLE**

**Interpolated** Groundwater Drawdown  
**September 2, 2021**



**Blumetric™**  
Environmental

*The Tower - The Woolen Mill,  
4 Cataraqui St.,  
Kingston, Ontario K7K 1Z7*

TEL: (613) 531-2725  
FAX: (613) 531-1852  
Email: [info@blumetric.ca](mailto:info@blumetric.ca)  
Web: <http://www.blumetric.ca>

PROJECT # 210166-06		DATE December 20, 2021		
DRAWN GM	CHECKED FR	FIG NO. 02	REV 0	



## **ATTACHMENT A**










### Long Term Aquifer Test Drawdown Plots









# Groundwater Drawdown Graphs

Hydraulic Control System (HCS)  
Long-Term Aquifer Test  
August 31 to September 6, 2021



# Groundwater Drawdown Graphs

**Groundwater Level Drawdown - Monitor M168****Groundwater Level Drawdown - Monitor M170****Groundwater Level Drawdown - Monitor M192****Groundwater Level Drawdown - Monitor M193**

## **APPENDIX B**

Preliminary Purge Well System Evaluation (BluMetric, 2018)





## MEMORANDUM

**DATE:** October 15, 2018  
**TO:** Chris Prucha, Bill McDonough and Jim Forney (WM)  
**FROM:** Alija Bos, Madeleine Corriveau, Phil Tibble and Francois Richard (BluMetric)  
**PROJECT NO:** 180150-06  
**SUBJECT:** Preliminary Purge Well System Evaluation, WM Richmond Landfill  
Town of Greater Napanee

---

### OBJECTIVE

A purge well system may be required in the southeast portion of the Waste Management (WM) Richmond Landfill property. The objective of the purge well system is to hydraulically control contaminated groundwater in the intermediate bedrock flow zone, currently travelling off property while minimizing the volume of water requiring treatment or transport for disposal.

Preliminary design scenarios using aquifer properties derived from pumping test results, suggest hydraulic capture can be achieved for control of off-site migration. Details are provided below related to the field testing, including drilling test wells and conducting a pumping test, as well as results and interpretations aimed at establishing the feasibility and preliminary design scenarios for the system.

### FIELD METHODOLOGY

#### DRILLING

A total of four boreholes were drilled south and southeast of the landfill footprint on August 16<sup>th</sup> 2018 (M212-PW through M215-PW). The test wells were installed along a roughly north-south axis 25 to 50 m west from the downgradient Waste Management property line (Figure 1). The intermediate bedrock groundwater flow zone potentiometric surface from May 2018<sup>1</sup> and approximate extent of the known impacted area<sup>2</sup> are also shown on Figure 1.

---

<sup>1</sup> Spring 2018 Semi-Annual Monitoring Report, Waste Management Richmond Landfill Site, prepared by BluMetric Environmental Inc., July 2018

<sup>2</sup> Site Conceptual Model Update and Contaminant Attenuation Zone Delineation, Waste Management Richmond Landfill Site, prepared by BluMetric Environmental Inc., July 2017





The test wells were installed upgradient of the adjacent property to the east, where landfill derived impacts in the intermediate bedrock groundwater flow zone have been identified.

Drilling of boreholes M212-PW through M215-PW was completed by Chalk Well Drilling Ltd. of Napanee, ON using cable tool, air percussion techniques. After drilling through the overburden, steel casing was installed from ground surface and set into the upper portion of the bedrock. Borehole records are included in Appendix A.

**Table 1: Summary of Borehole Construction Details**

Borehole	Easting	Northing	Ground Surface Elevation (masl)	Bedrock Elevation (masl)	Bottom of Hole Elevation (masl)
M212-PW	335891	4902773	128.361	125.471	93.5
M213-PW	335857	4902784	127.976	125.236	93.2
M214-PW	335883	4902829	127.245	125.417	93.4
M215-PW	335822	4902889	127.636	126.426	94.4

Reported initial yields during drilling for the boreholes were low, about 1 U.S. gallons per minute (gpm) at M212-PW and less than 1 gpm at the other three holes. Chalk Well Drilling developed the wells with a cable tool and achieved improvements in potential yields, reporting potential yields and depths where water was found as listed in Table 2:

**Table 2: Summary of Borehole Observations**

Borehole	Potential Yield Lpm (USgpm)	Fractures Noted mbgs (masl)	Water Found mbgs (masl)
M212-PW	75.7 (20)	12.5 (115.9)	27.7 (100.6)
		27.7 (100.6)	
M213-PW	5.7 (1.5)	12.2 (115.8)	27.4 (100.5)
		27.4 (100.5)	
M214-PW	15.1 (4)	11.6 (115.7)	26.5 (100.7)
		26.5 (100.7)	
M215-PW	75.7 (20)	10.7 (117.0)	25.9 (101.7)
		25.9 (101.7)	

## PUMPING TEST

Groundwater was pumped from M212-PW pumping well using a three inch Grundfos SQE pump. Groundwater was discharged through a four inch 'lay flat' hose to a temporary water storage tank which was routinely pumped out by Sutcliffe Sanitation Services Ltd. of Napanee, ON. Collected discharge water was disposed of at the Napanee Waste Water Treatment Plant. The flow rate was monitored by an inline Lake displacement gauge and flow rate was controlled by adjustment of a gate valve at the well head. Table 2 summarizes the flow rate and maximum observed drawdown in the pumping well for the test.

**Table 2: Summary of Pumping Test Details**

Pumping Test Duration (hrs)	Average Flow Rate (USgpm)	Maximum Drawdown (m)	Total Volume USgal
46	8.78	5.86	24,233 (~91,732 L)

Solinst Levelloggers (pressure transducers) were installed in test wells M213-PW, M214-PW, M215-PW as well as in nearby observation wells installed in the intermediate bedrock flow zone, and set to acquire groundwater level readings on five minute intervals. Figure 1 illustrates the location of the observation wells with respect to the pumping well. The Solinst Levelloggers were hung below the water level in the well using optical connection cables that allowed data to be checked and downloaded from the surface without removing the logger from the well. Loggers were installed at least 24 hours prior to the start of the long term constant discharge test to collect background data. Atmospheric pressure was also recorded during the testing period to allow for barometric compensation of the Solinst Levellogger data. In addition to the Solinst Levellogger data, manual water levels were collected using an electronic water level tape prior to and several times during the pumping and recovery phases of the test.

Inflatable packers were used to isolate vertical intervals in M215-PW and M212-PW boreholes for testing purposes. Water level measurements were recorded above and below the isolated zones in these boreholes.

On completion of the pumping and recovery components of the constant discharge test, the water level measurements collected by the data loggers were retrieved and the Solinst Levelloggers removed from the wells. Water level data from the Solinst Levelloggers was corrected for barometric pressure changes and then were normalized to a zero point coinciding with the start of the pumping phase of the constant discharge test to facilitate recognition of the extent of drawdown and recovery.

Observation well response curves to the pumping test conducted at M212-PW are presented in Appendix B.

## DATA ANALYSIS

Response to pumping at M212-PW was observed in all monitoring wells indicating the pumping well and other new wells were intersecting the hydraulically active system in the area as identified by previous investigations.

Water level data from the pumping test described above was plotted on a composite plot, with an x-axis of  $t/r^2$ , where:

- $t$ : elapsed time since the start of pumping; and,
- $r$ : radial distance from the pumped well.

The Cooper-Jacob analysis can be applied to a composite plot as follows:

$$s = \frac{Q}{4\pi T} 2.303 \log_{10} \left[ 2.2459 \frac{T}{S} \left( \frac{t}{r^2} \right) \right]$$

Where:

- $Q$ : constant well discharge;
- $T$ : transmissivity; and,
- $S$ : storage coefficient.

The approximation in this form suggests that after some time has elapsed, the drawdown is a linear function of the logarithm of  $t/r^2$ . Solving for  $T$ :

$$T = 2.303 \frac{Q}{4\pi} (SLOPE)^{-1}$$

Where:

- $SLOPE$  = drawdown per log cycle  $t/r^2$

As shown in Figure 2, after some early-time curvature, the drawdown data from all observation wells approximate straight lines with a similar slope indicating that all wells are installed within the same hydrostratigraphic unit. Therefore it is appropriate to use this slope to estimate a representative bulk average transmissivity of the intermediate bedrock unit in this portion of the site as follows:

$$T = 2.303 \frac{48 \frac{m^3}{day}}{4\pi} (1.5m)^{-1}$$

$$T = 5.8 m^2/day$$

$$T = 7E^{-5} m^2/s$$




Figure 2: Composite plot of drawdown data



Pumping test data was also analyzed using aquifer test analysis software AquiferTest™ to estimate hydraulic parameters. The Theis solution provided an average transmissivity value of  $8E^{-5}$  m<sup>2</sup>/s for test wells M213-PW, M214-PW and M215-PW. Analysis data sheets are provided in Appendix C.

## PRELIMINARY PURGE WELL DESIGN

The AquiferTest software was used to simulate different potential combinations of pumping wells and pumping rates to hydraulically control impacted groundwater near the southeastern corner of the landfill property.

Three scenarios were simulated, using 2, 3 and 4 pumping wells. Pumping rates in each pumping well were adjusted to achieve 1 m of drawdown throughout the north-south transect, approximately parallel to the property boundary. The target drawdown was selected arbitrarily, with objective of controlling the hydraulic gradient locally while keeping the total pumping rate relatively low.

### Scenario 1: Two pumping wells

Pumping Well	Pumping Rate Q (USgpm)
M212-PW	4.2
M215-PW	4.2

*Total estimated Q = 8.4 USgpm*

### Scenario 2: Three pumping wells

Pumping Well	Pumping Rate Q (USgpm)
M212-PW	2.2
M214-PW	2.3
M215-PW	2.2

*Total Q = estimated 6.7 USgpm*

### Scenario 3: Four pumping wells

Pumping Well	Pumping Rate Q (USgpm)
M212-PW	1.4
M213-PW	0.7
M214-PW	2.4
M215-PW	2.0

*Total Q = estimated 6.5 USgpm*

## DISCUSSION AND RECOMMENDATIONS

Water bearing fractures were noted at similar elevations amongst the new boreholes and at elevations consistent with existing groundwater monitoring wells in the area. By way of water level response in the new boreholes and in existing groundwater monitoring wells, the long-term (46 hr) constant discharge test confirmed that the newly installed boreholes are in hydraulically connection with the identified intermediate bedrock groundwater flow zone. The bulk transmissivity of this hydrostratigraphic unit in this portion of the landfill property was estimated through long term pumping test data at approximately  $7.5 \times 10^{-5} \text{ m}^2/\text{s}$ .

Preliminary design scenarios using aquifer properties derived from pumping test results with the new test wells as potential purge wells confirm the feasibility of an engineered system to prevent further off-site migration of impacted groundwater, by inducing groundwater capture through altering the groundwater flow pattern.

It is recommended to move forward with additional testing to confirm simulated results, and refine and optimize individual purge well pumping rates to create sufficient drawdown of hydraulic heads while minimizing total pumping rates. To accomplish this, complementary field testing will be required to confirm individual test well pumping rates, radius of influence and combined hydraulic head drawdown. The quality of the combined discharge from the potential purge well system will also need to be established through sampling and analysis of purge water during testing.

Additionally, a technical and economic evaluation of discharge options for groundwater collected from the proposed purge well system, including associated permitting requirements as needed, will also need to be considered. Options may include, for example, off site hauling and treatment at an approved waste water treatment plant, on-site treatment plant and/or discharge to surface water following on site passive treatment (e.g., constructed wetlands), collection pond(s) potentially linked to the existing pond system located in the front field of the landfill property to accommodate the additional requirements in terms of storage capacity and holding times.

### **Attachments:**

Figure 1: M212-PW Pumping Test Monitoring Well Network

Appendix A: Borehole Records

Appendix B: Observation Well Drawdown Curves

Appendix C: Pumping Test Analysis

Appendix D: Preliminary Purge Well Scenarios

## FIGURES







**LEGEND**

- Pumping Well
- Observation Well
- Monitoring Well
- Potentiometric Surface (masl) - May 14, 2018
- Infered Potentiometric Surface (masl) - May 14, 2018
- Extents of 1,4 Dioxane Impacted Area
- Property Boundary
- Proposed CAZ Boundary
- Landfill Footprint

1				
REV.	DESCRIPTION	YY/MM/DD	BY	CHK

**REFERENCES**  
PROPRIETARY INFORMATION MAY NOT BE REPRODUCED OR DIVULGED WITHOUT PRIOR WRITTEN CONSENT OF BLUMETRIC ENVIRONMENTAL INC. DO NOT SCALE DRAWING.  
THIS DRAWING MAY HAVE BEEN REDUCED. ALL SCALE NOTATIONS INDICATED ARE BASED ON 11"x17" FORMAT DRAWINGS.

0 20 40 80 120 160  
Meters  
1:5,000

**CLIENT**

**PROJECT**

Waste Management Richmond -  
Complementary CAZ Investigation

**TITLE**

M212-PW Pumping Test  
Monitoring Well Network

**Blumetric™**  
Environmental

*The Tower - The Woolen Mill,  
4 Cataraqui St.,  
Kingston, Ontario K7K 1Z7  
TEL: (613) 531-2725  
FAX: (613) 531-1852  
Email: [info@blumetric.ca](mailto:info@blumetric.ca)  
Web: <http://www.blumetric.ca>*

PROJECT # 180150-06		DATE October 11, 2018		
DRAWN AL	CHECKED MC	FIG NO. 01	REV 0	



## APPENDIX A

### Well Records



Measurements recorded in: ☐ Metric ☒ Imperial

Page \_\_\_\_\_ of \_\_\_\_\_

## Well Owner's Information

First Name	Last Name / Organization	E-mail Address	<input type="checkbox"/> Well Constructed by Well Owner	
WASTE MANAGEMENT	CANADA CORP.	UNK		
Mailing Address (Street Number/Name)	Municipality	Province	Postal Code	Telephone No. (inc. area code)
1271 Beechwood Road	Napanee	Ontario	K7R 3L1	613 388-1057

## Well Location

Address of Well Location (Street Number/Name)	Township	Lot	Concession
1181 Beechwood Road	Richmond	3	IV
County/District/Municipality	City/Town/Village	Province	Postal Code
Lennox & Addington	Greater Napanee	Ontario	K7R 3L1
UTM Coordinates Zone	Easting	Northing	Municipal Plan and Sublot Number
NAD 83 18	335891	4902773	
Other			

## Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
Brown	Clay		Packed	0 3
Brown	Clay Till		Packed	3 9.5
Grey	Limestone		Hard	9.5 114.5

Annular Space			Results of Well Yield Testing					
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m <sup>3</sup> /ft <sup>3</sup> )	After test of well yield, water was:	Draw Down		Recovery		
20	0	Bentonite	7.0	<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
				If pumping discontinued, give reason:	Static Level			
					1		1	
				Pump intake set at (m/ft)	2		2	
				Pumping rate (l/min / GPM)	3		3	
					4		4	
				Duration of pumping	5		5	
				hrs + min	10		10	
				Final water level end of pumping (m/ft)	15		15	
				If flowing give rate (l/min / GPM)	20		20	
					25		25	
				Recommended pump depth (m/ft)	30		30	
					40		40	
				Recommended pump rate (l/min / GPM)	50		50	
					60		60	
				Well production (l/min / GPM)				
				Disinfected?				
				<input type="checkbox"/> Yes <input type="checkbox"/> No				

Method of Construction		Well Use	
<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning
<input checked="" type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial	
<input type="checkbox"/> Other, specify		<input type="checkbox"/> Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
6.25	Steel	.188	+2 20	<input type="checkbox"/> Water Supply	
				<input type="checkbox"/> Replacement Well	
				<input type="checkbox"/> Test Hole	
				<input type="checkbox"/> Recharge Well	
				<input type="checkbox"/> Dewatering Well	
				<input checked="" type="checkbox"/> Observation and/or Monitoring Hole	
				<input type="checkbox"/> Alteration (Construction)	
				<input type="checkbox"/> Abandoned, Insufficient Supply	
				<input type="checkbox"/> Abandoned, Poor Water Quality	
				<input type="checkbox"/> Abandoned, other, specify	
				<input type="checkbox"/> Other, specify	


Construction Record - Screen			
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)
			From To

Water Details		Hole Diameter	
Water found at Depth	Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)
91 (m/ft)	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	From To	
		0 20	10"
Water found at Depth	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		
(m/ft)	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	20 109.5	6"
Water found at Depth	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	109.5 114.5	5.75"
(m/ft)	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		

Well Contractor and Well Technician Information			
Business Name of Well Contractor		Well Contractor's Licence No.	
Chalk Well Drilling Ltd.		1 5 0 7	
Business Address (Street Number/Name)		Municipality	
31 Johnson's Side Road		Napanee	
Province	Postal Code	Business E-mail Address	
Ontario	K7R 3L1	chalkwellkos.net	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613 383-2809		Chalk, Kevin	
Well Technician's Licence No.		Signature of Technician and/or Contractor	
0 6 2 7		Kevin Chalk	
		Date Submitted	
		2018 08 16	

## Map of Well Location

Please provide a map below following instructions on the back.

Comments:  
Fractures at 41 Ft. & 91 Ft.

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	Y Y Y Y M M D D 2018 08 16	Audit No. 2291286 Received



Measurements recorded in: ☐ Metric ☒ Imperial

A 250918

M213-PW

Page \_\_\_\_\_ of \_\_\_\_\_

## Well Owner's Information

First Name <b>WASTE MANAGEMENT</b>	Last Name / Organization <b>CANADA CORP.</b>	E-mail Address <b>UNK</b>	<input type="checkbox"/> Well Constructed by Well Owner
Mailing Address (Street Number/Name) <b>1271 Beechwood Road</b>		Municipality <b>Napanee</b>	Province <b>Ontario</b>
		Postal Code <b>K7R 3L1</b>	Telephone No. (inc. area code) <b>613 388-1057</b>

## Well Location

Address of Well Location (Street Number/Name) <b>1181 Beechwood Road</b>		Township <b>Richmond</b>	Lot <b>3</b>	Concession <b>IV</b>
County/District/Municipality <b>Lennox &amp; Addington</b>		City/Town/Village <b>Greater Napanee</b>	Province <b>Ontario</b>	Postal Code <b>K7R 3L1</b>
UTM Coordinates Zone <b>NAD 83</b>	Easting <b>18 335857</b>	Northing <b>4902784</b>	Municipal Plan and Sublot Number <b>Other</b>	

## Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)
Brown	Clay		Packed	0 2
Brown	Clay Till		Packed	2 6
Brown	Clay/Gravel	Silt	Loose	6 9
Grey	Limestone		Hard	9 114

Annular Space		
Depth Set at (m/ft)	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)
20 0	Bentonite	11.2

Method of Construction		Well Use	
<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input checked="" type="checkbox"/> Monitoring
<input checked="" type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial	<input type="checkbox"/> Cooling & Air Conditioning
<input type="checkbox"/> Other, specify		<input type="checkbox"/> Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)	From	To
6.25	Steel	.188	+2	20	

Construction Record - Screen				Status of Well	
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)	From	To


Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)
90	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	0 20	10"
613	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	20 109	6"
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	109 114	5.75"

Business Name of Well Contractor <b>Chalk Well Drilling Ltd.</b>		Well Contractor's Licence No. <b>1 5 0 7</b>
Business Address (Street Number/Name) <b>31 Johnson's Side Road</b>		Municipality <b>Napanee</b>
Province <b>Ontario</b>	Postal Code <b>K7R 3L1</b>	Business E-mail Address <b>chalkwel.kos.net</b>
Bus. Telephone No. (inc. area code) <b>613 388-2809</b>	Name of Well Technician (Last Name, First Name) <b>Chalk, Kevin</b>	
Well Technician's Licence No. <b>0 6 2 7</b>	Signature of Technician and/or Contractor <b>Kevin Chalk</b>	Date Submitted <b>2018 Y 08 M 16</b>

Results of Well Yield Testing				
After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:  Pump intake set at (m/ft)	Static Level			
	1		1	
	2		2	
	3		3	
	4		4	
	5		5	
Pumping rate (l/min / GPM)				
Duration of pumping hrs + min				
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
Recommended pump rate (l/min / GPM)	30		30	
Well production (l/min / GPM)	40		40	
	50		50	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No	60		60	

## Map of Well Location

Please provide a map below following instructions on the back.


Comments:  
Fractures at 40 ft. and 90 ft.

Well owner's information package delivered <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Date Package Delivered <b>2018 Y 08 M 16</b>	Ministry Use Only Audit No. <b>291283</b>
Date Work Completed <b>2018 Y 08 M 16</b>	Received	



Tag#: A250919

## Well Record

Regulation 903 Ontario Water Resources Act

Measurements recorded in: ☐ Metric ☒ Imperial

A250919

M214-PW

Page of

### Well Owner's Information

First Name WASTE MANAGEMENT	Last Name / Organization CANADA CORP.	E-mail Address UNK		<input type="checkbox"/> Well Constructed by Well Owner
Mailing Address (Street Number/Name) 1271 Beechwood Road	Municipality Napanee	Province Ontario	Postal Code K7R 3L1	Telephone No. (inc. area code) 613 388-1057

## Well Location

Address of Well Location (Street Number/Name) 1181 Beechwood Road				Township Richmond		Lot 3		Concession IV	
County/District/Municipality Lennox & Addington				City/Town/Village Greater Napanee				Province Ontario	
UTM Coordinates		Zone	Eastings	Northing		Municipal Plan and Sublot Number		Postal Code K7R 3L1	
NAD		83	18	335883		4902829		Other	

**Overburden and Bedrock Materials/Abandonment Sealing Record** (see instructions on the back of this form)

[illegible]

### Annular Space

Depth Set at (m/ft) From	To	Type of Sealant Used (Material and Type)	Volume Placed (m <sup>3</sup> /ft <sup>3</sup> )
20	0	Bentonite	7.0

### Method of Construction

<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning	
<input checked="" type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial		
<input type="checkbox"/> Other, specify _____		<input type="checkbox"/> Other, specify _____		

## Well Use

<input type="checkbox"/> Commercial	<input type="checkbox"/> Not used
<input type="checkbox"/> Municipal	<input type="checkbox"/> Dewatering
<input type="checkbox"/> Test Hole	<input checked="" type="checkbox"/> Monitoring
<input type="checkbox"/> Cooling & Air Conditioning	

## Construction Record - Casing

Construction Record - Casing					Status of Well
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		<input type="checkbox"/> Water Supply <input type="checkbox"/> Replacement Well <input type="checkbox"/> Test Hole <input type="checkbox"/> Recharge Well <input type="checkbox"/> Dewatering Well <input checked="" type="checkbox"/> Observation and/or Monitoring Hole <input type="checkbox"/> Alteration (Construction) <input type="checkbox"/> Abandoned,
			From	To	
6.25	Steel	.188	+2	20	

## Status of Well

- ☐ Water Supply
- ☐ Replacement Well
- ☐ Test Hole
- ☐ Recharge Well
- ☐ Dewatering Well
- ☒ Observation and/or Monitoring Hole
- ☐ Alteration (Construction)
- ☐ Abandoned, Insufficient Supply
- ☐ Abandoned, Poor Water Quality
- ☐ Abandoned, other, *specify*
- ☐ Other, *specify*

## Construction Record - Screen

Outside Diameter (mm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (mm/in)	
			From	To

☐ Abandoned, Poor Water Quality  
☐ Abandoned, other, specify \_\_\_\_\_  
☐ Other, specify \_\_\_\_\_

### Water Details

Water found at Depth 87 (mft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested		Core Diameter		
		Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		Depth (mft)	To	Diameter (cm/in)
Water found at Depth (mft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		0	20	10"
Water found at Depth (mft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		20	105	6"
Water found at Depth (mft) <input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		106	111	5.75"

## Hole Diameter

Depth (m/ft)		Diameter (cm/in)
From	To	
0	20	10"
20	105	6"
106	111	5.75

## Well Contractor and Well Technician Information


Business Name of Well Contractor <b>Chalk Well Drilling Ltd.</b>		Well Contractor's Licence No. <b>1 5 0 7</b>	
Business Address (Street Number/Name) <b>31 Johnson's Side Road</b>		Municipality <b>Napanee</b>	
Province <b>Ontario</b>	Postal Code <b>K7R 3L1</b>	Business E-mail Address <b>chalkwel.kos.net</b>	
Bus. Telephone No. (inc. area code) <b>613 388-2809</b>		Name of Well Technician (Last Name, First Name) <b>Chalk, Kevin</b>	
Well Technician's Licence No. <b>0 6 2 7</b>	Signature of Technician and/or Contractor <b>Kevin Chalk</b>		Date Submitted <b>2018 08 06</b>

### Results of Well Yield Testing

After test of well yield, water was: <input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify _____	Draw Down		Recovery	
	Time (min)	Water Level (m/ft)	Time (min)	Water Level (m/ft)
If pumping discontinued, give reason:	Static Level			
	1		1	
Pump intake set at (m/ft)	2		2	
Pumping rate (l/min / GPM)	3		3	
	4		4	
Duration of pumping _____ hrs + _____ min	5		5	
Final water level end of pumping (m/ft)	10		10	
If flowing give rate (l/min / GPM)	15		15	
	20		20	
Recommended pump depth (m/ft)	25		25	
	30		30	
Recommended pump rate (l/min / GPM)	40		40	
	50		50	
Well production (l/min / GPM)	60		60	
Disinfected? <input type="checkbox"/> Yes <input type="checkbox"/> No				

### Map of Well Location

Please provide a map below following instructions on the back.



Comments:  
Fractures at 38 Ft & 87 Ft.

Well owner's information package delivered  <input type="checkbox"/> Yes <input type="checkbox"/> No	Date Package Delivered Y Y / M M / D D 2018 / 08 / 16	<b>Ministry Use Only</b> Audit No. <b>2291287</b> Received
	Date Work Completed 2018 / 08 / 16	





Well Owner's Information

First Name	Last Name / Organization	E-mail Address	<input type="checkbox"/> Well Constructed by Well Owner	
WASTE MANAGEMENT CANADA CORP.		UNK		
Mailing Address (Street Number/Name)		Municipality	Province	Postal Code
1271 Beechwood Road		Napanee	Ontario	K7R 3L1
			Telephone No. (inc. area code)	
			613 388-1057	

Well Location

Address of Well Location (Street Number/Name)		Township	Lot	Concession
1481 Beechwood Road		Richmond	3	IV
County/District/Municipality		City/Town/Village	Province	Postal Code
Lennox & Addington		Greater Napanee	Ontario	K7R 3L1
UTM Coordinates Zone		Easting	Northing	Municipal Plan and Sublot Number
NAD 83 18		335822	4902889	
			Other	

Overburden and Bedrock Materials/Abandonment Sealing Record (see instructions on the back of this form)

General Colour	Most Common Material	Other Materials	General Description	Depth (m/ft)	From	To
Brown	Clay		Packed	0		3
Brown	Clay Till		Packed	3		4
Grey	Limestone		Hard	4		109

Annular Space				Results of Well Yield Testing			
Depth Set at (m/ft)	From	To	Type of Sealant Used (Material and Type)	Volume Placed (m³/ft³)	After test of well yield, water was:	Draw Down	Recovery
20	0		Bentonite	7.0	<input type="checkbox"/> Clear and sand free <input type="checkbox"/> Other, specify	Time (min)	Water Level (m/ft)
					If pumping discontinued, give reason:	Static Level	Time (min)
						1	1
					Pump intake set at (m/ft)	2	2
					Pumping rate (l/min / GPM)	3	3
						4	4
					Duration of pumping	5	5
					hrs + min		
					Final water level end of pumping (m/ft)	10	10
					If flowing give rate (l/min / GPM)	15	15
						20	20
					Recommended pump depth (m/ft)	25	25
						30	30
					Recommended pump rate (l/min / GPM)	40	40
						50	50
					Well production (l/min / GPM)	60	60
					Disinfected?		
					<input type="checkbox"/> Yes <input type="checkbox"/> No		


Method of Construction		Well Use	
<input checked="" type="checkbox"/> Cable Tool	<input type="checkbox"/> Diamond	<input type="checkbox"/> Public	<input type="checkbox"/> Commercial
<input type="checkbox"/> Rotary (Conventional)	<input type="checkbox"/> Jetting	<input type="checkbox"/> Domestic	<input type="checkbox"/> Municipal
<input type="checkbox"/> Rotary (Reverse)	<input type="checkbox"/> Driving	<input type="checkbox"/> Livestock	<input type="checkbox"/> Test Hole
<input type="checkbox"/> Boring	<input type="checkbox"/> Digging	<input type="checkbox"/> Irrigation	<input type="checkbox"/> Cooling & Air Conditioning
<input checked="" type="checkbox"/> Air percussion		<input type="checkbox"/> Industrial	
<input type="checkbox"/> Other, specify		<input type="checkbox"/> Other, specify	

Construction Record - Casing				Status of Well	
Inside Diameter (cm/in)	Open Hole OR Material (Galvanized, Fibreglass, Concrete, Plastic, Steel)	Wall Thickness (cm/in)	Depth (m/ft)		
6.25	Steel	.188	+2 20	<input type="checkbox"/> Water Supply	
				<input type="checkbox"/> Replacement Well	
				<input type="checkbox"/> Test Hole	
				<input type="checkbox"/> Recharge Well	
				<input type="checkbox"/> Dewatering Well	
				<input checked="" type="checkbox"/> Observation and/or Monitoring Hole	
				<input type="checkbox"/> Alteration (Construction)	
				<input type="checkbox"/> Abandoned, Insufficient Supply	
				<input type="checkbox"/> Abandoned, Poor Water Quality	
				<input type="checkbox"/> Abandoned, other, specify	
				<input type="checkbox"/> Other, specify	

Construction Record - Screen			
Outside Diameter (cm/in)	Material (Plastic, Galvanized, Steel)	Slot No.	Depth (m/ft)
			From To

Water Details		Hole Diameter	
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input checked="" type="checkbox"/> Untested	Depth (m/ft)	Diameter (cm/in)
85	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	From To	
		0 20	10"
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested	20 104	6"
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify	104 109	5.75"
Water found at Depth (m/ft)	Kind of Water: <input type="checkbox"/> Fresh <input type="checkbox"/> Untested		
	<input type="checkbox"/> Gas <input type="checkbox"/> Other, specify		

Well Contractor and Well Technician Information			
Business Name of Well Contractor		Well Contractor's Licence No.	
Chalk Well Drilling Ltd.		1 5 0 7	
Business Address (Street Number/Name)		Municipality	
31 Johnson's Side Road		Napanee	
Province	Postal Code	Business E-mail Address	
Ontario	K7R 3L1	chalkwel kos.net	
Bus. Telephone No. (inc. area code)		Name of Well Technician (Last Name, First Name)	
613 383-2809		Chalk, Kevin	
Well Technician's Licence No.		Signature of Technician and/or Contractor	
0 6 2 7		Kevin Chalk	
		Date Submitted	
		2018 Y 08 M 15	



Comments:  
Fractures at 35 Ft. & 85 Ft.

Well owner's information package delivered	Date Package Delivered	Ministry Use Only
<input type="checkbox"/> Yes <input type="checkbox"/> No	Y Y Y Y M M D D 2018 Y 08 M 16	Audit No. 2291285 Received

## **APPENDIX B**








### Observation Well Drawdown Curves









# Observation Well Drawdown Charts

M212-PW Pumping Test  
August 28, 2018



# Observation Well Drawdown Charts

M212-PW Pumping Test  
August 28, 2018



## APPENDIX C

### Pumping Test Analysis





# Pumping Test Analysis Report

Project: WM Richmond - Purge Well System

Number: 180150-06

Client: Waste Management

Location: Richmond Landfill

Pumping Test: M212-PW Pumping Test

Pumping Well: M212-PW

Test Conducted by: BM

Test Date: 2018-08-28


Analysis Performed by:

Theis Analysis

Analysis Date: 2018-09-18

Aquifer Thickness: 30.00 m

Discharge Rate: 8.78 [U.S. gal/min]



Calculation using Theis

Observation Well	Transmissivity [m <sup>2</sup> /s]	Hydraulic Conductivity [m/s]	Storage coefficient	Radial Distance to PW [m]	
M213-PW	$8.13 \times 10^{-5}$	$2.71 \times 10^{-6}$	$2.84 \times 10^{-3}$	36.25	
M214-PW	$9.00 \times 10^{-5}$	$3.00 \times 10^{-6}$	$8.66 \times 10^{-4}$	55.97	
M215-PW	$7.00 \times 10^{-5}$	$2.33 \times 10^{-6}$	$7.00 \times 10^{-4}$	133.84	
Average	$8.04 \times 10^{-5}$	$2.68 \times 10^{-6}$	$1.47 \times 10^{-3}$		



# Pumping Test Analysis Report

Project: WM Richmond - Purge Well System

Number: 180150-06

Client: Waste Management

Location: Richmond Landfill

Pumping Test: M212-PW Pumping Test

Pumping Well: M212-PW

Test Conducted by: BM

Test Date: 2018-08-28


Analysis Performed by:

Time-Drawdown

Analysis Date: 2018-09-18

Aquifer Thickness: 30.00 m

Discharge Rate: 8.78 [U.S. gal/min]




## **APPENDIX D**

### **Preliminary Purge Well Scenarios**








### Scenario 1: Two pumping wells

Pumping Well	Rate (USgpm)
M212-PW	4.2
M215-PW	4.2


Total Q = 8.4 USgpm



### Scenario 2: Three pumping wells

Pumping Well	Rate (USgpm)
M212-PW	2.2
M213-PW	2.3
M215-PW	2.2

Total Q = 6.7 USgpm



### Scenario 3: Four pumping wells

Pumping Well	Rate (USgpm)
M212-PW	1.4
M213-PW	0.7
M214-PW	2.4
M215-PW	2.0

Total Q = 6.5 USgpm

## ATTACHMENT D



---

**Subject:**

FW: [EXTERNAL] RE: Groundwater intercept/purge system

---

**From:** Arnott, David (MECP) <[David.Arnott@ontario.ca](mailto:David.Arnott@ontario.ca)>**Sent:** December 20, 2021 12:14 PM**To:** McDonough, William <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>; Francois Richard <[frichard@blumetric.ca](mailto:frichard@blumetric.ca)>**Cc:** Prucha, Christopher <[cprucha@wm.com](mailto:cprucha@wm.com)>; Wayt, Noah <[nwayt@wm.com](mailto:nwayt@wm.com)>; Chrzanowska, Katrina (MECP) <[Katrina.Chrzanowska@ontario.ca](mailto:Katrina.Chrzanowska@ontario.ca)>; Castro, Victor (MECP) <[Victor.Castro@ontario.ca](mailto:Victor.Castro@ontario.ca)>**Subject:** RE: [EXTERNAL] RE: Groundwater intercept/purge system

Good Morning WMCC/Francois,

Bill/Francois thanks for forwarding along the proposed next steps below, I see from Rick's response earlier this morning that the mechanics of the remaining amendment submissions are now clear and so we should expect those in the near future.

Just wanted to send this email in regards to Francois' highlighted section below regarding a letter from the region's Tech Support Section in regards to the S.53 sewage work application. Victor and I chatted about this earlier this morning and have agreed that, in the interest of time in this particular situation, given the extensive history/understanding of the site and last week's detailed call, a formal letter from his group isn't required in advance of the ECA amendment application in this instance. Last week's call served to satisfy the pre-consultation requirement and WMCC can proceed to submit the ECA amendment application for the approved sewage works.

Katrina, once that application is received, Victor's group will conduct a priority review of in regards to the proposed monitoring program/contingencies and effluent objectives to ensure the submission reflects our comments and recommendations outlined in last week's call. We'll aim to have those comments over to you ahead of the registry posting and the start of your application review. If you'd like to discuss this in greater detail please let me know.

Thanks all, enjoy the holidays and most importantly, stay well.

**David Arnott**

Provincial Officer #827

Ontario Ministry of the Environment, Conservation and Parks

Eastern Region

-----  
Phone: 613-549-4000 x 2693

Spills Action Centre: 1-800-268-6060

Pollution Hotline (Anonymous): 1-866-MOE-TIPS

*We want to hear from you. How was my service? You can provide feedback at 1-888-745-8888*

---

**From:** McDonough, William <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>**Sent:** December 17, 2021 5:03 PM**To:** Arnott, David (MECP) <[David.Arnott@ontario.ca](mailto:David.Arnott@ontario.ca)>; Li, Rick (MECP) <[Rick.Li@ontario.ca](mailto:Rick.Li@ontario.ca)>**Cc:** Francois Richard <[frichard@blumetric.ca](mailto:frichard@blumetric.ca)>**Subject:** FW: [EXTERNAL] RE: Groundwater intercept/purge system

**CAUTION -- EXTERNAL E-MAIL - Do not click links or open attachments unless you recognize the sender.**

David & Rick,  
Could you confirm that Francois' outline below is what you are looking for. Thanks

Bill McDonough  
Senior Project Manager  
[wmcdonou@wm.com](mailto:wmcdonou@wm.com)

5768 Nauvoo Road  
Watford, ON N0M 2S0

Cell 226 280-1795

---

**From:** Francois Richard <[frichard@blumetric.ca](mailto:frichard@blumetric.ca)>  
**Sent:** Friday, December 17, 2021 3:24 PM  
**To:** McDonough, William <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>  
**Cc:** Prucha, Christopher <[cprucha@wm.com](mailto:cprucha@wm.com)>; Wayt, Noah <[nwayt@wm.com](mailto:nwayt@wm.com)>; S'rana Scholes <[sscholes@blumetric.ca](mailto:sscholes@blumetric.ca)>; Michael Duchene <[mduchene@blumetric.ca](mailto:mduchene@blumetric.ca)>  
**Subject:** RE: [EXTERNAL] RE: Groundwater intercept/purge system

Hi Bill,

Thanks for passing this on.

Can you please confirm with MECP that it is appropriate to submit both an addendum to the previously submitted Application to Amend ECA A371203 (Waste) (MECP Reference #3258-C93K73) and a new Application to Amend ECA No. 1688-8HZNJG (ISW) under one (1) cover letter for both (in one package to the MECP)?

In this instance our attachments would be anticipated to include:

1. revised version of the originally provided **Application Form** ECA A371203 (Waste) to amend to detail the Hydraulic Containment System (HCS)
2. HCS design brief
3. revised Notification Letter for neighbours that includes the HCS
4. documentation of pre-consultation meeting with MECP on December 14, 2021
5. letter from MECP from Kingston Branch Technical Group **\*\*pending\*\***
6. a separate **Application Form** to amend ECA No. 1688-8HZNJG (ISW) to address the flow from the Hydraulic Containment System to the existing storm water management pond.
7. any additional requirements for the ISW application

Note: we will not include the previous attachments that did not change from the original November Application (for example Confirmation from MECP Kingston, EMP, etc.).

If not, we could submit two (2) completely separate application forms with cover letters and attachments in two packages.

Thanks,



Francois Richard  
Senior Hydrogeologist, Manager – Geosciences  
(T) 613-558-5936  
frichard@blumetric.ca - [www.blumetric.ca](http://www.blumetric.ca)

---

**From:** McDonough, William <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>  
**Sent:** December 17, 2021 11:04 AM  
**To:** Francois Richard <[frichard@blumetric.ca](mailto:frichard@blumetric.ca)>; Prucha, Christopher <[cprucha@wm.com](mailto:cprucha@wm.com)>; Wayt, Noah <[nwayt@wm.com](mailto:nwayt@wm.com)>  
**Subject:** Fwd: [EXTERNAL] RE: Groundwater intercept/purge system

Francois,  
Let me know if you have questions.

Bill McDonough

Sent from my iPhone

Begin forwarded message:

**From:** "Li, Rick (MECP)" <[Rick.Li@ontario.ca](mailto:Rick.Li@ontario.ca)>  
**Date:** December 17, 2021 at 10:28:39 AM EST  
**To:** "Arnott, David (MECP)" <[David.Arnott@ontario.ca](mailto:David.Arnott@ontario.ca)>, "McDonough, William" <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>  
**Subject:** [EXTERNAL] RE: Groundwater intercept/purge system

OK, I'll tell our application processor to wait for the addendum before posting on ERO.

Rick

---

**From:** Arnott, David (MECP) <[David.Arnott@ontario.ca](mailto:David.Arnott@ontario.ca)>  
**Sent:** December-17-21 9:56 AM  
**To:** McDonough, William <[wmcdonou@wm.com](mailto:wmcdonou@wm.com)>  
**Cc:** Li, Rick (MECP) <[Rick.Li@ontario.ca](mailto:Rick.Li@ontario.ca)>  
**Subject:** Groundwater intercept/purge system

Hi Bill, touched base with our approvals folks here and have been advised by our waste engineer assigned this file (Rick Li – cc'd) that the actual groundwater intercept/purge system should be reflected in the waste approval rather than the stormwater approval. So, an addendum to the recent waste ECA amendment application should be submitted by Francois' group to our Approvals Branch for inclusion in the application itself.

Rick, I would assume that notice of the amendment application shouldn't be posted on the registry for public comment until this addendum has been received by your office for inclusion in the posting.

The storm pond approval will be amended to reflect the added wastewater input, but the groundwater collection system infrastructure itself and any associated groundwater monitoring etc. will be captured in the waste ECA. If any of this is unclear just let me know and we can

arrange for a quick call. I'm offline right now doing covid-related compliance work but can make time for a call if needed.

Thanks Bill,

Dave

**David Arnott**

Provincial Officer #827

Ontario Ministry of the Environment, Conservation and Parks  
Eastern Region

-----  
Phone: 613-549-4000 x 2693

Spills Action Centre: 1-800-268-6060

Pollution Hotline (Anonymous): 1-866-MOE-TIPS

*We want to hear from you. How was my service? You can provide feedback at 1-888-745-8888*

---

**Recycling is a good thing. Please recycle any printed emails.**



## ATTACHMENT E





Nova Scotia

## CERTIFICATE OF AMALGAMATION

### Companies Act

Registry Number

3268826

I hereby certify that

WASTE MANAGEMENT OF CANADA CORPORATION

3268125 NOVA SCOTIA LIMITED

WASTELESS ENVIRONMENTAL SERVICES INC.

have amalgamated pursuant to Section 134 of the Nova Scotia Companies Act, R.S.N.S., 1989, as amended, and the name of the amalgamated company is:

WASTE MANAGEMENT OF CANADA CORPORATION

and the amalgamation is approved by the Registrar of Joint Stock Companies effective this date and the liability of the members is unlimited.

A handwritten signature in dark ink, appearing to read "J. S. C.", is written over a horizontal line.

Registrar of Joint Stock Companies

January 1, 2013

Date of Amalgamation



Nova Scotia

**CERTIFICATE OF REGISTRATION**  
Corporations Registration Act

Registry Number

3268826

Name of Company

WASTE MANAGEMENT OF CANADA CORPORATION

I hereby certify that the above-mentioned company, resulting from the amalgamation of:

WASTE MANAGEMENT OF CANADA CORPORATION

3268125 NOVA SCOTIA LIMITED

WASTELESS ENVIRONMENTAL SERVICES INC.

is hereby registered this date under the Corporations Registration Act.

A handwritten signature in dark ink, appearing to read "J. S. C.", written over a horizontal line.

Registrar of Joint Stock Companies

January 1, 2013

Date of Registration

## BluMetric Environmental Inc.

---

1682 Woodward Drive  
Ottawa, Ontario  
Canada K2C 3R8  
Tel: 613.839.3053  
Fax: 613.839.5376  
[ottawa@blumetric.ca](mailto:ottawa@blumetric.ca)

4 Cataragui Street  
The Tower, The Woolen Mill  
Kingston, Ontario  
Canada K7K 1Z7  
Tel: 613.531.2725  
Fax: 613.531.1852  
[kingston@blumetric.ca](mailto:kingston@blumetric.ca)

209 Frederick Street  
Unit 3B  
Kitchener, Ontario  
Canada N2H 2M7  
Tel: 519.742.6685  
[kitchener@blumetric.ca](mailto:kitchener@blumetric.ca)

825 Milner Avenue  
Toronto, Ontario  
Canada M1B 3C3  
Tel: 877.487.8436  
[toronto@blumetric.ca](mailto:toronto@blumetric.ca)

410 Falconbridge Road  
Unit 6  
Sudbury, Ontario  
Canada P3A 4S4  
Tel: 705.525.6075  
Fax: 705.525.6077  
[sudbury@blumetric.ca](mailto:sudbury@blumetric.ca)

---

PO Box 36  
Shebandowan, Ontario  
Canada P0T 2T0  
Tel: 807.707.1687  
[thunderbay@blumetric.ca](mailto:thunderbay@blumetric.ca)

4-41 de Valcourt Street  
Gatineau, Quebec  
Canada J8T 8G9  
Tel: 819.243.7555  
Fax: 819.243.0167  
[gatineau@blumetric.ca](mailto:gatineau@blumetric.ca)

276 Saint-Jacques Street  
Suite 818  
Montreal, Quebec  
Canada H2Y 1N3  
Tel: 514.844.7199  
Fax: 514.841.9111  
[montreal@blumetric.ca](mailto:montreal@blumetric.ca)

4916 – 49th Street  
Yellowknife, NT  
Canada X1A 1P3  
Tel: 867.873.3500  
Fax: 867.873.3499  
[yellowknife@blumetric.ca](mailto:yellowknife@blumetric.ca)

202b Strickland Street  
Whitehorse, Yukon  
Canada Y1A 2J8  
Tel: 867.689.8465  
[whitehorse@blumetric.ca](mailto:whitehorse@blumetric.ca)

**[www.blumetric.ca](http://www.blumetric.ca)**