

CWM CHEMICAL SERVICES, LLC

1550 Balmer Road Model City, NY 14107 (716) 286-1550 (716) 286-0211 Fax

September 25, 2013

Ms. Kathleen Buckler U.S. Army Corp of Engineers 1776 Niagara Street Buffalo, New York 14207-3199

Re: Additional Information Department of the Army Application No. 2000-01534, New York State Department of Environmental Conservation No. 9-2934-00022/00230

Dear Ms. Buckler:

On July 8, 2013, CWM Chemical Services, LLC (CWM) submitted a Section 401/401 Joint Application including New York State Article 24 Application for impacts associated with the development of a new landfill, designated Residuals Management Unit No. 2 (RMU-2) at our Model City Facility. In a letter dated August 26, 2013, the United States Army Corps of Engineer requested additional information be provided so that the USACE could continue processing the application.

Attached please find CWM's response to the request for additional information and additional information requested by the USACE.

CWM appreciates your timely review of the July 8, 2013 Joint Application would appreciate an expeditious review of the attached information and permit issuance to enable CWM to meet the construction schedule.

If you have any questions, please contact myself at (716) 286-0246 or Mr. Jonathan Rizzo at (716) 286-0354.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Sincerely, CWM CHEMICAL SERVICES, LLC

Jul Banaszoh

Jill A. Banaszak Technical Manager Model City Facility

JPR/JAB/jpr

Mr. Kathleen Buckler USACE September 25, 2013 Re: Additional Information Department of the Army Application No. 2000-01534, New York State Department of Environmental Conservation No. 9-2934-00022/00230 Page - 2 -

Attachments

D. Denk - NYSDEC/Region 9 cc: C. Rosenburg - NYSDEC/Region 9 B. Rostami - NYSDEC/Region 9 - NYSDEC/Region 9 J. Strickland M. Cruden - NYSDEC/Albany, NY G. Burke - NYSDEC/Albany, NY M. Mortefolio - NYSDEC/Albany, NY On-site Monitors- NYSDEC/ Model City, NY - USEPA/Region II A. Park P. Flax - USEPA/Region II - USEPA/Region II N. Azzam - NCHD/Lockport, NY J. Devald M. Mahar - CWM/Model City, NY - CWM/Model City, NY J. Rizzo - CWM/Model City, NY S. Rydzyk J. Hecklau - EDR/Syracuse, NY EMD Subject File Q & A

ENCLOSURE 1 CWM Response to USACE August 26, 2013 Request for Additional Information

CWM RESPONSE TO REQUEST FOR ADDITIONAL INFORMATION JOINT APPLICATION FOR PERMIT FOR RESIDUALS MANAGEMENT UNIT NO. 2 USACE REQUEST (dated August 26, 2013)

USACE Comment a.

Please identify the areas (if any) that will be used as soil borrow/stockpile areas.

CWM Response:

Appendix Ĥ of the Draft Environmental Impact Statement (DEIS) for the RMU-2 Project provides a soil management plan. Figure 1 from Appendix H of the DEIS is attached (Attachment 1) which shows current and potential soil stockpile locations that may be utilized during the development of RMU-2. A portion of the required soil materials for construction will be obtained from on-site excavation for RMU-2 and Fac Pond 5. Soils not available on site will be obtained from off-site sources on a contract basis. Section 2.6.6.5 and Appendix C of the DEIS provides details of potential off-site permitted borrow sources that may be utilized for the RMU-2 project. Also attached is a map showing the location of potential off-site soil borrow sources.

USACE Comment b.

Please overlay the wetland delineation map on the proposed site plan (page 2).

CWM Response:

Drawing No. 2 (Site Plan) is located in Appendix D of the Joint Application for Permit submitted on July 8, 2013. The outline of the wetlands in the RMU-2 area and associated facility development areas was overlain on the drawing by Arcadis. The revised drawing is attached (Attachment 2).

USACE Comment c.

Please provide an outline of past permitted impacts associated with the CWM Facility. The past impacts shall be presented in a table format and should include all associated permit numbers, year permits were issued, type of permitted impact, size of impact, and any mitigation that was completed in association with each permit.

CWM Response:

The attached table (Attachment 3) provides a summary of past permitted impacts at the CWM Facility with associated permit numbers, year permits were issued, type of permitted impact, size of impact, and mitigation that was completed in association with each permit.

USACE Comment d.

The six cells of RMU-2 will be constructed in phases. Please provide an estimated construction timeline for the development each phase of the landfill. Also, are the wetland impacts to be impacted in phases along with the construction of each cell, or will the wetland impacts occur at once?

CWM Response:

An estimated construction timeline for the development of RMU-2 is attached (Attachment 4). The attached provides a conceptual phasing schedule for the construction of RMU-2 through Year 6. It is anticipated that the last three cells will be constructed beyond Year 8. The

CWM RESPONSE TO REQUEST FOR ADDITIONAL INFORMATION JOINT APPLICATION FOR PERMIT FOR RESIDUALS MANAGEMENT UNIT NO. 2 USACE REQUEST (dated August 26, 2013)

attached table also provides an indication of the federally regulated wetlands that will be impacted with each phase.

USACE Comment:


During our preliminary examination of the application materials, we noted that other information will be needed during the evaluation process. Although there is no requirement that this supplemental information be provided to issue a Public Notice, it would benefit us in the evaluation process for a permit:

- A further analysis of alternatives to the work proposed. This information will aid us in determining whether or not the proposed work complies with the United States Protection Agency Guidelines at Title 40 of the Code of Federal Regulations Part 230.
- Create a table that outlines the site life and wetland impact acreages for each of the CWM Facility alternatives and sub-alternatives, including the proposed RMU-2 footprint. Please include all associated impacts to Waters of the U.S. Finally, please include representative plans for each alternative with associated impacts.

CWM Response:

An analysis of alternatives is included in the Draft Environmental Impact Statement (DEIS) (Arcadis, 2013) for the RMU-2 Project with portions included in the Joint Application. Additional details of the analysis are included in Attachment 5. Attachment 5 includes a discussion of the various alternatives evaluated including a table which outlines the site life and impacted wetland acreages per alternative. Attachment 5 also includes figures showing the location of the onsite alternatives analyzed and associated wetlands in each area.

ATTACHMENT 1 Arcadis Drawing "Stockpile Locations: Existing and Potential" Arcadis Drawing "Potential Clay Borrow Sources"



Signed

Drawn by LAF

By Ckr

signed by MS/PTO

Revision

THIS DRAWING IS THE PROPERTY OF THE ARCADIS ENTITY IDENTIFIED IN THE TITLE BLOCK AND MAY NOT BE REPRODUCED OR ALTERED IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN

Project Mor.

ARCADIS OF NEW YORK, INC.

WAR

Checked by BMS

LYR: ON=",OFF="REF" FR: 17 0S /I MS TECH" PM: W RANKIN TM B STONE D 11/10/2009 11 33 AM ACAD' POPHAM T: 1 SAVE PIC: W. F LAYOUT I DWG N.SMIT K. WOOD

THIS BAR REPRESENTS ONE INCH ON THE ORIGINAL DRAWING:


USE TO VERIFY FIGURE REPRODUCTION SCALE

Date


GENERAL

				-	-			
				-	-			
	LEGE	ND:						
	BRUS	HLINE		π	SIGN			
	CABLE	MARKER		业	SWAMP			
000	CATCH	BASIN		+	TRAFFIC	LIGHT		
	DROP	INLET		0	TREE			
*	FENCE	:		~~~~	TREELINE			
+	FIRE H	HYDRANT		*		FIED OBJECT		
-	GUAR	D RAIL		*	UTILITY F	OLE		
ж	LIGHT	POLE		ы	VALVE			
0	MISCE	LLANEOUS	POLE		WATER LI			
۵	MONUI	MENT	_			CONTOUR		
٥	POST		_		PROPERT	GRADEBREAK		
	RAILR	OAD TRAC	<s _<="" td=""><td></td><td>NEW FAC</td><td></td><td></td><td>γ</td></s>		NEW FAC			γ
							41 42	人4:
	- -	ORDINATE DCKPILE A		NOTE 3)				
	- -		REA	NOTE 3)	ROL MONUME	NTS		
	- -	OCKPILE A	REA RMU-1/	/RMU-2 CONT		NTS NY STAT COORD	E PLANE INATES	NOID
$\overset{+}{\boxtimes}$	- -	CWM PLA	REA RMU-1/ NT GRID	/RMU-2 CONT RMU-		NY STAT COORD (NAD	INATES -27)	NGVD ELEVATI
$\overset{+}{\boxtimes}$	- ST(OCKPILE A	REA RMU-1/	/RMU-2 CONT	GRID	NY STAT COORD	INATES	
MONUMENT 102R 200	S ELEVATION 319.72 318.33	OCKPILE AI CWM PLA NORTHING 100+94.55 101+89.56	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77	/RMU-2 CONT RMU- NORTHING	GRID	NY STAT COORD (NAD NORTHING 1,175,430.46 1,175,488.28	INATES -27) EASTING 396,380.12 397,808.18	ELEVATI 319.6 318.2
	S ELEVATION	OCKPILE AI CWM PLA NORTHING 100+94.55	REA RMU-1/ NT GRID EASTING 111+87.56	/RMU-2 CONT RMU- NORTHING 100+94.65	GRID EASTING 11+87.56	NY STAT COORD (NAD NORTHING 1,175,430.46	INATES -27) EASTING 396,380.12	ELEVAT
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTER SUBTRA CONVER	CWM PLA CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 109+9	REA RMU-1/ EASTING 126+13.77 111+23.09 126+3.49 JMENTS GRID COOR 000 FROM M PLANT	/RMU-2 CONT RMU- NORTHING 100+94.65 101+89.56 NOTE: DINATES THE CWM GRID TO 1	GRID EASTING 11+87.56 26+13.77 PLANT C HE RMU-	NY STAT CORP (NAD NORTHING 1,175,430.46 1,176,488.28 1,176,331.436 IFIED PLANT RID EASTING 1 GRID. NO	INATES -27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINAT	-ELEVATI 319.6 318.2 315.9 DINATE: E WILL
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTER SUBTRA CONVER	CWM PLA CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 COL MONI EASTING 10, CTING 10, CTING 10, CTING 10, RT THE CW SION IS R	REA RMU-1/ EASTING 126+13.77 111+23.09 126+3.49 JMENTS GRID COOR 000 FROM M PLANT	/RMU-2 CONT RMU- NORTHING 100+94.65 101+89.56 NOTE: DINATES THE CWM GRID TO 1	GRID EASTING 11+87.56 26+13.77 PLANT C HE RMU-	NY STAT CORP (NAD NORTHING 1,175,430.46 1,176,488.28 1,176,331.436 IFIED PLANT RID EASTING 1 GRID. NO	INATES -27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINAT	-ELEVATI 319.6 318.2 315.9 DINATE: E WILL
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTER CONVER CONVER CONVER NOTE 1. T. P	CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 ROL MONI EASTING 0 CATING 10, RT THE CW RSION IS R S: OPOGRAPH MOMPILED E HOTOGRAP	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 JMENTS SRID COOR 000 FROM M PLANT EQUIRED F IC BASE N Y PHOTOG HY DATED	/RMU-2 CONT RMU- NORTHING 100+94.65 101+89.56 NOTE: DINATES DINATES DINATES DINATES DINATES DINATES DINATES DINATES ARP CONS RAMMETRI 5/31/01	GRID EASTING 11+87.56 26+13.77 PLANT C HE RMU- HING COOL STS OF C C METHOL BY AIR S	NY STAT CORP (NAD NORTHING 1,175,430.46 1,176,488.28 1,176,331.436 IFIED PLANT RID EASTING 1 GRID. NO	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL . (PROJECT	-ELEVATI 319.6 318.2 318.2 0
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTER CONVER CONVER NOTE 1. T. C. P. N.	CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 20L MONI EASTING 0 CATING 10, 20T THE CW 20I MONI CATING 10, 20K MONI CATING 10, 20	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 JMENTS GRID COOR 000 FROM M PLANT EQUIRED F IC BASE M Y PHOTOG HY DATED 3). AND A	/RMU-2 CONT RMU- NORTHING 100+94.65 101+89.56 NOTE: CDINATES CDINATES CDINATES CONS RAMMETRI 5/31/01 N AUGUST	GRID EASTING 11+87.56 26+13.77 ARE PLANT PLANT HE RMU- HING COOI STS OF C METHOR BY ARE	NY STAT CORP (NAD NORTHING 1,175,430.46 1,175,488.28 1,176,331.436 LIFIED PLANT RID EASTING 1 GRID. NO' RDINATES.	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL . (PROJECT	-ELEVATI 319.6 318.2 315.9 DINATE: E WILL
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONVER CONVER NOTE 1. T: P N 2. V	CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 20L MONI EASTING 0 CATING 10, 20T THE CW 20I MONI CATING 10, 20K MONI CATING 10, 20	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 126+3.49 JMENTS GRID COOR DOD FROM M PLANT EQUIRED F IC BASE M Y PHOTOG HY DATED 3). AND A ATUM BAS	/RMU-2 CONT RMU-2 NORTHING 100+94.65 101+89.56 NOTE: DINATES: DINATES: THE CWM GRID TO TO OR NORTH S/AP CONS RAMMETRI 5/31/01 N AUGUST ED ON NO	GRID EASTING 11+87.56 26+13.77 ARE SIMPI PLANT G HE RMU- HING COOL STS OF C C METHOL BY AIR S 2008 SU SS MEAN	NY STAT CORD INTERNO 1,175,430.46 1,175,430.46 1,176,431.436 LIFIED PLANT RID EASTING 1 GRID. NO 7DINATES. COMBINATION DS FROM AEF SURVEY CORP JRVEY BY EN SEA LEVEL.	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL . (PROJECT	-ELEVATI 319.6 318.2 315.9 DINATE: E WILL
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTE NOTE NOTE 1. T. C P N NOTE 1. T. C P N NOTE 1. T. C V S. S. V 3. G	CWM PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 COL MONI EASTING 0 CTING 10, CTING 10,	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 JMENTS SRID COOR 000 FROM M PLANT IC BASE M IY PHOTOG HY DATED 3). AND A ATUM BAS DINATES SHIT	ARMU-2 CONT RMU-2 CONT NORTHING 100+94.65 101+89.56 DINATES THE CWM GRID TO T THE CWM GRID TO T THE CWM GRID TO T OR NORTH MAP CONS RAMMETRI 5/31/01 N AUGUST ED ON NO	GRID EASTING 11+87.56 26+13.77 ARE SIMPI PLANT G HE RMU- HING COOL STS OF C C METHOL BY AIR S 2008 SU SS MEAN	NY STAT CORD INTERNO 1,175,430.46 1,175,430.46 1,176,431.436 LIFIED PLANT RID EASTING 1 GRID. NO 7DINATES. COMBINATION DS FROM AEF SURVEY CORP JRVEY BY EN SEA LEVEL.	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL . (PROJECT	-ELEVATI 319.6 318.2 318.2 0
40NUMENT 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONTE NUBTRA CONVEF NOTE 1. T. C P N 2. V 3. G 4. C 5. D 0 N	CWW PLA NORTHING 100+94.55 101+89.56 109+94.28 110+17.82 COL MONI EASTING O CATING 10, CATING 10, C	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 JMENTS SRID COOR 000 FROM M PLANT SRID COOR MOURES IN NTOURS IN BY VEGET/ STANDARD	AP CONS AP	ARE SIMPI PLANT C C METHOU STS OF C C METHOU BY AIR S C WM PL C ME PL C ME PL C ME PL C ME COURT C	NY STAT CORD INTERNO 1,175,430.46 1,175,430.46 1,176,431.436 LIFIED PLANT RID EASTING 1 GRID. NO 7DINATES. COMBINATION DS FROM AEF SURVEY CORP JRVEY BY EN SEA LEVEL.	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL P. (PROJECT SOL, INC. ALLY AS MAY	-ELEVATI 319.6 318.2 318.2 0
NONUMENT: 102R 200 101R 201	S ELEVATION 319.72 318.33 316.01 316.62 CONVER CONVER NOTE 1. T: P N 2. V 3. G 4. C 5. D 0 0 N V 4. C 5. D 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	CWW PLA NORTHING 100+94.28 101+89.56 109+94.28 110+17.82 COL MONI EASTING 10, 27 THE CW SION IS R S: OPOGRAPH OMPILED E HOTOGRAP 0.7101050 ERTICAL D RID COORE ONTOUR IN ASHED CO BSCURED CO	REA RMU-1/ NT GRID EASTING 111+87.56 126+13.77 111+23.09 126+3.49 126+3.49 JMENTS GRID COOR DOD FROM M PLANT EQUIRED F IC BASE M Y PHOTOG HY DATED 3). AND A ATUM BAS VINATES SH ITERVAL 2 NTOURS IN BY VEGET/ STANDARD N. LINE IS AP	AP CONS RAME CONS RAME CONS RAMMETRI STATE CAN AP CONS RAMMETRI S/31/01 N AUGUST ED ON NO HOWN ARE FT. NDICATE TI ATION OR ACCURAC	ARE SIMPL ARE SIMPL	NY STAT CORP (NAD NORTHING 1,175,430.46 1,175,430.46 1,175,430.46 1,175,430.46 1,175,430.46 1,176,331.436 1,176,331.436 1,176,331.436 1,176,340.481,176,340.48 1,176,340.481,176,340.48 1,176,340.481,176,340.48 1,176,340.481,176,340.48 1,176,340.481,176,340.48 1,176,340.481,176,340.48 1,176,340.481,176,340.481,176,340.48 1,176,340.481,176,340.481,176,340.481,176,340.48 1,176,340.481,176,340.481,176,340.481,176,340.48 1,176,340.481,176,340.481,176,340.48 1,176,340.48,340.481,176,340.481,176,340.481,176,340.481,176,340.481,176,3	INATES =27) EASTING 396,380.12 397,808.18 396,339.034 GRID COORI COORDINATI TE THAT NO OF DATA RIAL P. (PROJECT SOL, INC. ALLY AS MAY	-ELEVATI 319.6 318.2 318.2 0

ODEL CITY, NEW YORK	ARCADIS Project No. B0023725.2009.00006	
	Date OCTOBER 2009	1
STING AND POTENTIAL	ARCADIS of New York, Inc. 6723 Towpath Road P.O. Box 66 Syracuse, New York TEL. 315.446.91220	1



CITY: ROCH DIV/GROUP: 40 DB: LD: EAL PIC: WP PM: TM: GNG TF MODEL CITY 23725,003 ATTACHMENT 2 Arcadis Drawing "Site Plan" (with wetlands overlay)



			_
		_	=
		-	-
	LEGEND:		
	BRUSHLINE	w	SIGN
	CABLE MARKER	*	SWAMP
-	CATCH BASIN	+	TRAFFIC LIGHT
	DROP INLET	0	TREE
x	FENCE		TREELINE
*	FIRE HYDRANT		UNIDENTIFIED OBJECT
	GUARD RAIL	*	UTILITY POLE
-+-		м	VALVE
Ħ	LIGHT POLE		WATER LINE
0	MISCELLANEOUS POLE		EXISTING CONTOUR
	MONUMENT		EXISTING GRADEBREAK
	POST		PROPERTY LINE
+++-	RAILROAD TRACKS		WETLAND DELINEATION

200) CONTROL MONUMENT (SEE TABLE BELOW)

-DRAWING REFERENCE NUMBER

N 7000 COORDINATE GRID (SEE NOTE 3)

CWM PLANT GRID

102R 319.72 100+94.55 111+87.56 100+94.65 11+87.56

200 318.33 101+89.56 126+13.77 101+89.56 26+13.77

DETAIL REFERENCE NUMBER

CONTROL MONUMENTS NOTE:

101R 316.01 109+94.28 111+23.09

201 316.62 110+17.82 126+3.49

RMU-1 EASTING GRID COORDINATES ARE SIMPLIFIED PLANT GRID COORDINATES. SUBTRACTING 10,000 FROM THE CWM PLANT GRID EASTING COORDINATE WILL CONVERT THE CWM PLANT GRID TO THE RMU-1 GRID. NOTE THAT NO CONVERSION IS REQUIRED FOR NORTHING COORDINATES.

RMU-1/RMU-2 CONTROL MONUMENTS

NORTHING EASTING NORTHING EASTING

RMU-1 GRID

NY STATE PLANE COORDINATES (NAD-27)

EASTING

1,175,488.28 397,808.18 318.27

396.380.12

396,339.034

NORTHING

1,175,430,46

,176,331.436

NGVD-29

ELEVATION

319.66

315.92

NOTES:

- TOPOGRAPHIC BASE MAP CONSISTS OF COMBINATION OF DATA COMPILED BY PHOTOGRAMMETRIC METHODS FROM AERIAL PHOTOGRAPHY DATED 5/31/01 BY AIR SURVEY CORP. (PROJECT NO.71010503). AND AN AUGUST 2008 SURVEY BY ENSOL, INC.
- VERTICAL DATUM BASED ON NGS MEAN SEA LEVEL. 2.
- GRID COORDINATES SHOWN ARE CWM PLANT GRID. 3.
- CONTOUR INTERVAL 2 FT.

DNUMENTS ELEVATIO

- DASHED CONTOURS INDICATE THAT GROUND IS PARTIALLY OBSCURED BY VEGETATION OR SHADOWS. THESE AREAS MAY NOT MEET STANDARD ACCURACY AND REQUIRE FIELD VERIFICATION.
- 6. PROPERTY LINE IS APPROXIMATE. EASEMENTS AND RIGHT-OF-WAYS NOT SHOWN.
- RMU-2 LIMIT REPRESENTS TOE OF PERIMETER MSE WALL 7.
- REFER TO DRAWINGS IN ATTACHMENT D-1 OF THE OVERALL SITE/RMU-1 PERMIT FOR 8. FURTHER DETAIL.
- REFER TO DRAWINGS IN ATTACHMENT D-2 OF THE OVERALL SITE/RMU-1 PERMIT FOR 9. FURTHER DETAIL
- 10. WETLAND DELINEATION PROVIDED BY CWM VIA EMAIL ON 9/16/13 BASED ON DELINEATIONS PERFORMED BY EDR COMPANIES IN JUNE 2008, APRIL 2011, AND JULY 2012.

IODEL CITY, NEW YORK MENT UNIT 2	ARCADIS Project No. B0023725.2013.00003	
	Date SEPTEMBER 2013	1
PLAN	ARCADIS of New York, Inc. 6723 Towpath Road P.O. Box 66 Syracuse, New York TEL. 315.446.9120	•

ATTACHMENT 3 CWM Chemical Services, LLC Wetland Permit Listing

WETLAND PERMIT LISTING

CWM Chemical Services, LLC ~ Model City, NY September 2013

Description	Permit No.	Effective Date	Comments	Permitted Impact	Size Impacted	Mitigation
Wetlands	92-986-72	2/24/93	Construction of RMU-1; Authorized under Nationwide Permit 33CFR330.5, Appendix A, Section B, No. 26, by U.S. Army Corps of Engineers (USACOE)	Filling of 7.1 acres of federal wetlands for the construction of RMU-1 waste facility. No impacts to State wetlands.	7.1 acres	7.2 acres wetlands construction. Deed restrictions on wetlands and old growth beech/maple forest.
Wetlands	2000-01534(0)	8/30/00	Construction of compensatory flood water storage area (CFSA) (USACOE)	Discharge Soil Associated with Land clearing Activities Resulting In An Impact On About 0.7 Acre Of Federal Wetland In Connection With The Construction of a Compensatory Flood Storage (CFSA) Basin	0.7 acres	1.4 acres wetland creation required within the CFSA. 4.5 acres wetland actually created within the CFSA.
Wetlands	2000-01534(3)	2/21/03	Construction of RMU-1 East Stormwater Retention Basin (USACOE)	Impact approximately 0.33 acres of federal wetland in connection with the development of a 2.45 acre flood storage basin. No impacts to State wetlands.	0.33 acres	Purchase and preservation and/or purchase and transfer to an approved Federal, state, or local agency or an environmentally beneficial project. CWM donated \$15,000 to the Buffalo Audubon Society, Inc. for the construction of Birds of Prey exhibit. Birds of Prey exhibit not built, however, Corps approved use of funds for Audubon natural resource education opportunities.
Wetlands – NYS Article 24	9·2934- 00022/00229	4/29/13	Removal of portion of soil stockpile located in 100-adjacent area to state freshwater wetland. The project area is located southeast of the existing RMU-1 landfill.	The project will impact approximately 0.85 acres of the 100-foot adjacent area of NYS Freshwater Wetland RV-1. No impacts to federal wetlands.	0.85 acres	Removal of a soil stockpile approximately 3.27 acres in size and restoration/ revegetation of the project site.
Wetlands Section 401/401 Article 24 Application	2000-01534(6) (pending)	N/A	Joint Application submitted 7/8/13 for RMU-2 impacts and draft mitigation plan, (USACOE)	Proposed filling of 2.567 acres of federal wetlands for the construction of RMU-2 waste facility and associated units. No impacts to State wetlands. Impact to 0.74 acres of 100-foot adjacent area of state freshwater wetland.	2.567 acres	Proposed construction of 4.37 acres of successional wetlands and deed restrictions (conservation easements) on 15.94 acres of constructed and existing wetlands and upland areas.

ATTACHMENT 4 RMU-2 Conceptual Phasing Schedule

CWM Chemical Services, LLC. Model City Facility Niagara County, New York

RMU-2 Conceptual Construction Phasing Schedule Impact to Wetlands Summary by Phase

Phase ID#	Construction/Closure Description	Federal Wetland Impacts (Yes or No)	Wetland Impacted (1)	Partial or Entire Wetland Impacted (2) (P or E)	Direct Impacts to Wetlands (4) (acres)	Year 1	Year 2	Year 3	Year 4	Year 5	Year 6	Year 7	>Year 8
1	Complete FP8 Berm Remediation & Closure	No	-	-	-	X							
2	Construction of Cell 20	Yes	J	Р	0.232	X	X						
	Demo Existing SLF-10 Loading Ramp Construct New SLF-10 Loading Ramp	No	-	-	-	X							
4	Construction of Fac Pond 5	Yes	G, H, I, K	E , E , E , P	0.823	X							
5	Construct New Stabilization Access Road	Yes	K	E	0.290	X							
6	Upgrade Fac Ponds 1/2	No	-	-	-		X						
7	Remove/Close Fac Pond 3	No	-	-	-			X					
8	Construct Cell 18	Yes	N, O	P, P	0.050			X					
9	Construct West Forcemain Transfer Line	Yes	М	Р	0.306			X					
	Demo/Close Existing Full Trailer Parking Construct New Full Trailer Parking Area	No Yes	- M	- E	0.306			X					
11	Construct Cell 19	No	-	-	-					X			
12	Build New Drum Building	No (3)	-	-	-					X	X		
13	Construct Cell 17	Yes	J	Е	0.560								X
	Demo/Close Stab Full Trailer Parking Construct New Stab Full Trailer Parking	No No	-	-	-								X
15	Construct Cell 16	No	-	-	-								X
16	Construct Cell 15	No	-	-	-								X

2.567

Notes: The above schedule is a conceptual schedule based on the anticipated sequencing of construction and closure of permitted units and may change based on the timing of the modification to the Sitewide Part 373 Permit. (1) Wetland designations as delineated by EDR Companies, June 2009, April 2011, and July 2012.

(2) Partial Wetland Impact = is defined as a partial filling of federal jurisdictional wetlands within the proposed phase area.

Entire Wetland Impact = is defined as a complete filling of federal jurisdictional wetlands within the proposed phase area. Portions of delineated wetlands outside the project area (portions of Wetlands N and O) will not be filled.

(3) Construction of the New Drum Management Building will impact the 100-foot adjacent area to New York State Freshwater Wetland RV-8.

(4) Approximate size of impacts per phase.

ATTACHMENT 5 RMU-2 Alternatives Analysis

Residuals Management Unit No. 2 (RMU-2) Alternatives Analysis

The following sections provide details of CWM Chemical Services, LLC (CWM) evaluation of various alternatives during the design phase for proposed new landfill Residuals Management Unit No. 2 (RMU-2) at the Model City, New York Facility. Additional details of the alternatives analysis are provided in the Draft Environmental Impact Statement (DEIS) prepared in accordance with 6NYCRR Part 671 (Arcadis, August 2013).

Introduction

CWM Chemical Services, LLC (CWM) is proposing a 43.5-acre expansion of the existing CWM Model City Hazardous Waste Management Facility (Model City Facility), located in the Town of Porter, Niagara County, New York (see Figure 1). This expansion is needed in order to allow continued disposal of hazardous and industrial nonhazardous waste at the Model City Facility because the currently active landfill (Residuals Management Unit 1, or RMU-1), the only commercial land disposal facility in the northeast United States, is approaching full capacity. The proposed expansion will occur within a currently developed/disturbed portion of the Model City Facility, and will be designated Residuals Management Unit 2 (RMU-2).

The proposed Project requires excavation and development of large contiguous areas of land, which limits opportunities for minimizing/avoiding wetland impacts. However, most of the wetlands on-site are man-made drainage features which are characterized by surface water hydrology and/or vegetation that have been historically altered to such an extent that limited wetland functions and values have been retained. No previously undisturbed wetlands or wetlands providing significant ecological functions and values will be impacted by the proposed Project. Based upon Project design and engineering completed to date, construction activities will result in permanent loss of 2.567 acres of federally-jurisdictional wetlands. No temporary disturbance to wetlands or conversion of forested wetlands to other wetland communities will occur. No NYSDEC freshwater wetlands will be impacted; however a portion of the 100' Adjacent Area Buffer for NYSDEC Wetland RV-8 will be impacted due to the relocation of the Drum Management Building. Therefore, the Applicant has submitted a Joint Application for Permit to the USACE in accordance with the conditions of Nationwide Permit Program (NWP) and to the NYSDEC in accordance with Section 401 of the Clean Water Act and New York State Environmental Conservation Law (ECL) Article 24 (Freshwater Wetlands).

ALTERNATIVES ANALYSIS

The Applicant looked at the following alternatives to the proposed action:

No action;

- Action at a different location within the Model City Facility;
- Action at a different site;
- Different technological approach; and
- Design sub-alternatives.

These alternatives, along with the no action alternative, are described below.

No Action Alternative

Under the No Action Alternative, hazardous waste processing and disposal operations presently conducted at the Model City Facility would continue with no further commitments to modify the Model City Facility's existing capabilities. Implementation of this alternative would exhaust land disposal capacity at the Facility by approximately 2015 based on current waste receipt rates. While this alternative would eliminate all on-site wetland impacts, there are several drawbacks to this alternative. Some likely impacts of the No Action Alternative would include:

- Hazardous waste generated in NYS and requiring land disposal would need to be shipped out-of-state.
- Decreased competition in the waste land disposal market and added transportation costs will result in increased disposal costs to NYS companies, placing an additional economic burden on those companies.
- With increased transportation and disposal costs, there may be an increase in illegal disposal of hazardous wastes.
- Disposal at facilities outside of NYS would result in longer hauling distances, increased fuel consumption and larger greenhouse gas emissions.
- Denial could jeopardize New York's status as a RCRA-delegated state because of 40 CFR 271.4(f).
- The majority of economic benefits associated with the Model City Facility (over \$13 million per year to state and local economies through various taxes, fees and expenditures) would be eliminated or significantly reduced.

Furthermore, the No Action Alternative would fail to achieve the Project's purpose and need.

Action at a Different Location within the Model City Facility

Locating a new landfill and other hazardous waste units within the existing Model City Facility would be limited to the property that is currently zoned for such activity (i.e., M-3 zone in the Town of Porter). Existing M-3 areas are largely utilized by active and closed waste management units. The proposed location for RMU-2 represents the only feasible area within the central portion of the Model City Facility meeting the zoning requirements. On October 10, 2001, the Town of Porter Town Board approved the rezoning of 75 acres of CWM's property east of RMU-1, known as the

"Eastern Area," from zone M-2 to M-3. Although the Eastern Area could be used for RMU-2, this area is further from the site infrastructure and would result in increased wetland impacts, as well as increased visual impacts. Other disadvantages of this alternative include:

- Overall costs would be increased to the point of being significantly less economical;
- This alternative would require the need to relocate existing facilities more critical to Model City waste handling operations (e.g., aqueous waste treatment system, stabilization) to be closer to the new landfill location;
- The current land use of another area would need to be modified or rezoned, requiring the need to evaluate the potential environmental impacts associated with this land disposal facility, which, given the less developed/disturbed character of this land, would likely be greater than the Proposed Action; and
- Due to the smaller landfill size potentially necessitated by land or zoning restrictions, this alternative would not adequately address the projected deficit in regional hazardous waste disposal.

Use of other property at the Model City Facility for this project (i.e., property in the Town of Porter not currently zoned M-3 and all property in the Town of Lewiston) would require Siting Board approval to override current zoning restrictions. In addition, these areas are currently undeveloped and would have additional potential impacts, such as loss of vegetation and disturbance of wetlands. For the above reasons, action at a different location within the Model City Facility is not considered a reasonable alternative.

Three areas of the CWM facility were evaluated for development of RMU-2 and are designated as the Eastern, Western, and Central Areas. Findings of these evaluations are discussed below:

- Western Area: The Western Area of the Facility was evaluated in 1999 for suitability for landfill expansion. A geotechnical investigation and a wetlands delineation were performed. The area is currently not permitted for RCRA activity and is zoned M-2 Light Industrial which prohibits land disposal facilities. The USACE is currently performing a remedial investigation of this area under the DERP-FUDS program. Based on the history of the area, the current investigation being performed by the USACE, and the zoning this area was determined to not be suitable for landfill expansion at this time.
- Eastern Area: The Eastern Area of the Facility was evaluated in 1999 for suitability for landfill expansion. A geotechnical investigation and a wetlands delineation were performed. The area was rezoned from M-2 Light Industrial to M-3 Heavy Industrial by the Town of Porter. M-3 zoning allows for the development of land disposal facilities. Based on the initial wetlands delineation and subsequent re-delineations performed with input from the USACE, greater than >37 acres of federal wetlands would be impacted and approximately 1,575 linear feet of Twelve Mile Creek would have to be relocated for landfill development. A

sub-alternative was evaluated which would reduce the amount of wetlands impacted (>19 acres) and not impact Twelve Mile Creek. However, these alternatives were found to be not viable due to impacts to wetlands and stream and the overall costs would be increased to the point of being significantly less economical.

Central Area: The Central Area of the Facility was evaluated in 2002 for suitability for landfill expansion. A geotechnical investigation and a wetlands delineation were performed. The area is in a current operational area of the Facility. Based on the 2002 wetlands delineation approximately 2 acres of wetlands would be impacted. However, based on the discovery of chemical contamination within the footprint of the initial design, the landfill was redesigned. Supplemental delineations were performed in 2009, 2011, and 2012 for the redesigned landfill footprint and areas for additional facilities required for development of the landfill. Based on the Jurisdictional Determination by the USACE, 2.567 acres of federally regulated wetlands are located with the RMU-2 development area. The Central Area was selected to be the most suitable area for landfill development at the Facility at this time based on the project areas location within an active area of the Facility, the location of key infrastructure, and minimal impacts to low quality federal wetlands.

Action at a Different Site Alternative

An alternative to the Proposed Action would be construction and operation of a hazardous and industrial nonhazardous waste landfill at a location other than the existing Model City Facility. This alternative would require construction of the proposed landfill at another WMI owned facility or at some other location.

The Model City Facility is the location of 11 hazardous and industrial non-hazardous waste landfills (10 closed landfills and the currently active RMU-1). The Model City Facility has invested millions of dollars in the infrastructure that is necessary to support and maintain a state-of-the-art hazardous waste TSDF. That infrastructure includes a fully integrated wastewater treatment plant that is used to treat, among other things, the leachate from the active and closed landfills and a stabilization facility necessary to treat hazardous waste to LDR standards prior to land disposal. Extensive groundwater, surface-water and air monitoring systems, with a well-developed database, an exhaustive hydrogeologic study of the site, a comprehensive on-site analytical laboratory and well established utilities and security systems would also be needed. In addition, the Model City Facility has in place a well-qualified management team and well trained employees familiar with the operation of the facility.

Any alternative site would require the duplication of the infrastructure systems, support and monitoring systems and the management and operating personnel. At the same time, closure and post-closure care at the current Model City Facility would be required. Any such alternative would be cost prohibitive. Thus, locating the proposed unit at a new

location elsewhere in NYS or within Niagara County, but outside the boundaries of the existing CWM facility, has several disadvantages: overall costs would be increased and the current land use of another area would need to be modified, adding to the potential for the environmental impacts associated with a land disposal facility. The time required for permitting the facility would be lengthy, causing an increased deficit in regional hazardous waste land disposal capacity.

In addition, prior permit and siting certificate applications at the Model City Facility have demonstrated that the facility's hydrogeologic characteristics are well suited for a hazardous and industrial non-hazardous waste landfill facility and previous siting boards have concluded that the siting criteria are satisfied at this location. As per 6 NYCRR Part 361, a certificate of environmental safety and public necessity is required for construction and operation of a new industrial hazardous waste management facility. Additionally, 6 NYCRR Part 617.14(f)(5) provides that the discussion of site alternatives "may be limited to parcels owned by, or under option to, a private applicant." CWM does not own or have under option any other property in NYS of adequate size and appropriately zoned for hazardous waste facility siting. Although WMI, CWM's parent company, does own other property in NYS, none of these properties are currently permitted or equipped for hazardous waste disposal, and historically, NYSDEC has been opposed to permitting hazardous waste disposal units at an existing solid waste disposal site. Also, CWM is not aware of any other company currently pursuing the development of commercial TSDFs within NYS. For the above reasons, CWM does not believe that the "action at a different site alternative" is a reasonable alternative.

Secure Residuals Management Alternatives

Different technological approaches and Design sub-alternatives were evaluated during the design of RMU-2. The current RMU-2 design includes current technological advances and maximizes the capacity while minimizing the footprint. The current design technological approaches and sub-alternatives were found to achieve the Project's purpose and need.

Summary of Alternatives Residuals Management Unit No. 2 CWM Chemical Services, LLC Model City, New York

					i City, New T		-	
Alternatives ⁽¹⁾		Landfill Footprint Acreage ⁽²⁾	Potential Disturbance Acreage ⁽³⁾	Volume of Potential Useable Disposal Capacity ⁽⁴⁾ (cubic yards)	Site Life ⁽⁵⁾ (years)	Pass/ Fail Criteria	Direct Impacts to Wetlands ⁽⁷⁾ (acres)	Decision Notes
No Action Alternative		0.0	0.0	0	0	Fail ⁽⁶⁾	0.0	Current site landdfill capacity exhausted in approx. 2 years. Alternative would fail to achieve the Project's purpose and need
Site Alternative 1	West ⁽¹⁰⁾	~~40	66.0	4,000,000	12	Fail ⁽⁶⁾	2.23 acres ⁽⁸⁾ 2290 LF Tributary to Four-Mile Creek Relocation	Not a RCRA Permitted Area. Alt. not viable due to LOOW (DERP-FUDS) investigation/remediation by the USACE. Overall costs would be increased to the point of being significantly less economical
Site Alternative 2	Full East ⁽¹⁰⁾	64.0	75.0	7,244,300	22	Fail ⁽⁶⁾	> 37 acres ⁽⁹⁾ 1575 LF 12-Mile Creek Relocation	Alt. not viable due to impacts to wetlands and stream. Overall costs would be increased to the point of being significantly less economical
	Reduced East ⁽¹⁰⁾	41.0	50.0	4,200,000	12	Fail ⁽⁶⁾	> 19 acres ⁽⁹⁾	Alt. not viable due to impacts to wetlands. Overall costs would be increased to the point of being significantly less economical
Site Alternative 3	Central	42.0	63.0	4,400,000	13	Fail ⁽⁶⁾	2.0	Alt. 3 originally selected in 2003. Footprint redesigned due to chemical contamination along the western boundary.
Site Alternative 4	Central	43.5	70.0	4,030,700	12.0	Pass	2.567 ⁽¹¹⁾	Preferred Alternative. Alternative achieves the Project's purpose and need
Action at a Different Site	Alternative	UK	UK	UK	UK	Fail ⁽⁶⁾	UK	Atl. Considered not viable due to cost of locating new facility infrastructure and time for land acquisition and permitting.

1 - Locations of alternatives are shown on attached Figure

2 - Liner acreage is the footprint area of the limits of waste, additional area will be disturbed for supporting facilities as outlined in Note 3.

3 - Potential disturbance acreage includes additional area for landfill supporting facilities (perimeter roads, landfill berms, stormwater detention basins and mining areas) but does not include any acreages that may be used to provide mitigation for potential wetland impacts.

4 - Volume calculations for alternatives 1, 2, and 3 are based on conceptual designs.

5 - Site life was estimated from the site's historical density of 1.487 tons/cy and an acceptance rate of 500,000 tons/year tons per year or

Site life calculated at the current maximum waste acceptance rate. With annual waste inflow less than the assumed maximum, a longer site life will result. 6 - Fails to satisfy need for a minimum useful life of ten (10) years, minimize impacts to natural resources, and achieve the project's purpose and need.

7 - All direct wetland impacts are based upon the disturbance area for each alternative.


8 - Western Area delineation performed in September 1999

9 - Eastern Area delineation performed in September/October 1999 and re-delineated in May 2002

10 - Site Alternatives 1 and 2 were not pursued further, therefore, design area, capacity, and site life are estimates.

11 - Central Area delineation performed June 2009, April 2011, and July 2012 and includes impacts to wetlands from development of additional permitted facilities relocated/constructed for the development of RMU-2.


336,247 cubic yards/year





Alternative 1 – Western Area Alternative 2 – Eastern Area w/ sub-alternative Alternative 3 – Central Area Alternative 4 – Central Area Redesign (includes Fac Pond 5 and New Drum Building)

RMU-2 SITE ALTERNATIVES

Note: Not to scale and boundaries are approximate







CWM Landfill Expansion Town of Porter - Niagra County, New York Figure 8 - Revised Delineated Wetlands Sheet 9 of 9

July 2012 Notes: 2 foot resolution natural color orthophotography. 2008.







Notes: Data Source Base Map: DOQQ Orthophotography, Black and White, 2 ft. resolution, Year 2005. 1. EDR Delineated Wetlands 2. NWI Federal Wetland Survey, Ransomville Quadrangle. CWM Landfill Expansion

Town of Porter - Niagara County, New York Wetland Delineation Report Figure 8: Delineated Wetlands Alternative 4 - Fac Pond 5

June 2009



Flag Locations
Flag Locations
Town of Porter, Niagara County, New York
Project Site
Delineated Wetlands
Sheet 3 of 9
July 2012
Notes: Base map - 2 foot resolution natural color orthophotography, 2008.
NWI Wetland

Alternative 4 - New Drum Building