

Supporting Document 1-4

Surface Water Quality Existing Conditions Report



Twin Creeks Environmental Centre Landfill
Optimization Project Environmental Assessment

WM Canada

Watford, Ontario

May 2026

Prepared by:

RWDI Consulting Engineers and Scientists
600 Southgate Drive
Guelph, Ontario N1G 4P6





Revision History

| Revision | Date |
|----------|---------------|
| 1 | November 2023 |
| 2 | July 2025 |
| 3 | May 2026 |

Executive Summary

RWDI AIR Inc. (RWDI) was contracted by HDR Corporation on behalf of WM Canada (WM) to prepare this Surface Water Quality Existing Conditions Report for the Twin Creeks Environmental Centre (TCEC) Landfill Optimization Project Environmental Assessment (EA). This work is being completed per the approved Terms of Reference (ToR) dated, January 7, 2022, as amended on March 30, 2022 (ToR). The purpose of this report is to present the existing surface water quality conditions of the TCEC site and surrounding area.

The TCEC is located at 5768 Nauvoo Rd. approximately 1 km north of the Village of Watford in the Township of Warwick, Ontario. The TCEC is bounded by agricultural area on all sides, with the closest residential area being in Watford in the south.

There are approximately 5 years of approved landfill airspace capacity remaining at the TCEC (i.e., capacity will be reached in approximately 2031). The proposed optimization would provide additional airspace of approximately 14.3 million cubic metres (m³), which could extend the site life by approximately 12 years (from 2031 to 2043) and may be achieved through alternative landfill configurations or alternative methods within the existing 301-hectare TCEC site area. No changes are proposed to the size of the TCEC site area, approved service area, or annual fill rate.

Surface water quality data collected from the TCEC was evaluated to document the existing conditions as it pertains to its quality prior to off-site discharge in consideration of the On-Site Study Area (Existing Landfill and Expansion Landfill). The On-Site Study Area consists of the TCEC. Surface water at the TCEC is managed through on-site drainage features such as ditches and swales, as well as four (4) sedimentation ponds. Surface water that is managed by the Sedimentation Ponds typically consists of runoff that originates from the footprint of the waste fill areas of the TCEC. An Off-Site Study Area was established to assess existing conditions within the drainage ditch of the northbound lane to Lambton County Road 79 (Nauvoo Road) extending approximately 1 km north and 500 m south from the entrance to the TCEC. Field monitoring to assess surface water existing conditions were completed in 2022 to evaluate potential impacts to surface water quality associated with ASR track-outs along the road allowance. PAHs were identified as a contaminant of concern that had the potential to adversely affect off-site surface water quality nearby the TCEC.

The TCEC comprises of two (2) surface water monitoring programs, with 1) compliance monitoring program for three (3) open ditch surface water monitoring stations and four (4) sedimentation ponds, and 2) an open ditch surface water monitoring program consisting of three (3) monitoring stations to assess for Poplar System irrigation liquid effects to surface water quality within the perimeter ditch of the southern half of Existing Landfill.

Both the Compliance and Poplar System Surface Water Monitoring Programs are effective in evaluating potential landfill leachate effects to surface water quality based

on surface water quality existing conditions. The selected Leachate Indicator List parameters, for evaluating potential leachate effects on surface water quality as outlined in the 2007 EMP, remain relevant based on leachate constituent concentrations remaining below the predicted peak leachate values tabulated within Table 6-9 of the 2008 D&O Report and overall surface water quality existing conditions. As such, the established trigger concentration mechanism continues to be suitable for discerning potential landfill leachate impacts to surface water quality.

PLIL parameter concentration trends in surface water at the TCEC have remained relatively low and stable, except in areas receiving runoff from the Excess Soil Stockpile where concentrations of TSS-related PLIL metal parameters have been observed above the respective PLIL trigger concentrations at monitoring station SS1. In areas not affected by runoff from the Excess Soil Stockpile, TSS-related fluctuations in surface water quality over time are minor and are primarily attributed to erosion from exposed soil surfaces during construction activities (e.g., infrastructure development, waste cell excavation, and soil material handling) since 2008.

TSS concentrations correspondingly and expectedly influence heavy metal concentrations within the surface watercourse.

On-going quality monitoring data indicates that surface water quality is generally not adversely impacted by the TCEC. Concentrations of the PLIL parameters typically satisfy the established trigger mechanisms that form part of the surface water quality evaluation procedures, with some exceptions listed below:

- As noted above, at SS1, runoff of TSS-laden water from erosion of the Excess Soil Stockpile has likely caused TSS-related concentrations of PLIL-metals to exceed the respective PLIL trigger concentrations. However, WM continues to implement various sediment loading reduction actions where suitable.
- At SP2, since 2020, there has been an increase in occurrences of boron concentrations being observed above the PLIL trigger concentration during the majority of monitoring events. However, the boron concentrations are not showing a long-term trend of concern. Also, the boron concentrations are interpreted to not be landfill leachate related as neither chloride, phenols, nor un-ionized ammonia, were detected at elevated concentrations in combination with the noted boron concentrations.

Ultimately, surface water quality consistently meets the criteria for acceptable off-site discharge.

The off-site temporary supplemental surface water monitoring program completed in 2022 showed low level detections of one (1) PAH parameter for one (1) of four (4) monitoring events at two (2) of the five (5) off-Site surface water monitoring stations during the first quarter of 2022. No other PAH parameter was detected at the Off-Site surface water monitoring stations for the 1-year short-term monitoring period in 2022.

Acronyms, Units and Glossary

Acronyms

| Acronym | Definition |
|---------|--|
| ASR | Automobile Shredder Residue |
| BTEX | Benzene, Toluene, Ethylbenzene, Xylene |
| COD | Chemical Oxygen Demand |
| CWQG | Canadian Water Quality Guidelines |
| D&O | 2008 Design & Operations Report for the Expansion Landfill |
| DOC | Dissolved Organic Carbon |
| EA | Environmental Assessment |
| EAA | <i>Environmental Assessment Act</i> |
| ECA | Environmental Compliance Approval |
| EMP | Environmental Monitoring Plan |
| LMP | Leachate Management Plan |
| MECP | Ministry of Environment, Conservation and Parks |
| PAH | Polycyclic Aromatic Hydrocarbons |
| PHC | Petroleum Hydrocarbon |
| PLIL | Primary Leachate Indicator List |
| PWQMN | Provincial Water Quality Monitoring Network |
| PWQO | Provincial Water Quality Objectives |
| RDL | Reportable Detection Limit (laboratory data-related) |
| ROW | Right-of-Way |
| SCRCA | St. Clair Region Conservation Authority |
| SGRA | Significant Groundwater Recharge Area |
| SLIL | Secondary Leachate Indicator List |
| SVOC | Semi-volatile Organic Compounds |
| TCEC | Twin Creeks Environmental Centre |
| TDS | Total Dissolved Solids |
| TKN | Total Kjeldahl Nitrogen |
| TSS | Total Suspended Solids |
| VOC | Volatile Organic Compound |
| WM | WM Canada |

Units

| Unit | Definition |
|----------------|-----------------------------|
| ha | Hectare |
| km | Kilometre |
| L | Litre |
| m | Metre |
| mASL | Metres Above Sea Level |
| mbgs | Metres below ground surface |
| m ³ | Cubic metres |
| M | Million |
| mg | Milligram |
| ppm | Parts per million |
| µg | Microgram |
| µm | Micrometer |

Glossary

| Term | Definition |
|-------------------------------|---|
| Approval | Permission granted by an authorized individual or organization for a project to proceed. This may be in the form of program approval, certificate of approval or provisional certificate of approval. |
| Capacity (Disposal Volume) | The total volume of air space available for disposal of waste at a landfill site for a particular design (typically in m ³); includes both waste and daily cover materials but excludes the final cover. |
| Composting | The controlled microbial decomposition of organic matter, such as food and yard wastes, in the presence of oxygen, into finished compost (humus), a soil-like material. Humus can be used in vegetable and flower gardens, hedges, etc. |
| Composting facility | A facility designed to compost organic matter either in the presence of oxygen (aerobic) or absence of oxygen (anaerobic). |
| Environment | As defined by the <i>Environmental Assessment Act</i> , environment means: <ul style="list-style-type: none"> • air, land or water; • plant and animal life, including human life; • the social, economic and cultural conditions that influence the life of humans or a community; • any building, structure, machine or other device or thing made by humans; • any solid, liquid, gas, odour, heat, sound, vibration or radiation resulting directly or indirectly from human activities; or • any part or combination of the foregoing and the interrelationships between any two or more of them (ecosystem approach). |
| Environmental Assessment (EA) | A systematic planning process that is conducted in accordance with applicable laws or regulations aimed at assessing the effects of a proposed project on the environment. |
| Evaluation criteria | Evaluation criteria are considerations or factors taken into account in assessing the advantages and disadvantages of various alternatives being considered. |

Glossary

| Term | Definition |
|--------------------------|---|
| Existing Landfill | The landfill along the eastern portion of the TCEC that was the 'Warwick Landfill' that opened in 1972. |
| Expansion Landfill | The landfill west of the Existing Landfill at the TCEC that was approved for construction in 2008 with landfilling initiated in late 2009. |
| Greenhouse gas (GHG) | Any of the gases whose absorption of solar radiation is responsible for the greenhouse effect, including carbon dioxide, methane, ozone, and the fluorocarbons. |
| Indicators | Indicators are specific characteristics of the evaluation criteria that can be measured or determined in some way, as opposed to the actual criteria, which are fairly general. |
| Landfill gas (LFG) | The gases produced from the wastes disposed in a landfill; the main constituents are typically carbon dioxide and methane, with small amounts of other organic and odour-causing compounds. |
| Landfill site | An approved engineered site/facility used for the final disposal of waste. Landfills are waste disposal sites where waste is spread in layers, compacted to the smallest practical volume, and typically covered by soil. |
| Leachate | Liquid that drains from solid waste in a landfill and which contains dissolved, suspended and/or microbial contaminants from the breakdown of this waste. |
| Mitigation | Measures taken to reduce adverse impacts on the environment. |
| Project | Is defined in the <i>Environmental Assessment Act</i> as: one or more enterprises or activities or a proposal, plan or program in respect of an enterprise or activity. |
| Proponent | A person who: <ul style="list-style-type: none"> • carries out or proposes to carry out a project; or • is the owner or person having charge, management, or control of a project. |
| Receptor | The person, plant or wildlife species that may be affected due to exposure to a contaminant. |
| Sewage ECA | Amended ECA for an Industrial Sewage Works No. 2403-BE6LZ4, dated August 21, 2019 |
| Terms of Reference (ToR) | A terms of reference is a document that sets out detailed requirements for the preparation of an Environmental Assessment. |
| Waste | Refuse from places of human or animal habitation; unwanted materials left over from a manufacturing process. |
| Waste ECA | Amended Environmental Compliance Approval (ECA) No. A032203, dated June 20, 2025. |

This page is intentionally blank.



Contents

| | |
|---|-----|
| Executive Summary | i |
| Acronyms, Units and Glossary | iii |
| 1 Introduction | 1 |
| 2 TCEC and Study Areas | 2 |
| 3 Methods | 3 |
| 3.1 Data Collection and Review | 4 |
| 3.2 Field Studies | 5 |
| 3.2.1 On-Site Surface Water Quality Field Studies/Monitoring | 5 |
| 3.2.2 Off-Site Surface Water Quality Field Studies/Monitoring | 6 |
| 3.3 Characterization of Existing Conditions | 6 |
| 4 Description of Existing Conditions | 7 |
| 4.1 On-Site Study Area | 7 |
| 4.1.1 On-Site Study Area Surface Water Physical Setting | 7 |
| 4.1.2 On-Site Study Area Surface Water Monitoring Stations | 8 |
| 4.1.3 On-Site Study Area Surface Water Field Monitoring | 13 |
| 4.2 Off-Site Study Area | 15 |
| 4.2.1 Off-Site Study Area Surface Water Physical Setting | 15 |
| 4.2.2 Off-Site Study Area Surface Water Monitoring Stations | 16 |
| 4.2.3 Off-Site Study Area Routine Monitoring | 16 |
| 4.2.4 Source Water Protection | 16 |
| 4.3 Environmental Quality Evaluations | 17 |
| 4.3.1 Leachate Quality Trends | 17 |
| 4.3.2 Surface Water Monitoring Program Exceptions | 26 |
| 4.3.3 Compliance Monitoring Surface Water Quality Trends | 27 |
| 4.3.4 Poplar System Monitoring Surface Water Quality Evaluation | 34 |
| 4.4 Consideration of Erosional Effects | 36 |
| 4.4.1 Heavy Metals and TSS Relationship | 36 |
| 4.4.2 TSS Evaluation | 37 |
| 4.4.3 Sediment Loading Reduction Actions | 38 |
| 4.5 Off-Site Study Area Surface Water Quality Evaluation | 41 |
| 4.5.1 Off-Site Surface Water Quality Findings | 43 |
| 4.6 Summary of Existing Conditions | 44 |
| 5 References | 47 |

Tables

| | |
|---|----|
| Table 3-1. Evaluation Criteria, Indicators and Data Sources for Surface Water Quality | 3 |
| Table 3-2. Surface Water Monitoring Station Analytical Dataset Collection Timelines | 4 |
| Table 4-1. On-Site Study Area Surface Water Monitoring Station Summary | 9 |
| Table 4-2. Off-Site Surface Water Monitoring Station Designations and Descriptions..... | 16 |
| Table 4-3. Expansion Landfill Leachate Constituent Concentration Trends..... | 18 |
| Table 4-4. Existing Landfill Leachate Constituent Concentration Trends | 20 |
| Table 4-5. Primary Leachate Indicator List Compounds for Surface Water | 25 |
| Table 4-6. Secondary Leachate Indicator List Compounds for Surface Water | 25 |
| Table 4-7. Approximate Dates that Waste Elevation for each Cell reached Ground Surface or approximately 240 mASL | 27 |
| Table 4-8. Surface Water Quality Trigger Concentration Comparison – 2022 Calendar Year..... | 29 |
| Table 4-9. Surface Water Historical Biological Testing Results (2014 – 2022) | 33 |
| Table 4-10. Surface Water Historical TSS Statistical Analysis (2008 – 2022) | 38 |
| Table 4-11. Approximate Sediment Build-Up Targets and the Average Sediment Build-Up Measurements for Ponds 1 to 4..... | 40 |
| Table 4-12. Dates of Sediment Removal from Sedimentation Ponds 1 to 4 | 41 |

Figures

- Figure 1. On-Site and Off-Site Study Areas – General Overview
- Figure 2. Off-Site Surface Water Monitoring Program Setting - Modified
- Figure 3. On-Site Surface Water Monitoring Program Setting
- Figure 4. Surface Water Flow Paths
- Figure 5. St. Clair Region Source Water Protection

Appendices

- Appendix A. Leachate and Irrigation Liquid Chemical Results
- Appendix B. Surface Water Chemical Results

1 Introduction

This report presents a description of the Existing Conditions for Surface Water Quality for the WM Canada (WM) Twin Creeks Environmental Centre (TCEC) Landfill Optimization Project in support of the environmental assessment (EA). The purpose of the EA is to assess the potential effects of the proposed landfill optimization on the environment. The EA is being carried out in accordance with the requirements of the *Environmental Assessment Act (EAA)* and Terms of Reference (ToR), which was approved by the Ministry of Environment, Conservation and Parks (MECP) on December 13, 2022.

WM, the owner and operator of the TCEC in Watford, Ontario, has initiated the EA seeking approval to optimize the landfill design and operation, maximizing the use of the constructed infrastructure and the significant investment made at the TCEC. There are approximately 5 years of approved landfill airspace capacity remaining at the TCEC (i.e., capacity will be reached in approximately 2031). The proposed optimization would provide additional airspace of approximately 14.3 million cubic metres (m³), which could extend the site life by approximately 12 years (from 2031 to 2043) and may be achieved through alternative landfill configurations or alternative methods within the existing 301-hectare (ha) TCEC site area. No changes are proposed to the size of the TCEC site area, approved service area, or annual fill rate.

There is a need for the continued development of the TCEC as it is a significant component of the provincial waste management network and infrastructure, which is lacking in sufficient and secure long-term disposal capacity. Optimizing the future development of the TCEC allows for on-going sustainable business operations and continued provision of essential financial support for community services and programs.

The approved ToR included a preliminary description of the Existing Conditions within the area surrounding the TCEC, with the commitment that a more detailed description of existing environmental conditions would be prepared as part of the EA. In accordance with the approved ToR, additional investigative studies were carried out as necessary to generate a more detailed description of the existing natural, cultural, socio-economic, and built environments for use in the assessment of the effects of the alternative methods for the TCEC Landfill Optimization Project during the EA.

This Surface Water Quality Existing Conditions Report is one component of the EA. The EA Study Report will incorporate the information presented herein as appropriate, and this report will be included with the EA Study Report as a supporting document.

2 TCEC and Study Areas

The TCEC is located at 5768 Nauvoo Road approximately 1 km north of the Village of Watford in the Township of Warwick, within the County of Lambton. The TCEC is generally bounded by Confederation Line to the south, Nauvoo Road to the west, Zion Line to the north, and agricultural lands to the east. The TCEC is a regional facility that provides safe and convenient disposal services for communities, businesses and industries serving the Province of Ontario. The landfill is approved to receive municipal, industrial, commercial, and institutional solid non-hazardous wastes generated, including non-hazardous contaminated soil.

The TCEC is engineered with environmental protection systems that meet or exceed regulatory requirements and are subject to highly regulated monitoring and reporting requirements. Systems include engineered liners and covers, leachate collection and removal, landfill gas collection and control, and on-site leachate disposal through phytoremediation.

Leachate that is generated in the waste is conveyed toward a perimeter leachate collection system. WM received approval to treat leachate through a phytoremediation system consisting of a 9.3 ha poplar system planted on the existing landfill cap in 2003. Surplus leachate is trucked off-site to approved wastewater treatment plants.

During the EA, existing conditions and potential effects will be considered in the context of two Study Areas: on-site and off-site. The general Study Areas proposed for the purposes of the EA are shown on **Figure 1**, whereby a slight deviation to the Off-Site Study Area that is presented in **Figure 1**, is shown on **Figure 2** and described below.

- On-Site Study Area: the existing TCEC.
- Off-Site Study Area (vicinity): the lands immediately west of the TCEC property boundary from approximately 1 km north and 500 m south of the entrance to the TCEC along the roadside ditch of Nauvoo Road, as depicted on **Figure 2**.

Surface water quality at the TCEC is evaluated for compliance with established MECP-approved site-specific criteria. A monitoring program was developed to monitor off-site surface water quality within the eastern roadside ditch of Nauvoo Road for a 12-month period in concert with the current surface water quality monitoring program. Surface water quality was evaluated toward its Existing Conditions as it relates to the potential for PAH impacts from ASR track-out material.

Figure 2 shows the surface water monitoring locations forming the off-site 12-month monitoring program.

Figure 3 shows an expanded view of the surface water flow path system on the operational portion of the Site.

Figure 4 shows the established surface water quality system including monitoring locations, which outlines the flow path onto the TCEC, as well as on-site prior to off-site discharge.

3 Methods

This Surface Water Quality Existing Conditions Report was developed based on the evaluation criteria, indicators, and data sources included in the approved ToR, which were developed in consultation with government agencies and other stakeholders. The evaluation criteria, rationale, indicators, and data sources used for Surface Water Quality as per the approved ToR are provided in Table 3-1.

Table 3-1. Evaluation Criteria, Indicators and Data Sources for Surface Water Quality

| Evaluation Criteria | Rationale | Indicators | Data Sources |
|----------------------------------|--|---|--|
| <i>Natural Environment</i> | | | |
| Surface Water Environment | | | |
| Surface Water Quality | The landfill optimization has the potential to affect surface water quality through either possible leachate seepage through the landfill cap increased erosion of the landfill clayey soil cap or track-out of ASR wastes off-site. | <ul style="list-style-type: none"> • Predicted effects on surface water quality on-site prior to off-site discharge. • Predicted effects from PAHs, in ASR, on surface water quality within the roadside ditch of the northbound lane of Nauvoo Road from the TCEC to Hwy 402 in the Off-Site Study Area. | <ul style="list-style-type: none"> • Applicable regulatory documentation (i.e., Amended TCEC ECAs, MECP guidelines, technical standards, etc.). • Landfill Environmental Monitoring Plan (Jagger Hims Limited, 2007) (EMP), and as amended per MECP approval. • Surface water quality monitoring data at each on-site background, internal, and discharge (compliance) monitoring stations. • PWQMN. • Topographic maps and aerial photos. • On-site stormwater management system design for the TCEC. • Quarterly and Annual TCEC compliance monitoring reports. • Leachate generation and management assessments, as outlined in the LMP, (HDR, March 2023). • Proposed facility characteristics. • Testing for potential PAH impacts from ASR track-out within the surface water of the roadside ditch along the northbound lane of Nauvoo Road in the Off-Site Study Area. |

3.1 Data Collection and Review

The review of historical surface water quality data at the TCEC included analytical data and precipitation data sources noted in **Table 3-1** to provide information as it relates to:

- Existing surface water quality chemical trends;
- Clayey soil erosional effects to surface water quality; and
- An interpretation of surface water quality findings of a one-year study on the predicted impacts from ASR within the roadside ditch of the northbound lane from the TCEC to Hwy 402 in the Off-Site Study Area.

Surface water chemical analytical data collected at the TCEC from 2003 to 2022 was compiled into a database for statistical and data trend interpretations. The interpretations considered the following datasets:

- Chemical data historical concentration ranges (i.e., maximums & minimums);
- Chemical data historical geometric concentration and value means; and
- Chemical data trends.

The following summary provides the dataset ranges over time of the assessed surface water monitoring stations at the TCEC.

Table 3-2. Surface Water Monitoring Station Analytical Dataset Collection Timelines

| Task | Monitoring Station Designations | Dataset Monitoring Period |
|---|---------------------------------|--------------------------------|
| Surface Water Environmental Monitoring Program | SS1 | April 2003 to November 2022 |
| | SS10 | April 2003 to November 2022 |
| | SS16 | March 2008 to May 2022 |
| | SP1 | November 2011 to October 2022 |
| | SP2 | September 2008 to January 2023 |
| | SP3 | November 2008 to October 2022 |
| | SP4 | May 2010 to October 2022 |
| Surface Water Poplar System Monitoring Program | SS14A | April 2003 to October 2022 |
| | SS14B | |
| | SS15A | October 2009 to October 2022 |
| Surface Water Poplar Plantation Monitoring Program | SS17A | October 2009 to January 2013 |
| | SS17B | |
| | SS18A | |
| | SS18B | |

The dates at which surface water monitoring stations related to the Sedimentation Ponds (SP1 to SP4) and Poplar Plantation (SS17A, SS17B, SS18A, and SS18B) came into effect varied based on the progress of construction for the Expansion Landfill.

A comparison of surface water analytical data was also made to leachate chemical analytical data of the Expansion Landfill to assess whether the current monitoring program is sufficient to monitor for potential leachate impacts to surface water resources. The assessment considered current potential effects of landfilling operations on surface water quality on-site, as well as within the defined Off-Site Study Area for surface water quality. The findings of this assessment will allow for an evaluation of the potential effects of the Project on surface water quality.

The above-noted data evaluations were used to ascertain the effects of clayey soil erosion, landfilling operations, and potential leachate influence on surface water quality on-site, and potential water quality impacts from PAHs from ASR track-outs onto Nauvoo Road from the Site entrance, northbound towards Highway 402.

3.2 Field Studies

As required by the Waste and Sewage ECA's, field monitoring and evaluation activities have been on-going at the TCEC on a routine frequency that ranges from quarterly monitoring to annually for surface water quality. If necessary, the monitoring frequency is enhanced to include verification monitoring to address triggering criteria that may be identified within surface water samples collected during the routine monitoring events. The monitoring entails an evaluation of the surface water within and around the Existing and Expansion Landfills. These field studies are further described below.

On-site surface water quality monitoring field studies as required by the Waste and Sewage ECA's, are outlined in **Section 3.2.1**. Off-site surface water quality field studies, which were completed as part of the EA efforts are outlined in **Section 3.2.2**.

3.2.1 On-Site Surface Water Quality Field Studies/Monitoring

The on-site Surface Water Quality field studies, which are governed by the Waste and Sewage ECAs, consisted of the following.

- Continuous monitoring of climatic conditions to track precipitation amounts that trigger the need to complete a surface water quality monitoring event.
- Completing the quarterly sampling of surface water at established surface water monitoring stations, where sufficient flowing conditions allow for proper sampling.
 - Field sampling included measuring field chemical parameters and flow rates at the time of sampling.
- Completing the biological monitoring annually in the spring.

- Evaluating the chemical analytical data from the collected samples from the routine monitoring events and determining whether verification monitoring events are warranted.
 - Completing verification monitoring events, as required, including chemically testing the verification samples for the routine list of parameters, as well as included biological monitoring.

The On-Site Study Area (which includes the on-site monitoring stations), the response and routine monitoring, response verification monitoring, and the flow conditions, are described in **Section 4.1**.

The assessment of on-site historical surface water quality is presented in **Section 4.3**.

3.2.2 Off-Site Surface Water Quality Field Studies/Monitoring

A temporary off-site surface water quality monitoring program was established in 2022. The program consisted of monitoring surface water quality within the roadside ditch of the northbound lane to Lambton County Road 79 (Nauvoo Road), approximately 1 km north and 500 m south of the entrance to the TCEC. The off-site surface water quality monitoring program was considered as the Off-Site Study Area for the purpose of the Surface Water Quality portion of this EA effort. Surface water quality was assessed in consideration of potential PAH effects from ASR track-out.

The off-site surface water monitoring program consisting of five (5) monitoring stations (refer to stations SW1, SW2, SW3, SW4, and SW5 on **Figure 2**) was established for a 12-month period from January to December 2022, whereby surface water samples were collected concurrently with those of the routine on-site compliance surface water quality monitoring program. Additionally, two (2) surface water monitoring stations were established upstream (north and south) of the Gilliland-Geerts Drain along the east side of the Nauvoo Road ROW to evaluate baseline surface water quality conditions interpreted to not be subjected to potential impacts from ASR track-out debris.

Off-site surface water monitoring stations SW1, SW2, SW3, SW4, and SW5, are depicted on **Figure 2**. Details pertaining to the temporary monitoring efforts completed within the Off-Site Study Area (which includes descriptions of the off-site surface water monitoring stations) and the response monitoring is detailed in **Section 4.2**.

The findings for this 12-month off-site surface water quality study on the potential impacts of ASR track-out debris within the Nauvoo Road ROW is detailed in **Section 4.5**.

3.3 Characterization of Existing Conditions

The Existing Conditions for surface water quality were characterized as follows:

1. Information collected from the sources identified in **Section 3.1** were reviewed;

2. Field studies described in **Section 3.2.1** were evaluated in the context of existing surface water quality conditions at the TCEC;
3. A 12-month Field Study was completed to assess for potential impacts to surface water quality as it relates to ASR track-out along the east side of the Nauvoo Road ROW (**Section 3.2.2**); and
4. Information from available sources was compiled by environmental criterion.

4 Description of Existing Conditions

The evaluation of surface water quality Existing Conditions considers the following;

- Overview of the surface water flow regime and setting, both on-site and off-site, as it relates to the established surface water monitoring stations.
- Evaluation of historical surface water chemical analytical data based on the following:
 - Historical concentration ranges (i.e., maximums & minimums).
 - Historical geometric concentration and value means; and
 - Chemical analytical trends.

Surface water quality data collected from the TCEC was evaluated to document the Existing Conditions as it pertains to its quality prior to off-site discharge in consideration of the On-Site Study Area (Existing Landfill and Expansion Landfill). The On-Site Study Area consists of the TCEC. Surface water at the TCEC is managed through on-site drainage features such as ditches and swales, as well as four (4) sedimentation ponds. Surface water that is managed by the Sedimentation Ponds typically consists of runoff that originates from the footprint of the waste fill areas of the TCEC. An Off-Site Study Area was established to assess Existing Conditions within the drainage ditch of the northbound lane to Lambton County Road 79 (Nauvoo Road) extending approximately 1 km north and 500 m south from the entrance to the TCEC. Field monitoring to assess surface water Existing Conditions were completed in 2022 to evaluate potential impacts to surface water quality associated with ASR track-outs along the road allowance. PAHs were identified as a contaminant of concern that had the potential to adversely affect off-site surface water quality nearby the TCEC.

4.1 On-Site Study Area

4.1.1 On-Site Study Area Surface Water Physical Setting

Surface water flow is precipitation dependent. Flowing conditions are ephemeral and are typically noted following snowmelt or prolonged periods of precipitation.

Historically, adequate flowing conditions have generally been noted following precipitation measurements of 10 mm or more in a 24-hour period.

On occasion, where 10 mm or more of precipitation (in the form of rain) is received at the Site in a 24-hour period, the precipitation did not generate sufficient flowing conditions. These 'no flow' scenarios typically occur during drier periods from late spring to early fall when lacking precipitation results in drier ground surface conditions such that it will absorb most of the precipitation. These 'no flow' scenarios are even observed after measuring over 25 mm of precipitation in the five days leading up a 10 mm/24-hour precipitation event.

The on-site surface water flow regime is depicted on **Figure 3**. A significant portion of surface water runoff on-site at the TCEC is managed through Sedimentation Ponds 1, 2, 3, and 4. Sedimentation Ponds 1 through 4 are four (4) on-site sedimentation ponds constructed in 2009 to manage surface water runoff for the operating portion of the Site that is utilized for waste management disposal operations. Details on each Sedimentation Pond are discussed in **Section 4.1.2.1**.

Surface water runoff originating from areas south of the operating portion of the Site flows toward: 1) Kersey Drain (Brown Creek) to the east for the Existing Landfill; and 2) to the west toward the Van Kessel Drain for the Expansion Landfill. Specifically, surface water runoff south of the Expansion Site eventually enters a municipal drainage tile at a catch basin (surface water monitoring station SS1), which is situated 60 m east of the western Site boundary. The municipal drainage tile subsequently drains into the discharge ditch, which ultimately flows westward to the Gilliland-Geerts Drain 'A', beneath Lambton County Road 79.

The Brown Creek watershed drains the area east of the Site, including the northeast corner of the Existing Landfill. Brown Creek is a southwesterly flowing headwater of the Sydenham River, which it intersects about 1.3 kilometres (km) northeast of Alvinston, approximately 13 km south of the TCEC.

Construction of the Sedimentation Pond network in the Expansion Landfill began in 2008 and was completed by August 2009. The surface watercourse on the Expansion Landfill eventually discharges into a tributary of Bear Creek on the east side of Lambton County Road 79 (Nauvoo Road).

4.1.2 On-Site Study Area Surface Water Monitoring Stations

Since the development of the Expansion Landfill, beginning in 2008, overall Site improvements to protect the downstream watercourses have been implemented. These improvements include an extensive watercourse drainage network consisting of vegetated drainage ditches with rock-check dams, straw bale check dams, stormwater control berms, as well as the four (4) stormwater management ponds. Surface water quality monitoring can be divided into three (3) main groupings: 1) compliance monitoring program; 2) the Poplar System monitoring program; and 3) the Poplar Plantation monitoring program.

There are two (2) types of surface water monitoring stations at the TCEC. The first type of station consists of an open ditch where surface water flows unimpeded and as such, the collection of water while flowing conditions exists is dependent on precipitation (collected within the open ditch). The second type of station consists of Sedimentation Ponds (i.e., ‘SP’ monitoring stations), where flowing conditions are managed (slowly released from the Site).

The surface water monitoring station designation and short descriptions for the existing Compliance, Poplar System, and Plantation Monitoring Programs are detailed in **Table 4-1** and are graphically represented on **Figure 3**.

Table 4-1. On-Site Study Area Surface Water Monitoring Station Summary

| Task | Monitoring Station Designations | Monitoring Station Description |
|--|---------------------------------|--|
| Surface Water Compliance Monitoring Program | SS1 | Downstream of landfill on WM property, 60 m east of Lambton County Road 79 (Nauvoo Road) – Compliance Point |
| | SS10 | Off-site flow into East Ditch of the Existing Landfill – Background Surface Water Quality |
| | SS16 | Flow onto site from lands located to the south – Background Surface Water Quality |
| | SP1 | Outlet Weir of Sedimentation Pond 1 – Internal assessment location |
| | SP2 | Outlet Weir of Sedimentation Pond 2 – Compliance Point |
| | SP3 | Outlet Weir of Sedimentation Pond 3 – Compliance Point |
| | SP4 | Outlet Weir of Sedimentation Pond 4 – Compliance Point |
| Surface Water Poplar System Monitoring Program | SS14A | On-site flow within East Ditch of the Existing Landfill, upstream of Poplar System – Internal assessment location |
| | SS14B | On-site flow within West Ditch of the Existing Landfill, downstream of Poplar System as of June 2011 – Internal assessment location |
| | SS15A | South Ditch of the Existing Landfill and inlet point to Sedimentation Pond 1. Downstream of Poplar System – Internal assessment location |
| Surface Water Poplar Plantation Monitoring Program | SS17A | On-site flow from western portion of Poplar Plantation, northwest corner - Compliance Point when plantation is active |
| | SS17B | On-site flow from western portion of Poplar Plantation, southwest corner - Compliance Point when plantation is active |
| | SS18A | On-site flow from eastern portion of Poplar Plantation, north end of stormwater control berm plantation - Compliance Point when plantation is active |
| | SS18B | On-site flow from eastern portion of Poplar Plantation, south end of stormwater control berm plantation - Compliance Point when plantation is active |

Sedimentation Ponds 1 through 4 were fully constructed by 2009 but were not necessarily connected to the drainage network at the same time, as detailed within **Table 3-2**.

4.1.2.1 On-Site Study Area Compliance Surface Water Monitoring Stations

The surface water compliance monitoring program consists of three (3) sampling points that are located within conveyance ditches, namely stations SS1, SS10, and SS16, while there are four (4) sampling points located within sedimentation ponds, namely stations SP1 (Sedimentation Pond 1), SP2 (Sedimentation Pond 2), SP3 (Sedimentation Pond 3), and SP4 (Sedimentation Pond 4).

The compliance surface water monitoring program monitoring stations presented in **Table 4-1**, are further described below, and are depicted on **Figure 3**.

Surface water monitoring station SS1 is located within a westerly flowing drainage conveyance, nearby a catch basin that is approximately 60 m upstream of the TCEC's western property boundary. This monitoring station is located within the public access trail portion of the TCEC. SS1 is downstream of Sedimentation Pond 1.

Surface water monitoring station SS10 is considered a background station, where surface water runoff enters the TCEC. This monitoring station is located approximately 90 m south of the East Access Road along the eastern TCEC property boundary.

SS10 is located within a short and narrow cut (about 0.3 m deep) that runs east-west directly from the neighbouring farm field onto the TCEC property (at the fenceline) where it connects with and flows into the TCEC's Existing Landfill perimeter ditch that runs north-south as shown on **Figure 4**. It is noted that this portion of the perimeter ditch is approximately 1.5 m deep. If any leachate seepage from the Existing Landfill were occurring in this area, it would potentially impact surface water quality within the TCEC's Existing Landfill perimeter ditch that runs north-south and would be directed to Sedimentation Pond 1 and flow past, but not into SS10. There are no influences from the TCEC on surface water monitoring station SS10.

Like monitoring station SS10, surface water monitoring station SS16 is also identified as a background/upstream point where surface water runoff enters the TCEC. Monitoring station SS16 is located along the TCEC's south-eastern property boundary approximately 500 m east of Nauvoo Road and is adjacent to the Old Warwick Landfill property.

Similar to SS10, at background monitoring station SS16 there are no influences from the TCEC on surface water located along the TCEC's south-eastern property boundary adjacent to the Old Warwick Landfill property. The surface water drainage network ditches around the Excess Soil Stockpile, the LFG Flare Facility, and the leachate Equalization Tank, direct surface water either toward Sedimentation Pond 1, monitoring station SS1, or the neighbouring field south-west of the TCEC as shown on **Figure 4**. None of these flow paths influence the water quality as observed at SS16.

Each Sedimentation Pond consists of the following areas/zones: 1) a permanent pool area, including sediment capture/storage, between the pond bottom and the invert of the lowest orifice of the outlet structures; 2) a settlement zone located between the crest of the rectangular weir and the invert of the lowest orifice of the outlet structure;

3) an attenuation zone, which is above the rectangular weir; and 4) a riprap lined emergency spillway.

Under normal operating conditions, WM maintains the pond sluice gates in an open position, allowing water to discharge from the TCEC when the water level is within or above the settlement zone. During the dry season, typically through the summer, WM may close the pond sluice gates to maintain the water level within the settlement zone, which would allow WM to access sufficient water volume for frequent water taking for road watering (dust control). This requirement is most prevalent during the drier seasons and/or during earthworks construction (cell excavation and/or landfill capping) when there is the greatest need for dust control during the year.

Sedimentation Pond 1 receives stormwater flow from most of the east half and the southern approximate one-quarter of the western half of the Existing Landfill. Sedimentation Pond 1 discharges water through twin culverts to an open drainage ditch on-site, which flows westward until it enters a municipal drain (surface water monitoring station SS1) near the western site boundary. This municipal drainage tile discharges into one of the headwater branches of the Gilliland-Geerts Drain on the east side of Lambton County Road 79 (Nauvoo Road). Monitoring station SP1 is located within the Sedimentation Pond 1 near the outlet structure.

Sedimentation Pond 2 receives flow from the central western portion of the Existing Landfill, as well as the southern two-thirds of the Expansion Landfill. Discharge from Sedimentation Pond 2 is through twin culverts to an open drainage ditch that flows to the western site boundary and into one of the headwater branches of the Gilliland-Geerts Drain on the east side of Lambton County Road 79 (Nauvoo Road). Monitoring station SP2 is located within the Sedimentation Pond 2 near the outlet structure.

Sedimentation Pond 3 receives stormwater flow from the northern approximate one-third of the Expansion Landfill, as well as a large area of the undeveloped northwestern portion of the TCEC, and discharges through three culverts that flow to the eastern roadside ditch of Nauvoo Road, which in-turn directs the stormwater flow to two additional headwater branches of the Gilliland-Geerts Drain all to the west of Nauvoo Road. Monitoring station SP3 is located within the Sedimentation Pond 3 near the outlet structure.

Sedimentation Pond 4 receives stormwater flow from approximately one-quarter of the northeastern portion of the Existing Landfill. Stormwater that discharges from Sedimentation Pond 4 flows through a culvert then into an open drainage ditch that flows westward until it enters a series of culverts that direct water under a screening berm and then under Zion Line to flow into one of the headwater branches of the Gilliland-Geerts Drain. Monitoring station SP4 is located within the Sedimentation Pond 4 near the outlet structure.

Quality monitoring results at monitoring stations SP2, SP3, and SP4 can be interpreted to represent the quality of surface water flowing off-site at the respective locations. As the discharge surface water from Sedimentation Pond 1 (monitored at SP1) flows to the area with monitoring station SS1, prior to flowing off-site, the quality monitoring

results at SS1 can be interpreted to represent the surface water quality flowing off-site at that location.

If surface water was to be influenced by landfill leachate, it would flow to one of the four (4) sedimentation ponds since all perimeter waste mound ditches flow to one of the four (4) ponds. Once the surface water reaches the ponds, any chemical constituents from leachate would attenuate for a longer period of time compared to an open ditch location. Where required, surface water within a sedimentation pond can be held within the pond by closing the sluice gates. This water then can be re-evaluated and/or managed until it is verified to be of acceptable quality for off-site discharge, in accordance with the EMP and the Sewage ECA. Further discussion is provided in **Section 4.3**.

A summary of the surface water monitoring station designation and description is presented above in **Table 4-1**.

4.1.2.2 On-Site Study Area Poplar System Surface Water Monitoring Stations

The Poplar System surface water monitoring station designations and locations are depicted on **Figure 3**.

The Poplar System was initially operated as a pilot study from 2003 through 2007. By 2008, the Poplar System was MECP-approved to operate as a leachate phytoremediation system. In 2011, the Poplar System was approved to expand to its current 9.3 ha size. Part of the expansion approval included some modifications to the tree monitoring aspect of the system, as well as a surface water monitoring station relocation effort to account for a larger Poplar System footprint. The approved leachate application area, including its perimeter surface water monitoring stations SS14A, SS14B, and SS15, are shown in **Figure 3**. SS14A and SS15A are upstream of Sedimentation Pond 1. SS14B is upstream of Sedimentation Pond 2.

The Poplar System Surface Water Monitoring Program focuses on evaluating surface water quality within the Existing Landfill's perimeter ditch, which is situated downslope of the Poplar System. The quality of surface water is assessed for impacts related to irrigation liquid effects.

The irrigation liquid consists of leachate that is applied to the irrigation field during the growing season, which is typically May to October, weather conditions permitting. Irrigation liquid monitoring in consideration of application quality to the Poplar System (specifically the operational loading to the poplar trees) is completed monthly during the growing season. Samples of the irrigation liquid are collected from the irrigation liquid holding tanks.

With the commissioning of the Poplar System Expansion in 2017, the locations of some monitoring stations were adjusted in consideration of the larger irrigation area footprint of the expanded Poplar System so that surface water quality could be assessed upstream and downstream of the irrigation area. Surface water monitoring station SS14 was renamed SS14A and relocated further north from its original location

within the eastern perimeter ditch and is upstream of the Poplar System. Surface water monitoring station SS15 was renamed SS14B and relocated from the southwestern corner of the perimeter ditch to further northward along the west side of the Poplar System and in line with Zone 3 of the irrigation field. Surface water monitoring station SS15A is a new monitoring station that was established in September 2009 to monitor surface water quality that is downstream of the Poplar System irrigation field within the Existing Landfill footprint's perimeter ditch, prior to it discharging into Sedimentation Pond 1. The surface water monitoring station locations for the Poplar System are shown in **Figure 3**.

A summary of the surface water monitoring station designation and description is presented above in **Table 4-1**.

4.1.2.3 On-Site Study Area Poplar Plantation Surface Water Monitoring Stations

The Poplar Plantation consists of a plot of trees planted on native soil that is situated south of the excess soil stockpile at the TCEC. The constructed area is approximately 28 ha. The surface water quality monitoring program of the Poplar Plantation was established under the same pretense as that of the Poplar System's surface water monitoring program, whereby there are established monitoring points both upstream and downstream of the Poplar Plantation irrigation area.

Though not currently monitored, the surface water quality monitoring program for the Poplar Plantation was active from October 2009 to December 2012. Only monitoring stations SS17A and SS17B could be sampled during that time as eastern surface water stations SS18A and SS18B did not generate sufficient flowing conditions to collect samples.

Approval to discontinue monitoring the Poplar Plantation was received from the MECP on February 20, 2013, and as such, the surface water monitoring program for monitoring stations SS17A/B and SS18A/B has since been suspended.

Per Condition 8.7. (r) of the Waste ECA, monitoring and reporting for the Poplar Plantation would commence 2 months prior to the application of treated leachate effluent and continue 2 years following the cessation of treated leachate effluent application to the poplar field.

4.1.3 On-Site Study Area Surface Water Field Monitoring

The surface water monitoring program adheres to the relevant Waste and Sewage ECAs, as amended. The surface water monitoring program instills a quarterly routine frequency for sampling, and, when necessary, a verification monitoring component to verify initial routine sampling findings.

4.1.3.1 Routine Field Monitoring

In general, the current triggering mechanism for response monitoring is the measurement of 10 mm or more of precipitation in a 24-hour period from 08:00 to

08:00 hours. Flowing conditions permitting, the surface water stations listed in **Table 4-1**, except for those of the Poplar Plantation, are sampled within a 24-hour window following confirmation of the receipt of 10 mm or more of precipitation at the TCEC. Surface water is sampled once per calendar quarter as part of the required routine monitoring for the TCEC. If a compliance and/or Poplar System monitoring station does not produce sufficient runoff to conduct sampling (or is dry), then the next precipitation event of 10 mm or more in a 24-hour period will trigger the re-assessment of that station(s). This response monitoring will continue throughout that quarterly monitoring period until the relevant station(s) has been sampled, or the quarter ends, at which time monitoring of all the compliance stations will reset again for the next quarterly monitoring period.

4.1.3.2 Biological Routine Monitoring

As part of the routine surface water monitoring program, flow conditions permitting, surface water is collected at surface water monitoring stations SS1, SS10, SS16, SP1, SP2, SP3, and SP4, annually in the spring for biological assessment as per the Landfill EMP. Surface water samples are laboratory tested for their toxicity to *daphnia magna* and rainbow trout. A greater than 50% mortality rate in a 48-hour period for *daphnia magna* and 96-hour period for rainbow trout demonstrates water quality that has the potential to adversely affect benthic communities downstream of the surface watercourse sampling location.

4.1.3.3 Verification Monitoring

To differentiate landfill leachate effects from natural water quality variability, a group of parameters indicative of landfill leachate were selected during the preparation of the Landfill EMP to form a Primary Leachate Indicator List (PLIL) based on:

- Elevated concentrations in leachate.
- Mobility and stability in surface water;
- Representative of larger chemical groupings (e.g., boron for metals); and
- Applicable Provincial Water Quality Objectives (PWQO) (MOEE, 1995).

The PLIL is explained in more detail in **Section 4.3.1.4**, and the PLIL is provided in **Table 4-5**.

When a PLIL parameter exceeds its trigger concentration at compliance surface water monitoring stations SS1, SP1, SP2, SP3, or SP4, a verification monitoring response is triggered for that monitoring station. The rationale for the mechanism to evaluate trigger concentrations for the PLIL parameters is detailed in **Section 4.3.1.5**.

For open channel monitoring stations (e.g., monitoring station SS1), verification monitoring can only occur after the receipt of 10 mm or more of precipitation in a 24-hour period where sufficient flowing conditions are generated to complete sampling. Response monitoring continues throughout the calendar quarter until a precipitation

event generates sufficient flowing conditions to complete sampling. If insufficient flowing conditions continue at the ditch type station throughout a quarterly monitoring period, the verification event is extended into the next quarterly monitoring period. Consequently, during this situation, the verification monitoring event will be combined with the routine quarterly monitoring. Verification monitoring has been extended into the subsequent calendar quarter for a few monitoring events in the past due to non-flowing conditions.

Similarly, for the Sedimentation Ponds, a verification monitoring event is triggered when the analytical results from the routine sampling event shows one or more PLIL parameter concentration that is above the triggering criteria. Per Condition 5.4 of the Sewage ECA, the verification monitoring for Sedimentation Ponds is completed within one (1) week following the receipt of the routine surface water monitoring event's chemical analytical results, independent of precipitation).

4.1.3.4 Biological Verification Monitoring

Since 2014, surface water verification monitoring events have included biological monitoring for compliance surface water monitoring stations SS1, SP1, SP2, SP3, and SP4. This biological monitoring is completed as described in **Section 4.1.3.1**.

In accordance with the Waste and Sewage ECAs, per the EMP and the Request for Modification to Surface Water Monitoring/Assessment Process at Twin Creeks Landfill, Letter dated February 27, 2014, if the biological verification monitoring results are not acceptable, then an alternate source evaluation would be completed, of which includes closing the sluice gate(s) of the relevant pond prior to completing further evaluation.

4.2 Off-Site Study Area

4.2.1 Off-Site Study Area Surface Water Physical Setting

An off-site surface water monitoring field study was completed for a 12-month period from January 2022 to December 2022. The Off-Site Study Area, including the established surface water monitoring stations and drainage features, are depicted on **Figure 2**.

Stormwater from the northern portion of the TCEC, inclusive of discharge water from Sedimentation Pond 4 and a component of discharge flow from Sedimentation Pond 3, flows northerly from the TCEC along the eastern roadside ditch of Nauvoo Road toward Highway 402. Along this ditch are: 1) two drainage features that form part of the Auld-Redmond Drain Branch; and 2) one drainage feature that forms part of the Morris Drain. Stormwater from the on-site area just west of the transfer area flows westerly through a culvert and beneath perimeter screening berm C (Berm C) into the off-site eastern roadside ditch adjacent to Nauvoo Road, where it then flows southerly into the Gilliland-Geerts Drain. Stormwater from the Nauvoo Road eastern roadside

ditch that is south of the Gilliland-Geerts Drain flows northerly and into the Gilliland-Geerts Drain.

4.2.2 Off-Site Study Area Surface Water Monitoring Stations

The locations and descriptions of the off-site monitoring stations are detailed in **Table 4-2** and are presented on **Figure 2**.

Table 4-2. Off-Site Surface Water Monitoring Station Designations and Descriptions

| Task | Off-site Monitoring Station Designations | Monitoring Station Description |
|---|--|---|
| 12-month Surface Water Environmental Monitoring Program | SW1 | Downstream of the landfill at the intersection of Zion Line and Nauvoo Road, at the culvert heading northbound under Zion Line. |
| | SW2 | Downstream to the north of the landfill at the first culvert facing westward under Nauvoo Road that forms part of the Auld-Redmond Drain Branch. |
| | SW3 | Downstream and further north from SW2 along the east roadside ditch of Nauvoo Road at the culvert facing westward under Nauvoo Road that forms part of the Morris Drain (closer to Hwy 402). |
| | SW4 | Downstream and south of the landfill, within the off-Site eastern roadside ditch adjacent to Nauvoo Road, near the northern confluence point where surface water flows into the Gilliland-Geerts Drain from the north. |
| | SW5 | Downstream and further south of the landfill within the off-Site eastern roadside ditch adjacent to Nauvoo Road, near the southern confluence point where surface water flows into the Gilliland-Geerts Drain from the south. |

4.2.3 Off-Site Study Area Routine Monitoring

The mechanism for initiating the off-site surface water monitoring is that of the routine compliance surface water monitoring program as described in **Section 4.1.3**. Surface water quality was assessed for chemical indicators PAHs inferred to be inherent to ASR material.

4.2.4 Source Water Protection

Under the *Clean Water Act* (2006), Conservation Authorities across Ontario were required to prepare watershed-based source water protection assessment reports. These assessment reports were prepared for specific regional watersheds and sub-watersheds. The TCEC is situated within the St. Clair Region Source Water Protection Area within the Thames-Sydenham Regional Drinking Water Source Protection Area.

Based on available Source Water Protection mapping provided by the SCRCA, the eastern portion of the southern half of the TCEC's lands are located within an area designated by the SCRCA as a SGRA whereby groundwater recharge rates are predicted to be typically greater than the surrounding areas average annual groundwater recharge rates. The outlined SGRA coincides with lands that border Brown Creek/Kersey Drain. Though a portion of the TCEC is identified to be within a

SGRA, there are no identified on-site activities within the SGRA as defined by SCRCAs mapping that has the potential to cause adverse effects to the underlying aquifer (i.e., groundwater takings). Moreover, the TCEC is adequately monitored such that any threat to drinking water resources would be identified and drinking water protection is thus inherently achieved at the TCEC. There are no other identified source water protection zones as defined within the St. Clair Region Source Water Protection Assessment Report at or nearby the TCEC. **Figure 5** shows the area designated as the SGRA, which overlays a portion of the TCEC's southeastern lands.

In summary, any groundwater contribution to the Kersey Drain is understood to be negligible. Moreover, the SCRCAs Source Protection Plan indicates a low groundwater vulnerability score of 2 for Brown Creek/Kersey Drain and a score of n/a as a significant groundwater recharge area. The fine-textured condition of the natural soils in the area of the TCEC act as an aquiclude, which significantly slows the migration of groundwater and subsequently the transport of contaminants within the subsurface. Notwithstanding the above, groundwater quality monitoring is ongoing at monitoring location OW60, which is located within the mapped significant groundwater recharge zone and shows groundwater quality that is not impacted by landfill leachate.

4.3 Environmental Quality Evaluations

Surface water quality data collected from the TCEC since 2003 for the established existing environmental monitoring program serves as a comprehensive baseline assessment of surface water conditions at the TCEC both pre- and post- landfill expansion development. The evaluation of this historical database will be used to predict potential effects from the Project on surface water quality.

An assessment of the primary and secondary leachate indicator list (PLIL and SLIL) parameters that were established pre-landfill 2008 expansion as part of the 2007 EMP were examined for their current and future relevance based on surface water and leachate quality data that has been collected from the site since 2009/2010.

4.3.1 Leachate Quality Trends

An evaluation of leachate chemical quality characteristics is necessary to determine potential landfill leachate influences on surface water quality. Once the chemical characteristics from the leachate and surface water are understood, an evaluation can be made of whether a chemical constituent can be identified as an indicator of potential leachate effects on surface water based on its prevalence. For the purposes of this Surface Water Quality component of the EA, historical leachate quality data is evaluated for each individual landfilling area at the TCEC, namely the Expansion Landfill and the Existing Landfill. A comparison of leachate quality is then made between the two (2) landfilling areas to evaluate similarities and differences in constituent concentration trends and how the leachate from the two (2) landfilling areas could potentially impact the Surface Water Quality at the TCEC.

4.3.1.1 Expansion Landfill Leachate Quality

Leachate quality monitoring for the Expansion Landfill began in 2010 with leachate samples collected from the Equalization Tank as being representative of the leachate quality within Cell 1 of the Expansion Landfill, prior to the commissioning of pumping station PS3. The Equalization Tank would represent leachate from the Expansion Landfill until late 2013, when pumping station PS3 was commissioned, and leachate characteristics from Expansion Cells Cell 1 and Cell 2 were added. Starting in 2017, leachate within the Equalization Tank included that of the cells of the Existing Landfill (excluding Cell 3 and the West Central Cell) when the Existing Landfill cells' downstream maintenance holes were converted to automated pumping stations. Leachate characteristics in the Equalization Tank eventually also represented that of leachate from Cell 4 (PS5) and Cell 6 (PS7) of the Expansion Landfill in late 2019 and 2022, respectively.

Leachate quality from the pumping stations is assessed annually in the spring, as such PS7 was not evaluated as part of this assessment as it came online in the fall of 2022.

Leachate quality for the purposes of evaluating the Expansion Landfill was assessed from samples collected at individual pumping stations, including PS1, PS3, and PS5. It is noted that leachate with Cell 6 would represent very young waste, less than 1 year old, and would not be of a strength to be reflective of older waste characteristics, such as that from PS1 (13 years old for the waste deposited in late 2009).

Constituent concentrations within the leachate of the Expansion Landfill show variable individual trends that are either increasing, decreasing, or remaining relatively constant as summarized below in **Table 4-3**.

Table 4-3. Expansion Landfill Leachate Constituent Concentration Trends

| Parameter | Pumping Station PS1 | Pumping Station PS3 | Pumping Station PS5 |
|-------------------------|---------------------|---------------------|---------------------|
| Chloride | I | I | I |
| Nitrate | I | I | I |
| Boron | I | I | I |
| Alkalinity | I/C | I/C | C |
| Ammonia | I/C | I | C |
| Barium | F | F | C |
| Cadmium | F | F | C |
| Calcium | F | F | C |
| Electrical Conductivity | I/C | I/C | C |
| DOC | F | I | C |
| Iron | F | F | C |
| Lead | F | F | C |
| Magnesium | F | F | C |

| Parameter | Pumping Station PS1 | Pumping Station PS3 | Pumping Station PS5 |
|-------------------|---------------------|---------------------|---------------------|
| pH | F | F | F |
| Potassium | I/C | I/C | I |
| Sodium | I | I | I |
| Sulphate | F | F | C |
| TDS | F | F | F |
| Phenols | F | F | F |
| Arsenic | F | F | C |
| COD | F | F | D |
| Chromium | I | D/C | D |
| Copper | F | F | C |
| TKN | I | I | I |
| Manganese | F | F | C |
| Nickel | F | F | C |
| Phosphorous | I/F | D/F | D |
| Zinc | F | F | C |
| Unionized Ammonia | I | I | C |
| Nitrite | C | C | C |
| Mercury | C | C | I |

Notes: I = Increasing Trend; D = Decreasing Trend; C = Constant Trend; F = Fluctuating Trend; n/a = Not applicable

As noted in **Table 4-3**, several constituent concentrations continue to show an increasing trend into 2023, where others appear to have increased in concentration initially, but have either peaked in concentration and remained constant, or slightly fluctuate over time at a stable concentration range. The variability in constituent concentration trends between each of the waste fill areas of the Expansion Landfill is interpreted to be associated with the variability of waste deposited in each cell and its decomposition condition (i.e., older waste compared to newer waste). For leachate quality at monitoring station PS5, there are only three (3) datasets and the trends noted are very short-term but could be indicators toward the long-term as constituent concentrations show similar initial trends within PS5 as with the older waste cells at PS1 and PS3.

4.3.1.2 Existing Landfill Leachate Quality

Leachate quality within the Equalization Tank is representative of the leachate quality from the Existing Landfill and Expansion Landfill. As such, leachate quality for the purposes of evaluating the Existing Landfill was assessed from samples collected as part of the on-going compliance monitoring program per the 2007 EMP at the Site. Therefore, the Existing Landfill leachate quality evaluation considered leachate samples as follows:

- South Fill Area (MH18);
- West Central Fill Area (Sump); and
- Central Fill Area (Composite of MH3, MH4, MH5, MH6, MH7, MH9, MH11).

Constituent concentrations within the leachate of the Existing Landfill show variable individual trends that are either decreasing or remaining relatively constant as summarized below in **Table 4-4**, which was derived from the historical leachate chemical data contained in **Appendix A**.

Table 4-4. Existing Landfill Leachate Constituent Concentration Trends

| Parameter | MH18 | SUMP | CFA-COMP |
|-------------------------|------|------|----------|
| Chloride | F | F | D/F |
| Nitrate | C | D/C | C |
| Boron | F | D/F | D/F |
| Alkalinity | F | D/F | D/F |
| Ammonia | F | D/F | D/F |
| Barium | C | C | C |
| Cadmium | C | C | D/C |
| Calcium | F | F | D/F |
| Electrical Conductivity | F | D/F | D/F |
| DOC | F | D/F | D/F |
| Iron | C | F | D/F |
| Lead | C | C | D/C |
| Magnesium | F | D/F | D/F |
| pH | C | C | C |
| Potassium | F | D/F | D/F |
| Sodium | F | D/F | D/F |
| Sulphate | F | D/F | D/F |
| TDS | F | D/F | D/F |
| Phenols | C | F | D/C |
| Arsenic | C | C | C |
| COD | F | D/F | D/F |
| Chromium | C | D/C | C |
| Copper | C | C | D/C |
| TKN | F | D/F | D/F |
| Manganese | C | D/C | D/C |
| Nickel | C | D/C | D/C |
| Phosphorous | C | D/C | D/C |

| Parameter | MH18 | SUMP | CFA-COMP |
|-------------------|------|------|----------|
| Zinc | C | C | C |
| Unionized Ammonia | F | F | D/F |
| Nitrite | C | C | C |
| Mercury | C | C | C |

Notes: I = Increasing Trend; D = Decreasing Trend; C = Constant Trend; F = Fluctuating Trend; n/a = Not applicable

As noted in **Table 4-4**, most constituent concentrations at the SUMP and the CFA-COMP monitoring locations continue to show a decreasing and fluctuating trend through 2022 whereas others have remained constant or slightly fluctuate over time at a stable concentration range. Most constituent concentrations at the MH18 monitoring location continue to show a fluctuating trend through 2022 whereas others have remained constant. As has been observed at the West Central Fill Area (at the Sump) and at the Central Fill Area (CFA-COMP), it is expected that as more leachate is extracted from the South Fill Area (at MH18), the constituent concentrations will show more of a decreasing and fluctuating trend.

4.3.1.3 Overall Leachate Quality Evaluation

Based on the collected analytical data to the end of 2022, the existing condition of leachate strength in the Expansion Landfill, on average, has mostly reached, and often is above the historical average leachate constituent concentrations of the Existing Landfill.

When considering the predicted peak leachate values tabulated within Table 6-9 of the 2008 Design & Operations Report for the Expansion Landfill Report (2008 D&O Report) (Henderson Paddon, 2008), the Expansion Landfill historical geometric mean and the arithmetic mean constituent concentrations (> 75% of the constituents tested) remain below their respective predicted values. **Table A-1, Appendix A**, summarizes individual general chemical constituent historical concentration ranges, associated geometric mean, and arithmetic mean, within the leachate of the Expansion Landfill and Existing Landfill. **Table A-1, Appendix A**, also includes the 2008 D&O predicted peak leachate constituent concentration values as a comparison to general chemical constituent concentrations measured in the leachate of the Expansion Landfill since 2008/2009.

Constituent concentrations within the Expansion Landfill leachate have generally remained below their predicted peak values presented in the 2008 D&O. Some of the reasons may relate to, but not necessarily be limited to, the following.

- Peak leachate constituent concentrations in 2008 considered leachate chemical compositions from other similarly constructed landfills (i.e., size/volume of waste) from other jurisdictions (i.e., the U.S.).

- Waste streams and material compositions that are now landfilled slightly shifted over the years, due to various factors, some of which include a fluctuating economy (i.e., using different materials in construction, packaging, etc.), municipal waste management collection and/or waste segregation initiatives (i.e., removal of specific materials from waste streams), etc.
- The likely larger contributing factor is that the waste mound is not fully constructed, therefore there is less waste contributing chemical loading to the percolating rainwater that becomes leachate. In other words, as the Expansion Landfill has not yet reached its peak volume, the observation that leachate strength has yet to reach its 2008 predicted concentrations is logical based on the current lifecycle of the waste mound.

As the Expansion Landfill leachate constituent concentrations generally remain below the predicted peak leachate values tabulated within Table 6-9 of the 2008 D&O Report, the selected Leachate Indicator List parameters for evaluating potential leachate effects on surface water quality outlined in the 2007 EMP remain relevant.

A comparison of Expansion Landfill historical average leachate concentrations to that of the Existing Landfill's historical average leachate concentrations was also completed. Based on the collected analytical data to the end of 2022, the existing condition of leachate strength in the Expansion Landfill, on average, has mostly reached, and often is above the historical average leachate constituent concentrations of the Existing Landfill.

Other parameters not necessarily identified as a PLIL or SLIL parameter, such as select organic compounds, are also noted to be elevated within the leachate. For example, BTEX are deemed indicators for the presence of VOCs. They have not typically been detected within the surface water at the TCEC. Notwithstanding, BTEX is present within the leachate at sufficient concentrations to warrant analysis within the surface water at the TCEC. **Table A-2, Appendix A**, summarizes individual organic chemical constituent historical concentrations within the leachate of the Expansion Landfill and Existing Landfill.

The evaluation of the leachate dataset included identifying other potential leachate indicator parameters that could be utilized in the assessment of landfill leachate impacts to surface water. In general, the PLIL and SLIL parameters currently established to monitor for landfill leachate effects to surface water continue to be effective as these parameters are noted to be elevated within the leachate when compared to the surface water.

Though elevated in leachate, some chemical parameters may not necessarily indicate a leachate impact to surface water, but rather an impact related to natural processes, such as erosional effects (elevated natural metals such as nickel, chromium, zinc, copper, and inorganics such as arsenic), stagnant water conditional effects (elevated BOD or COD), decaying terrestrial and aquatic plant life (elevated BOD, COD, phosphorous, and TSS), etc., or anthropological effects, such as agricultural practices that can introduce fertilizer-related chemicals and compounds such as nitrates, nitrites,

phosphorous, potassium, as well as micronutrient additives such as manganese, magnesium, zinc, boron, iron, copper, nickel, cobalt, and sodium.

Overall, the established PLIL and SLIL parameters are effective in monitoring for potential landfill leachate effects to surface water quality and do typically represent constituents that are typically noted to be elevated within the leachate at the TCEC. Observations to external, non-leachate, related effects are necessary to ascertain if detected PLIL and SLIL concentrations in surface water are landfill leachate related or related to some other factor(s).

4.3.1.4 Poplar System Irrigation Liquid Evaluation

As noted in **Section 4.1.2.2**, irrigation liquid monitoring in consideration of application quality to the Poplar System (specifically the operational loading to the poplar trees) is completed monthly during the growing season. The analytical results for the irrigation liquid samples are presented in **Tables A-3 to A-5, Appendix A**.

The historical analytical results for the irrigation liquid are compared to the target leachate concentrations for irrigation loading to the poplar trees. The parameter concentrations within the irrigation liquid satisfied the 100% leachate target concentrations with some exceptions as noted in **Tables A-3 to A-5, Appendix A** and as discussed herein.

For comparative purposes, the irrigation liquid analytical results were also compared to guidelines for metals and general parameters in irrigation water from the Canadian Council of Ministers of the Environment (CCME, 2004) (CCME Guideline). In addition, the results were also assessed against values for chloride irrigation of salt tolerant poplar trees (Shanon et al., 1998). The CCME Guideline criteria are presented in **Tables A-3 to A-5, Appendix A**. It is noted that the CCME Guideline criteria are for vegetable crops and do not represent upper toxicity limits for the poplar trees, however, they can be utilized as a guide for assessing chemical loading to the poplar trees. The analytical results which were found to be greater than their respective CCME Guideline criterion are highlighted in **Tables A-3 to A-5, Appendix A**. In general, the irrigation liquid's quality satisfied the CCME Irrigation Water Guidelines with some regularly observed exceptions.

It is noted that the boron concentration for the August 11, 2021 sample was unusually elevated for irrigation liquid. This is a result of the time of sample collection, where the sample was collected prior to full dilution of the source leachate with clean water/weaker strength leachate, and as such is not a full representation of the liquid that would have been applied to the Poplar System at that time. Notwithstanding, the source leachate in this situation was from MH18 of the South Cell. As this strength of boron cannot be easily diluted, even with clean water, strong strength leachate was decided to no longer be sourced from MH18 for irrigation purposes. From August 2021, leachate from MH18 was decided to be sent to the Equalization Tank for off-site disposal, or dilution to reasonable quality strength leachate for dilution purposes for irrigation liquid.

Generally, the boron concentrations were noted to be around the CCME Guideline criteria but typically lower than the 100% leachate target concentration. Also, there was not any evidence of significant tree stress, such as but not limited to, deformed growth or leaf discolouration, that indicated the boron concentrations detrimentally affected tree health.

For the organic parameters tested, there is only a 100% leachate target concentration for the total BTEX compounds (benzene, toluene, ethylbenzene, and xylenes). The concentrations of total BTEX historically are less than the respective 100% leachate target concentration, with a couple exceptions (August and September 2021). There was not any evidence of tree stress, such as but not limited to, deformed growth or leaf discolouration, that indicated the BTEX concentrations detrimentally affected tree health. The organic analytical results are presented in **Tables A-4** and **A-5**, **Appendix A**.

4.3.1.5 Establishment of Surface Water Leachate Indicator Lists

The establishment of leachate indicator parameters was completed during the preparation of the Landfill EMP. This section summarizes the steps that were taken toward the establishment of site-specific leachate indicator lists (LILs) for the TCEC and how the list applies toward the evaluation of surface water quality.

Based on a comparison of individual leachate constituent concentrations to background surface water concentrations, the following parameters are notably elevated within the leachate:

- Electrical Conductivity;
- Alkalinity;
- Calcium;
- Magnesium;
- Sodium;
- Potassium;
- Chloride;
- DOC;
- Ammonia;
- TKN;
- Boron; and
- BTEX.

A landfill leachate effect on surface water quality is defined as leachate mixing with surface water and migrating in the direction of water movement beyond the TCEC boundary. To differentiate the TCEC landfill leachate effects from natural water quality variability, a group of parameters indicative of landfill leachate, referred to as the Primary Leachate Indicator List (PLIL), was selected based on the following:

- Elevated concentrations in leachate;
- Mobility and stability in surface water;
- Representative of larger chemical groupings (e.g., boron for metals); and
- Applicable PWQO.

The PLIL for surface water quality evaluations at the TCEC is summarized in **Table 4-5**.

Table 4-5. Primary Leachate Indicator List Compounds for Surface Water

| Primary Leachate Indicator List (PLIL) | |
|--|---------------------|
| | Chloride |
| | Ammonia (unionized) |
| | Phenols |
| | Boron |
| | Nickel |
| | Chromium (total) |
| | Zinc |

A supplemental group of parameters, termed the Secondary Leachate Indicator List (SLIL), was selected based on elevated concentrations within the leachate. The SLIL is used for quality assurance of the chemical database, for input to establish trigger concentrations, and for further data analyses in the event of trigger concentration exceedances. The SLIL parameters are summarized in **Table 4-6**.

Table 4-6. Secondary Leachate Indicator List Compounds for Surface Water

| Secondary Leachate Indicator List (SLIL) | |
|--|--------------------|
| Alkalinity | Nitrate |
| Sulphate | TKN |
| Calcium | Phosphorus (total) |
| Magnesium | TDS |
| Potassium | pH |
| Sodium | Conductivity |
| Iron | Turbidity |
| | Dissolved Oxygen |

Per the EMP, similar to the PLIL, the SLIL were also selected based on elevated concentrations within the leachate relative to surface water. The SLIL of parameters are used for quality assurance of the chemical database, as input toward establishing Trigger Concentrations, as well as utilized as a means for further interpretation of chemical data for surface water triggering events.

The concentrations of leachate constituents are expected to vary with time. Leachate quality monitoring will continue at the Existing Landfill and the Expansion Landfill to assess the changing leachate characteristics from a potential landfill impact assessment perspective and for leachate management.

4.3.1.6 Trigger Mechanism Assessment

The trigger concentrations utilized to assess for potential landfill effects on surface water quality as an initial first step, are based on the 90th percentile of background surface water quality historical data from SS10 and SS16, or the PWQO, whichever is greatest. Water quality data from the previous calendar year is added to the historical database to calculate a triggering concentration value for the upcoming monitoring calendar year. The trigger concentration calculated values are updated on an annual basis in consideration of fluctuating surface water quality conditions over time. These background stations reflect background surface water quality that would be expected if the landfill was not present. Where a PLIL constituent concentration is noted to be above its trigger value verification monitoring is required.

Verification monitoring, where completed, also includes biological testing (for both ditches and ponds), such that if biological testing results are acceptable, regardless of any chemical parameter concentration, the surface water quality is deemed of acceptable quality.

Based on the evaluation of surface water quality existing conditions, as well as the leachate quality from both the Existing and Expansion Landfills, the assessment process to establish triggering criteria still apply and the above trigger concentration mechanism remains suitable for discerning potential landfill leachate impacts to surface water quality.

4.3.2 Surface Water Monitoring Program Exceptions

Since the implementation of the EMP when the Expansion Landfill construction began in late 2008, surface water quality has typically satisfied the trigger criteria year-over-year with some exceptions that were typically not related to a landfill leachate effect.

As noted in **Section 4.1.2.3**, surface water monitoring was discontinued for the Poplar Plantation in 2011/2013, per MECP approval.

PLIL constituent concentration for boron within the surface water of Sedimentation Pond 1 were frequently elevated above its respective triggering criterion but was not related to landfill leachate or operational effects. As such, MECP approval to adjust the PLIL parameter boron trigger criterion was received in 2012. Its trigger concentration changed from 0.20 mg/L to 0.39 mg/L.

The mechanism for verification monitoring was also adjusted in 2014 following MECP approval, whereby verification samples would also include biological toxicity analysis. The MECP also approved the use of both background surface water station analytical data to calculate the 90th percentile values for each PLIL to establish the trigger mechanism by which surface water quality is evaluated.

Table B-4, Appendix B, lists the surface water monitoring locations that have been modified from its original assessment mechanism(s) per MECP approval.

4.3.3 Compliance Monitoring Surface Water Quality Trends

Existing surface water quality trends with flow around the TCEC were evaluated to understand Existing Conditions. The available surface water quality for the established PLIL parameters listed in **Table 4-5** was assessed for chemical trends such as seasonal patterns. PLIL parameters were determined as part of the 2007 EMP as being the most representative of a landfill leachate effect when identified in elevated concentrations in surface water. In addition, more than one PLIL parameter at elevated concentrations compared to background concentrations within the surface water at compliance monitoring locations is interpreted as a potential landfill leachate effect to surface water.

To evaluate potential Expansion Landfill effects (i.e., operational and/or leachate) to surface water quality, consideration was also given to the timing of when the constructed exterior sideslopes first began extending above ground surface elevations. The interpretation is that, as the waste mound increases in height above the surrounding ground surface, the potential for a landfill effect to surface water (e.g., from leachate seeps) increases.

A summary of the timing for the exterior sideslope advancement attaining ground surface elevation for each individual waste cell of the Expansion Landfill to near 240 mASL is presented in **Table 4-7**.

Table 4-7. Approximate Dates that Waste Elevation for each Cell reached Ground Surface or approximately 240 mASL

| Cell | Date | Waste Footprint Exterior Sideslopes with Direct Flow to Drainage Network |
|---------|-------------------------------|--|
| Cell 1A | Q1 2012 | W, S |
| Cell 1B | Q2 2013 | E, S |
| Cell 2A | Q2 2014 | W |
| Cell 2B | Q1 2015 | N/A |
| Cell 2C | Q1 2016 | N/A |
| Cell 2D | Q4 2016 | N/A |
| Cell 2E | Q4 2017 | E |
| Cell 4A | Q1 2020 | W |
| Cell 4B | Q1 2021 | N/A |
| Cell 4C | Q1 2022 | E |
| Cell 6A | Still below surrounding grade | W, N |

Note: N/A denotes not applicable as the sideslopes were not sloping directly toward the TCECs surface drainage network.

4.3.3.1 General Chemical Trends

As discussed, data trends of the surface water PLIL parameters were evaluated using chemical analytical data collected at the Site since 2003 at the compliance monitoring locations. Data were analyzed for long-term trends, which considered the historical

data that are presented in **Tables B-1 to B-3**, and graphically represented for compliance station PLIL parameters chloride, boron, unionized ammonia and zinc in **Figures B-1 to B-8**, as well as the same parameters for Poplar System stations on **Figures B-9 to B-12**. A minimum of three (3) to five (5) data points are required to determine a chemical trend with time. Findings are discussed below.

4.3.3.2 General Statistical Data Assessment

Statistical data, including constituent concentration ranges and historical geometric means, for the surface water monitoring stations for both the Compliance and Poplar System Monitoring Programs, is provided in **Table B-1** and **Table B-3** of **Appendix B**, respectively.

During the assessment period, the TCEC was, and continues to be, undergoing significant alterations related to landfill growth since 2008. For example, during 2022, the development of Cell 6A occurred, which impacted surface water flow paths within the northwestern portion of the TCEC whereby a more significant portion of runoff will be managed through Sedimentation Pond 3.

Relatively consistent chemical concentration trends within the surface water were observed at the Site, with slight changes over time that correlate with Site development activities that are either in response to on-going (e.g., increase vehicular traffic to the Site) or intermittent (e.g., construction of roads, berms, waste cells, etc.) operational effects. These slight concentration changes for a few constituents, mainly PLIL heavy metal parameters nickel and zinc, within the surface water coincided with landfill operational milestones and are not associated with a landfill leachate effect. The surface water quality routinely satisfies the instilled regulatory criteria for acceptable off-site discharge. A summary of the PLIL parameter trigger concentration evaluation for surface water at the TCEC for 2022 is provided in **Table 4-8**.



Table 4-8. Surface Water Quality Trigger Concentration Comparison – 2022 Calendar Year

| Quarter Sampled | Event Type | Date | Chloride | Ammonia (Unionized) | Phenols | Boron | Nickel | Chromium | Zinc | Biological |
|--|--------------|---------------|----------|---------------------|---------|----------------|--------------|--------------|-------------|---------------|
| | | PLIL Trigger: | 210 | 0.020 | 0.004 | 0.20 0.39 * | 0.028 | 0.025 | 0.06 | <50% Survival |
| SS1 (Compliance) | | | | | | | | | | |
| Q1 | Routine | 17-Feb-22 | 19 | 0.0089 | 0.0010 | 0.08 | 0.039 | 0.026 | 0.07 | NR |
| Q1 | Verification | 4-May-22 | 29 | <0.0047 | <0.0010 | 0.36 | 0.009 | <0.005 | 0.01 | PASS |
| Q2 | Routine | 4-May-22 | 29 | <0.0047 | <0.0010 | 0.36 | 0.009 | <0.005 | 0.01 | PASS |
| Q2 | Verification | 16-May-22 | 30 | 0.0028 | <0.0010 | 0.19 | 0.032 | 0.019 | 0.05 | PASS |
| Q3 | Routine | 4-Aug-22 | 18 | <0.0074 | <0.0010 | 0.11 | 0.006 | <0.005 | 0.01 | NR |
| Q4 | Routine | 18-Oct-22 | 23 | 0.017 | <0.0010 | 0.13 | 0.092 | 0.062 | 0.17 | NR |
| Q4 | Verification | 28-Nov-22 | 29 | <0.00051 | <0.0010 | 0.08 | 0.005 | <0.005 | <0.01 | PASS |
| SP1 (Internal Assessment Point) | | | | | | | | | | |
| Q1 | Routine | 17-Feb-22 | 17 | 0.0076 | 0.0012 | 0.08 | 0.019 | 0.013 | 0.04 | NR |
| Q2 | Routine | 4-May-22 | 29 | <0.0015 | <0.0010 | 0.37 | 0.007 | <0.005 | <0.01 | PASS |
| Q3 | Routine | 20-Jul-22 | 28 | <0.082 | <0.0010 | 0.43 | 0.003 | <0.005 | <0.01 | NR |
| Q3 | Verification | 2-Aug-22 | 26 | <0.075 | <0.0010 | 0.35 | 0.003 | <0.005 | <0.01 | PASS |
| Q4 | Routine | 18-Oct-22 | 24 | <0.0067 | <0.0010 | 0.33 | 0.002 | <0.005 | <0.01 | NR |
| SP2 (Compliance) | | | | | | | | | | |
| Q1 | Routine | 17-Feb-22 | 34 | 0.0058 | 0.0011 | 0.09 | 0.021 | 0.013 | 0.04 | NR |
| Q2 | Routine | 4-May-22 | 84 | <0.0078 | <0.0010 | 0.39 | 0.005 | <0.005 | <0.01 | PASS |
| Q2 | Verification | 16-May-22 | 70 | <0.0076 | <0.0010 | 0.50 | 0.005 | <0.005 | <0.01 | PASS |
| Q3 | Routine | 20-Jul-22 | 71 | <0.013 | <0.0010 | 0.40 | 0.003 | <0.005 | <0.01 | NR |
| Q3 | Verification | 2-Aug-22 | 70 | <0.085 | <0.0010 | 0.39 | 0.003 | <0.005 | <0.01 | PASS |
| Q4 | Routine | 18-Oct-22 | 34 | 0.035 | <0.0010 | 0.18 | 0.025 | 0.016 | 0.04 | NR |
| Q4 | Verification | 13-Jan-22 | 56 | <0.0057 | <0.0010 | 0.28 | 0.008 | <0.005 | 0.01 | PASS |
| SP3 (Compliance) | | | | | | | | | | |
| Q1 | Routine | 17-Feb-22 | 71 | 0.003 | <0.0010 | 0.06 | 0.012 | 0.007 | 0.03 | NR |

| Quarter Sampled | Event Type | Date | Chloride | Ammonia (Unionized) | Phenols | Boron | Nickel | Chromium | Zinc | Biological |
|-------------------------|------------|---------------|------------|---------------------|--------------|------------------------------|--------------|--------------|-------------|-------------------------|
| | | PLIL Trigger: | 210 | 0.020 | 0.004 | 0.20 0.39 * | 0.028 | 0.025 | 0.06 | <50% Survival |
| Q2 | Routine | 4-May-22 | 37 | <0.033 | <0.0010 | 0.11 | 0.002 | <0.005 | <0.01 | PASS |
| Q3 | Routine | 2-Aug-22 | 60 | <0.045 | <0.0010 | 0.18 | 0.002 | <0.005 | <0.01 | NR |
| Q4 | Routine | 18-Oct-22 | 33 | <0.06 | <0.0010 | 0.15 | 0.001 | <0.005 | <0.01 | NR |
| SP4 (Compliance) | | | | | | | | | | |
| Q1 | Routine | 17-Feb-22 | 34 | 0.0019 | 0.0011 | 0.09 | 0.020 | 0.012 | 0.03 | NR |
| Q2 | Routine | 4-May-22 | 37 | <0.0054 | <0.0010 | 0.07 | 0.006 | <0.005 | <0.01 | PASS |
| Q4 | Routine | 18-Oct-22 | 29 | <0.0034 | <0.0010 | 0.07 | 0.004 | <0.005 | <0.01 | NR |

Notes:

- 1) Trigger Concentrations are Post 2019 Criteria per the Sewage ECA.
- 2) Bold and Shaded denotes parameter exceeds Primary Leachate Indicator List trigger concentration at a compliance monitoring station.
- 3) Italics denotes parameter concentration's RDL is greater than the trigger value.
- 4) All units are in mg/L unless otherwise noted.
- 5) NR (Pass) denotes biological not required but was completed as input to the assessment process.
- 6) NR denotes not required.
- 7) * it is noted that the boron trigger concentration for SP1 is 0.39 mg/L, as per the MOE letter dated May 18, 2012.

4.3.3.3 On-going Operational Effects

An example of a change in surface water quality as a result of on-going operational effects, chloride concentrations within the surface water at compliance monitoring stations have shown a slightly increasing trend since 2018. The slightly increasing trend is attributable to road salting influences associated with increased vehicular traffic to the Site, which expectedly aligns with the increased annual tonnage rate that was approved in late 2017. The increased vehicular traffic did not necessarily increase on-site road snow management maintenance, but rather introduced additional road salt tracked onto the Site by trucks/trailers. This same effect is not observed for chloride within the surface water of the Poplar System surface water monitoring program, which has monitoring stations removed from the noted vehicular traffic on the internal road network.

4.3.3.4 Intermittent Operational Effects

An example of a change in surface water quality as a result of intermittent operational effects relate to the identification of elevated surface water boron concentrations noted since 2021 at monitoring stations SS1 and SP2 (refer to **Table 4-8** for 2022 boron values). Elevated boron concentrations are interpreted to be a result of short-term effects from the temporary storage of crushed glass (used as an aggregate bedding for landfill gas piping) near the southeast corner of Sedimentation Pond 2 and therefore, not related to a landfill leachate effect. During precipitation events, boron is inferred to have leached from the micro-shards (or dust) of glass into the surface water runoff at this location.

Similarly elevated boron was noted at SS1 as a result of this storage practice and the ditch regrading near the southeast corner of Sedimentation Pond 2 related to the Street C reconstruction activities.

Elevated boron concentrations within the surface water at the TCEC has not been observed at any other monitoring location. As such, the commonality between surface water monitoring stations SS1 and SP2 is runoff generated from the area where crushed glass was stored. Crushed glass was first placed in 2020 at the TCEC on a materials lay-down pad at a location between Sedimentation Pond 2 and the woodlot area to the south that drains toward monitoring station SS1. Elevated boron concentrations within the surface water at monitoring stations SS1 and SP2 were first attributed to this effect in the fall of 2020. The stockpiles of crushed glass were subsequently moved onto the Expansion Landfill footprint. The effects observed at monitoring stations SS1 and SP2 are attributed to this historical crushed glass storage practices.

A desktop review of the origin of boron in glass shows several studies that reference borosilicate glass originating from the manufacturing of glassware, ovenware, and glass used in laboratories. Borosilicate glass has been used since the 1900's. Some manufacturers use up to 15% boron oxide within the glass content, such as Pyrex®

glass, which can translate up to 1,500 ppm. Though the boron oxide additive has many benefits for glassware, such as thermal resistivity and overall durability, boron has been shown to leach off glass surfaces under certain conditions.

Boron in surface water at monitoring stations SS1 and SP2 is an emerging existing condition, which continues to be monitored and is being considered for further studies to evaluate the leachability of boron from crushed glass.

In consideration of the above, glass used for bedding is now temporarily stored on the landfill mound where runoff from the glass is managed as leachate.

Another example of intermittent operation effects to surface water quality is in response to sedimentation pond sediment cleanup efforts. During this activity, select PLIL parameters can be temporarily elevated due to sediment release and residual loose soils following excavation activities. Disturbance of sediment during pond cleanup activities followed by the onset of inclement rainfall events can affect the overall quality of surface water that is discharging from the pond and shows chemical quality that is the same as seen from soil erosion effects. **Section 4.4** provides further details related to erosional effects to surface water quality at the TCEC.

4.3.3.5 Surface Water Analytical Constituent Trends

Concentrations of chloride, boron, unionized ammonia, and zinc in surface water within the Sedimentation Ponds and at compliance monitoring station SS1 were typically similar to each other. Some recent exceptions where elevated and fluctuating concentrations of boron have generally been noted were at SS1, SP1, and SP2, as explained above.

Long-term concentration trends indicate both constant and fluctuating concentrations with time. Fluctuating concentrations generally showed a seasonal pattern for PLIL parameters boron and chloride at stations SS1 and SP1. Chloride concentrations at SP2 and SP4 appear to have a fluctuating pattern in the long-term. Additionally, in the long-term, unionized ammonia concentrations continued a constant trend of being below the respective laboratory RDL and/or less than the respective PWQO (0.02 mg/L), with occasional historical concentrations above the PWQO at monitoring stations SS1, SP1, and SP2.

Organic compounds are intermittently and rarely detected within the surface water at the Site. When detected the concentrations are typically less than the relevant PWQO criterion. There is no discernible trend pattern for organic constituents. The assessed organic compounds are valuable to be evaluated in surface water as they are elevated within the landfill leachate. Refer to **Table B-2, Appendix B**, for the organic compound chemical results.

4.3.3.6 Biomonitoring Considerations

Samples collected to assess biological conditions have been assessed for surface water quality toxicity to *daphnia magna* and rainbow trout since 2003. The biological testing results showed that there was no potential for detrimental effects to aquatic life within discharging surface water at the TCEC either prior to, or during the presence



of, the Expansion Landfill. This is also true for verification surface water sampling events since 2014. Prior to 2014, verification surface water monitoring under the landfill EMP did not consider biological monitoring toward its quality evaluation. The historical biological testing results (2014 through 2022) are provided in **Table 4-9** below.

Table 4-9. Surface Water Historical Biological Testing Results (2014 – 2022)

| Monitoring Station ID | Type of Event | SS1 | SP2 | SP3 | SP4 | SS10 | SS16 | SP1 |
|-----------------------|---------------|----------|-----|-----|-----|------|------|----------|
| Mortality (%) | | | | | | | | |
| 28-Jan-14 | Verification | | 0 | | | | | |
| 08-Apr-14 | Routine | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 30-Apr-14 | Verification | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 05-May-14 | Verification | | 0 | | | | | |
| 07-Jul-14 | Routine | | | | | | 0 | |
| 24-Jul-14 | Verification | | 0 | | | | | |
| 06-Sep-14 | Verification | 0 | | | | | 0 | |
| 15-Oct-14 | Routine | | | | | | 0 | |
| 04-Nov-14 | Verification | | | 0 | | | | |
| 15-Dec-14 | Verification | | 0 | | 0 | | | 0 |
| 10-Apr-15 | Routine | 10 (RBT) | 0 | 0 | 0 | 0 | 0 | 10 (RBT) |
| 30-Apr-15 | Verification | | 0 | | | | | 0 |
| 1-Jun-15 | Verification | 0 | | | | | 0 | |
| 7-Apr-16 | Routine | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 27-Dec-16 | Verification | 0 | | | | | | |
| 24-Jan-17 | Verification | | | | | | | 0 |
| 8-Feb-17 | Verification | 0 | | | | | | |
| 6-Apr-17 | Routine | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 19-Nov-17 | Routine | 0 | | | | | | |
| 4-Apr-18 | Routine | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 26-Sep-18 | Verification | 0 | | | | | | |
| 17-Apr-19 | Routine | 0 | 0 | 0 | | 0 | 0 | |
| 19-Apr-19 | Routine | | | | 0 | | | 0 |
| 27-Oct-19 | Verification | 0 | | | | | | |
| 3-Dec-19 | Verification | | | 0 | | | | |
| 29-Mar-20 | Verification | 0 | | | | | | |
| 18-May-20 | Routine | 0 | 0 | 0 | | 0 | | 0 |
| 4-Jun-20 | Verification | | 0 | | | | | |
| 26-Nov-20 | Verification | 0 | 0 | | | | | |

| Monitoring Station ID | Type of Event | SS1 | SP2 | SP3 | SP4 | SS10 | SS16 | SP1 |
|-----------------------|----------------------|-----|-----|-----|-----|------|------|-----|
| 9-Apr-21 | Verification | 0 | 0 | | | | | |
| 3-Jun-21 | Routine | 0 | | 0 | 0 | | | |
| 26-Jun-21 | Routine | | 0 | | | | | |
| 9-Jul-21 | Routine/Verification | | 0 | | | | | |
| 30-Jul-21 | Verification | 0 | | | | | | |
| 15-Oct-21 | Verification | 0 | 0 | 0 | | | | |
| 4-May-22 | Routine | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-May-22 | Verification | 0 | 0 | | | | | |
| 2-Aug-22 | Verification | | 0 | | | | | 0 |
| 4-Aug-22 | Routine | | 0 | | | | | |
| 28-Nov-22 | Verification | 0 | | | | | | |

Notes: Values presented above are mortality percentages (%). RBT denotes rainbow trout.

The historical biological testing results (2014 through 2022) showed mortality results of 0% with the exception of the occurrences noted below.

- SS1 and SP1: 10% mortality – rainbow trout – April 10, 2015.

The historical biological testing results, when greater than 0%, were well still below the trigger of $\leq 50\%$ mortality.

Biological monitoring continues to be an effective tool to evaluate surface water quality as it relates to aquatic conditions within the surface water at the TCEC.

4.3.4 Poplar System Monitoring Surface Water Quality Evaluation

The current surface water monitoring station locations for the Poplar System are shown on **Figure 2**. It is noted that the Poplar System surface water stations are not subject to the compliance assessment monitoring at the Site. Notwithstanding, these stations provide an understanding of surface water quality within the perimeter ditches around the Existing Landfill upstream of compliance monitoring points SP1, SS1, and SP2. The Poplar System surface water quality monitoring program evaluates for potential effects of the Poplar System’s operation to surface water quality within the perimeter ditch of the Existing Landfill.

Quarterly precipitation event (10 mm or more in 24 hours) monitoring is completed for the TCEC’s Poplar System with storm precipitation events (25 mm or more in 24 hours) completed twice during the permitted irrigation season, pending flowing conditions are observed and sufficient to complete sampling.

Currently established PLIL parameters chloride, boron, nitrate, and total ammonia are deemed as useful leachate effect indicators and typically occur at detectable concentrations within the surface water.

Generally, concentrations of PLIL parameters have shown to be generally fluctuating with no trend of note (e.g. increasing or decreasing) at SS14B and SS15A, and generally near historical lows at SS14A.

Most recently, in 2022, it was noted that concentrations of chloride, boron, and nitrate appear to be present at near historically elevated concentrations in the surface water at the relevant locations in part, due to temporary effects of Cell 6 construction and excavation/hauling activities that occurred throughout the year (e.g., effects of erosion from the roadways within the catchment areas of the relevant ditches). This is evidenced by the fact that elevated turbidity values were noted primarily at SS14B and partly at SS15A in comparison to turbidity values within the surface water at monitoring station SS14A. In this case, the elevated parameter concentrations are not directly attributed to the operation of the Poplar System, but rather to localized erosional effects from earthworks construction activities.

Organic compounds are typically not detected at the Poplar System surface water monitoring stations and were evaluated to be undetected as recent as 2022. As noted in **Section 2** organic compounds are noted at elevated concentrations within the leachate and on occasion are detected within the irrigation liquid utilized to irrigate the poplar trees, and as such, their analytical testing within the surface water is warranted.

During storm event monitoring efforts (initiated post 25 mm or more within 24 hours), surface water quality at the Poplar System monitoring stations are generally similar to that of routine quarterly monitoring events (initiated post 10 mm or more within 24 hours).

Some exceptions where select parameters are slightly more elevated following a storm event relate to heavy metals such as iron, aluminum, cobalt, copper, lead, vanadium, zinc, and nickel. Though elevated within the leachate, these heavy metals concentrations can be correlated with erosional effects as these metals are naturally occurring within clayey soils in the region. Further discussion as it relates to erosional effects to surface water quality is provided in **Section 4.4**.

In comparison to the PLIL parameter concentrations of the irrigation liquid historical data shown in **Tables A-3 to A-5, Appendix A**, the surface water quality observed at SS14B and SS15A, is significantly lower in concentration. For example, based on geometric mean concentrations, chloride is commonly detected approximately 27 times lower, while boron is commonly detected approximately 1,312 time less in the surface water at downstream assessment monitoring stations relative to the irrigation liquid. In consideration of this evaluation and the evaluations discussed above, runoff from the Poplar System has not negatively affected downstream water quality. Ongoing monitoring will continue to evaluate this observation or emerging trends of concern that would require corrective action.

It is noted that the Poplar System surface water stations are not compliance stations and, as such, are not required to be assessed against the relevant surface water trigger concentrations derived from the Landfill Environmental Monitoring Program, as prepared by Jagger Hims Limited and dated December 2007.

4.4 Consideration of Erosional Effects

The surface water quality for the PLIL parameters was evaluated for chemical concentration trends in consideration of clayey soil erosional effects. Clayey soils are naturally comprised with more common (i.e., iron, aluminum) and trace (i.e., copper, cobalt, chromium, lead, nickel, molybdenum, and zinc) metals within their mineralogical composition. During erosional processes, the clayey soil particles can remain in suspension within the surface water column for an extended period. This allows for collection during sampling. Surface water samples, per industry standards, are not filtered to remove suspended particulate, as surface water is evaluated based on total constituent concentrations. Therefore, the reported chemical concentrations represent both dissolved and suspended chemicals in the surface column that is sampled.

Although there is no PWQO for TSS, evaluating TSS concentrations is important because when surface water has elevated TSS, there is typically a corresponding increase in metals constituent concentrations within the surface water.

It is noted that although influences other than soil erosion, such as waterfowl, fish, water-habitat mammals, and algae can cause TSS loading to surface water, these collective influences are visually interpreted to be inconsequential in comparison to that of soil erosional effects to surface water quality at the Site. Expectedly, erosional effects to surface watercourses increases the visual turbidity and consequently, the TSS concentrations.

TSS provides a very good indicator of erosional effects within the surface watercourse, as has historically been observed at the Site, and other watercourses established within a clayey soil hydrogeologic setting. As such, an evaluation of surface water TSS concentrations and its relationship to heavy metal concentrations within the watercourse was undertaken as part of the Existing Conditions for surface water at the Site.

4.4.1 Heavy Metals and TSS Relationship

When evaluating the TSS concentrations to those of select PLIL and SLIL metal parameters, a direct correlation is observed between elevated TSS and elevated heavy metal constituent concentrations within the surface water. Expectedly, concentrations of PLIL metal parameters chromium, nickel, zinc, as well as SLIL metal parameters iron, magnesium, and potassium, are typically elevated when TSS concentrations are elevated. This correlation is seen across the monitoring stations at the Site.

Moreover, TSS concentrations typically increase within the surface watercourse following intense precipitation events. However, TSS concentrations can vary regardless of precipitation intensity and can be influenced by other factors that may also contribute to TSS within the surface water during sampling such as, but not necessarily limited to, the following:

- Size of area with exposed clayey soil at the time of sampling;
- Vegetation growth;
- Condition of rock and straw bale check dams; and
- Climatic conditions leading up to the precipitation event, etc.

In general, when TSS concentrations are noted to be below 150 mg/L, surface water quality has historically been of acceptable quality for PLIL metal constituents and other metals such as, but not limited to, iron, magnesium, and potassium. In almost all instances where TSS concentrations were 120 mg/L or less, surface water quality has historically shown acceptable constituent concentrations for the metal related PLIL and SLIL parameters, with iron typically the exception.

4.4.2 TSS Evaluation

A summary of the historical TSS analytical testing results for surface water samples collected from the monitoring stations listed in **Table 4-1**, is provided in **Table B-1** of **Appendix B**.

4.4.2.1 Year-Over-Year TSS Evaluation

TSS is analyzed in surface water at the internal and downstream compliance monitoring stations for each sample collected throughout the year. For background (upstream) monitoring stations, TSS is evaluated once annually in the spring.

Thus, to assess the historical TSS data for comparison between surface water stations, an annual geometric mean is calculated for each station to complete a year-over-year comparison. This comparison is graphically presented in **Figure B-13** and **B-14**, of **Appendix B**.

As shown in the aforementioned graphs, TSS annual geometric mean concentrations were greatest immediately following construction and approximately 2019/2020 at both the background and the internal and downstream compliance monitoring stations. At the beginning of Expansion Landfill construction, the Sedimentation Ponds required sampling even during their individual construction development and as such, the ponds were not fully effective as they were not fully constructed. During 2019/2020, TSS concentrations were assessed to be elevated but could not be remediated until 2021 due to staffing availability as a result of the COVID-19 pandemic. It is recognized that TSS reduction is important to minimize erosional effects from metal-related parameters.

4.4.2.2 Per-Event TSS Evaluation

In addition to the year-over-year TSS evaluation discussed above, the TSS concentrations were also evaluated on a per-event basis to track the number of times TSS concentrations were greater than 120 mg/L. This evaluation was completed to understand the number of times there was a metal-related PLIL concentration above its established trigger value. This is important as the purpose of the surface water

monitoring program is to assess for landfill leachate-related effects more than soil erosion effects.

The below **Table 4-10** shows a statistical analysis of the historical TSS concentrations in surface water at the TCEC.

Table 4-10. Surface Water Historical TSS Statistical Analysis (2008 – 2022)

| Monitoring Station ID | SS1 | SP2 | SP3 | SP4 | SS10 | SS16 | SP1 |
|-----------------------------|--------|-------|-----|-----|------|-------|-----|
| Statistical Analysis | | | | | | | |
| Minimum | 6 | 4 | 2 | 2 | 13 | 21 | 4 |
| Maximum | 32,000 | 5,300 | 720 | 360 | 980 | 2,100 | 530 |
| Geometric Mean | 121 | 40 | 19 | 42 | 81 | 82 | 52 |
| Count (Total) | 79 | 70 | 61 | 48 | 15 | 15 | 58 |
| Count (<120 mg/L) | 46 | 54 | 54 | 40 | 8 | 10 | 41 |
| % Below 120 mg/L | 58% | 77% | 89% | 83% | 53% | 67% | 71% |

Notes: mg/L denotes milligrams per litre. Values presented above are concentrations in mg/L unless otherwise indicated.

As shown above, 76% of the time, TSS concentrations are less than 120 mg/L at compliance surface water monitoring stations. Of these compliance monitoring stations, SS1 had the greatest percentage of events with TSS concentrations above 120 mg/L relative to SP2, SP3, and SP4. Also of note, background monitoring stations also showed TSS concentrations less than 120 mg/L 63% of the time historically. Therefore, on a percentage basis, TSS concentrations are more frequently less than 120 mg/L leaving the Site than flowing onto the Site.

When looking at the TSS concentrations in **Table B-1**, of **Appendix B**, each of the internal and compliance monitoring stations periodically show concentrations much greater than 120 mg/L. Of these occurrences, downstream monitoring stations SS1 and SP2 show the greatest magnitude TSS concentrations greater than 120 mg/L. Correspondingly, these stations required the greatest percentage of verification monitoring events, which are attributable to metal related PLIL concentrations above their established trigger values.

Therefore, when TSS concentrations are less than 120 mg/L surface water quality is typically acceptable when comparing to the PLIL trigger values.

4.4.3 Sediment Loading Reduction Actions

WM has implemented several controls to help mitigate sediment loading to the surface drainage network at the TCEC during and post cell construction activities, which continue to be maintained or replaced. These controls are outlined below.

4.4.3.1 Drainage Ditch Sediment Barriers

Straw bale check dams are routinely installed and maintained or replaced within freshly exposed clayey soil ditches, or in ditches that are appearing to begin to have sediment build up within them. Regular maintenance of the straw bale check dams includes conducting routine monthly inspections and intermittent inspections following inclement weather.

4.4.3.2 Evaluation of Sedimentation Pond Sediment Buildup

On an annual basis, the four sedimentation ponds at the TCEC (Pond 1, Pond 2, Pond 3, and Pond 4) are inspected for sediment build up within the forebay(s) and main portions of each pond from the water that flows through the ponds.

Sediment Buildup

The sedimentation pond's sediment management functionality is based on the design of maintaining a minimum water column above the sediment build-up. Per discussions with the design engineer for the sedimentation ponds, for the ponds to effectively operate as designed to remove particles > 13 micrometres (μm), the minimum water column within the main portion of the pond should not decrease more than 75% of the total design water column.

For example, if a pond's design water column is 0.6 metres (m), then the suggested build-up target of sediment within the design water column depth of 0.6 m would be 0.15 m (25% of 0.6 m), leaving the remainder 75% of the water column (0.45 m) occupied by water.

For the pond's forebays, the suggested target allowable build-up of sediment to maintain a given pond's functionality to manage sediment would be equal to the difference in elevation between the bottom of the primary forebay and the bottom of the main portion of the pond.

In addition to the targets presented above, as the secondary forebay in each Sedimentation Pond 1 and 2 were constructed with a base elevation equal to the main portion of the pond, their functionality to capture sediment is simply to limit the sediment loading to the main portion of the pond. Therefore, as a conservative approach to limit sediment loading to the main portion of each respective pond from the secondary forebay, a target build-up thickness of twice that of the target build-up thickness for the main portion of the respective pond is utilized.

The approximate maximum sediment build-up targets and the average sediment build-up measurements for Sedimentation Ponds 1 to 4 are presented in **Table 4-11**.

Table 4-11. Approximate Sediment Build-Up Targets and the Average Sediment Build-Up Measurements for Ponds 1 to 4

| Sediment Build-Up Assessment | | | | | | |
|---|----------------------|-------------------|---------------|----------------------|-------------------|---------------|
| Year | Sedimentation Pond 1 | | | Sedimentation Pond 2 | | |
| | Primary Forebay | Secondary Forebay | Main Portion | Primary Forebay | Secondary Forebay | Main Portion |
| Sediment Build up Removal Target | 0.60 m | 0.30 m | 0.15 m | 0.50 m | 0.40 m | 0.20 m |
| 2019 | 0.99 m | 0.61 m | 0.11 m | 0.88 m | 1.00 m | 0.38 m |
| 2020 | 1.06 m | 0.63 m | <i>0.16 m</i> | 0.89 m | 0.60 m | 0.18 m |
| 2021 | 1.42 m | 1.01 m | 0.41 m | 0.82 m | 0.74 m | 0.15 m |
| 2022 | 0.01 m | 0.24 m | 0.00 m | 0.64 m | 0.89 m | 0.38 m |

| Year | Sedimentation Pond 3 | | | Sedimentation Pond 4 | | |
|---|----------------------|-------------------|---------------|----------------------|-------------------|---------------|
| | Primary Forebay | Secondary Forebay | Main Portion | Primary Forebay | Secondary Forebay | Main Portion |
| Sediment Build up Removal Target | 0.40 m | N/A | 0.15 m | 0.70 m | N/A | 0.15 m |
| 2019 | 0.66 m | N/A | <i>0.20 m</i> | <i>0.77 m</i> | N/A | <i>0.19 m</i> |
| 2020 | 0.61 m | N/A | 0.07 m | <i>0.71 m</i> | N/A | 0.10 m |
| 2021 | 0.68 m | N/A | <i>0.16 m</i> | 0.91 m | N/A | 0.01 m |
| 2022 | 0.32 m | N/A | <i>0.19 m</i> | 0.29 m | N/A | 0.07 m |

Notes:

'Bold' denotes recommended for removal.

'Italics' denotes suggested to be re-evaluated the following year for additional sediment build-up of significance that would require removal. As noted in the above summaries, the forebays of each pond have effectively worked as designed and have had sediment accumulation. Each forebay notably limited the amount of sediment that entered the remainder of the pond.

Sedimentation Pond 1: It was assessed that the primary forebay (in 2019, 2020, and 2021), the secondary forebay (in 2019, 2020, and 2021), and the main portion (in 2020 and 2021) had sufficient sediment buildup partially limiting the forebay's ability to settle sediment.

Sedimentation Pond 2: It was assessed that the primary forebay (in 2019, 2020, 2021, and 2022), the secondary forebay (in 2019, 2020, 2021, and 2022), and the main portion (in 2019, 2020, and 2022) had sufficient sediment buildup partially limiting the forebay's ability to settle sediment.

Sedimentation Pond 3: It was assessed that the forebay (in 2019, 2020, and 2021) and the main portion (in 2019, 2021, and 2022) had sufficient sediment buildup partially limiting the forebay's ability to settle sediment.

Sedimentation Pond 4: It was assessed that the forebay (in 2019, 2020, and 2021) and the main portion (in 2019) had sufficient sediment buildup partially limiting the forebay's ability to settle sediment.

Below is **Table 4-12** with the approximate dates of sediment removal from the four (4) sedimentation ponds.

Table 4-12. Dates of Sediment Removal from Sedimentation Ponds 1 to 4

| Removal of Sediment Build-Up | | | | | | |
|---|----------------------|-------------------|--------------|----------------------|-------------------|--------------|
| | Sedimentation Pond 1 | | | Sedimentation Pond 2 | | |
| Year | Primary Forebay | Secondary Forebay | Main Portion | Primary Forebay | Secondary Forebay | Main Portion |
| Sediment Build up Removal Target | 0.60 m | 0.30 m | 0.15 m | 0.50 m | 0.40 m | 0.20 m |
| 2019 | Winter | Winter | Winter | Winter | Winter | Winter |
| 2020 | Winter | Winter | NR | NR | Winter | NR |
| 2021 | Winter | Winter | Winter | Winter | Winter | NR |
| 2022 | Winter | Winter | Winter | Fall | Fall | Fall |

| | Sedimentation Pond 3 | | | Sedimentation Pond 4 | | |
|---|----------------------|-------------------|--------------|----------------------|-------------------|--------------|
| Year | Primary Forebay | Secondary Forebay | Main Portion | Primary Forebay | Secondary Forebay | Main Portion |
| Sediment Build up Removal Target | 0.40 m | N/A | 0.15 m | 0.70 m | N/A | 0.15 m |
| 2019 | Winter | N/A | NR | NR | N/A | NR |
| 2020 | Winter | N/A | NR | NR | N/A | NR |
| 2021 | Winter | N/A | NR | Winter | N/A | NR |
| 2022 | NR | N/A | NR | NR | N/A | NR |

Note: "NR" denotes Not Required as removal of sediment was not impeding the functionality of the relevant SWM Pond.

On-going sediment build-up inspections of the ponds is completed annually. Assessment focus is typically on the forebays of the ponds.

4.5 Off-Site Study Area Surface Water Quality Evaluation

A supplemental surface water monitoring program was completed in 2022 in concert with the current surface water quality monitoring program to evaluate off-site Existing Conditions.

This temporary monitoring program was implemented to evaluate effects, if any, from ASR track out on surface water quality off-site within the roadside ditch of the northbound lane of Nauvoo Road from the TCEC to Hwy 402.

The temporary supplemental surface water study was completed as described in **Section 4.2.1**.

Of note, ASR may be used at the TCEC as daily cover in accordance with Condition 6.51 of the Waste ECA. ASR samples, when this material is utilized, are collected on a semi-annual basis during the spring and fall and submitted for analysis of Ontario Regulation 347 (O.Reg. 347) Schedule IV criteria in accordance with Condition 6.52

of the Waste ECA. Historical analytical data related to the semi-annual (spring and fall) ASR assessments that are completed per Condition 6.52 of the Waste ECA, is presented in the Quarterly and Annual Compliance Monitoring Reports for the TCEC.

The track out of ASR for 2022 does not represent the normal operational conditions of using ASR as daily cover at the Site during the timeframe from 2008 through 2022. As such, the evaluation of potential effects of ASR track out collectively considers both the duration of time where ASR track out challenges occurred and did not occur. Notwithstanding, ASR operational changes were implemented by WM to prevent track out and buildup of track out. This is completed through on- and off-Site ongoing inspection and cleaning program of where historically track-out occurred.

For years leading up to November 2021, ASR was utilized at the TCEC on a routine basis. In November of 2021, WM temporarily discontinued the use of ASR to manage the track out of ASR. WM re-instated the use of ASR after sourcing new streams of ASR material in February 2022, of which has since continued to be utilized at the TCEC.

In addition, operational activities that were implemented by WM in 2022 are listed below.

- After temporary discontinuance of the use of ASR as daily cover in November 2021, in February 2022 WM resumed utilizing ASR as daily cover at the TCEC. It is noted that in February 2022, the use of ASR as daily cover was from a new supplier that had milled the size of ASR material smaller to minimize track out of ASR caught between the dual tires of haul trucks and trailers.
- In September 2022, WM implemented a longer on-Site exit truck route for waste hauling trucks to allow a greater distance of travel on-Site for residual ASR material that may have gotten stuck within the treads of the truck wheels to fall out prior to exiting the TCEC.
- In October 2022, WM removed the existing build-up of ASR material within the ditches and road shoulders along Nauvoo Road using Hydrovac trucks.
- Since October 2022, WM has implemented a more rigorous routine inspection and where warranted, cleanup of track out ASR. On-site and off-site cleanup efforts are completed as needed and consist of sweeping, scraping with light equipment, hand raking/picking, along the roadways, road shoulders, and within the ditches. It is noted that the vegetative growth within Nauvoo Road's roadside ditches is cut as part of cleanup activities such that ASR does not remain entangled in tall vegetation in ditches.

In summary, WM works to contain the use of ASR within the workface to areas away from where the waste hauling trucks drive. This reduces the likelihood of ASR getting stuck between the truck tires as the trucks leave the workface. Aside from occurrences on occasion, ASR is contained within the workface. Following the identification of occurrences of ASR trackout, WM promptly cleans up the ASR that is observed outside the site entrance.

4.5.1 Off-Site Surface Water Quality Findings

To evaluate off-site Existing Conditions as it pertains to potential ASR effects to surface water quality, surface water samples were collected for laboratory analysis of PAHs. PAHs were identified as potential indicators of impacts from ASR to surface water quality. It should be noted that there are other potential contributors to PAHs in surface water along a highway setting, such as, but not limited to, tire wear from vehicular traffic (rubber residue on roadways washing into roadside ditches), atmospheric deposition from combustible engines of vehicles (incomplete combustion of hydrocarbons such as gasoline, diesel, and oil).

As discussed, the temporary supplemental off-site surface water monitoring program included collecting surface water samples at five (5) monitoring stations on a quarterly basis throughout 2022.

A summary of the laboratory PAH analytical testing results for surface water samples collected from temporary monitoring stations SW1, SW2, and SW3, as well as SW4, and SW5, is provided in **Table B-5 of Appendix B**.

Of note, parameters anthracene, benzo(a)anthracene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, fluoranthene, and pyrene were reported as non-detectable at laboratory RDLs that were above their respective long-term freshwater Canadian Water Quality Guidelines (CWQG) and/or interim PWQOs. The RDL is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from a method blank laboratory test result. For each of these PAH constituents, the laboratory verified that the PWQO criteria are interim and not yet adopted by the MECP.

Moreover, the low-level values set for these constituents are typically not achievable for certified environmental testing laboratories. The CWQG and PWQO criteria concentrations for the parameters that were reported as non-detectable at laboratory RDLs that were above their respective long-term freshwater CWQG and/or interim PWQOs are too low for environmental laboratories to confidently report test results to those detection limits.

4.5.1.1 Site Entrance Northward to Hwy 402

The tested PAH constituents from sampled surface water at the off-site monitoring stations SW1, SW2, and SW3, were commonly not detected at concentrations greater than their respective laboratory RDLs. The parameter phenanthrene was detected at monitoring station SW1 with a concentration of 0.044 µg/L, as well as at monitoring station SW2 with a concentration of 0.038 µg/L for the first quarter monitoring event of 2022. These concentrations were noted to be above the relevant laboratory RDL and the assigned interim PWQO of 0.030 µg/L, however, met the assigned long-term freshwater CWQG of 0.4 µg/L. It is noted that, interim PWQOs are not regulatory limits, as there is insufficient scientific data to support an objective (MECP, 2016). Moreover, the interim PWQO can be modified based on scientific data once it becomes an

objective and as such, surface water quality evaluations using interim PWQOs are interpreted with caution. The MECP does however support and participates in the process to develop CWQGs and recommends defaulting to comparing to long-term freshwater CWQGs compared to the interim PWQOs.

There were no other detectable concentrations of PAHs within the sampled surface water of the northbound roadside ditch along Nauvoo Road for the remainder of 2022. Therefore, the noted detected phenanthrene concentrations at SW1 and SW2 in February 2022, are interpreted to not be a concern, as the detections met the long-term freshwater CWQG and were not repeatable at other stations, nor were they persistently observed at such concentrations for follow-up sampling events. As such, surface water samples collected within the roadside ditch along the east side of Nauvoo Road, upstream of where surface water enters the Gilliland-Geerts Drain from the north and the south, was of acceptable quality. If future evaluations determine that a persistence of ASR trackout along the northbound shoulder of Nauvoo Road were occurring, then PAHs should be assessed in concurrence with the surface water quality assessment program detailed herein. The duration of monitoring would be determined based on the evaluation of PAHs such that acceptable surface water quality related to ASR trackout was achieved.

4.5.1.2 Site Entrance Southward to Gilliland-Geerts Drain

The tested PAH constituents from sampled surface water at the off-site monitoring stations SW4 and SW5, were not detected at concentrations greater than their respective laboratory RDLs. As such, surface water within the roadside ditch along the east side of Nauvoo Road, upstream of where surface water enters the Gilliland-Geerts Drain from the north and the south, was determined to be of acceptable quality and did not indicate vehicle traffic related PAH influences on surface water.

4.5.1.3 Off-Site Surface Water Quality Summary

Given the above evaluation, it is interpreted that the temporary presence of ASR material track out within the roadside ditch of the northbound lane of Nauvoo Road from the Site entrance to Hwy 402 did not adversely impact surface water quality.

4.6 Summary of Existing Conditions

Surface water quality data collected from the TCEC was evaluated to document the Existing Conditions as it pertains to its quality prior to off-site discharge in consideration of the On-Site Study Area (Existing Landfill and Expansion Landfill). The On-Site Study Area consists of the TCEC. Surface water at the TCEC is managed through on-site drainage features such as ditches and swales, as well as four (4) sedimentation ponds. Surface water that is managed by the Sedimentation Ponds typically consists of runoff that originates from the footprint of the waste fill areas of the TCEC. An Off-Site Study Area was established to assess Existing Conditions within the drainage ditch of the northbound lane to Lambton County Road 79 (Nauvoo Road) extending approximately 1 km north and 500 m south from the entrance to the

TCEC. Field monitoring to assess surface water Existing Conditions were completed in 2022 to evaluate potential impacts to surface water quality associated with ASR track-outs along the road allowance. PAHs were identified as a contaminant of concern that had the potential to adversely affect off-site surface water quality nearby the TCEC.

The TCEC comprises of two (2) surface water monitoring programs, with 1) compliance monitoring program for three (3) open ditch surface water monitoring stations and four (4) sedimentation ponds, and 2) an open ditch surface water monitoring program consisting of three (3) monitoring stations to assess for Poplar System irrigation liquid effects to surface water quality within the perimeter ditch of the southern half of Existing Landfill.

The following brief conclusions are provided as a summary of the findings from this Surface Water Quality Existing Conditions evaluation for the TCEC.

- Both the Compliance and Poplar System Surface Water Monitoring Programs are effective in evaluating potential landfill leachate effects to surface water quality based on surface water quality Existing Conditions.
 - The selected Leachate Indicator List parameters, for evaluating potential leachate effects on surface water quality as outlined in the 2007 EMP, remain relevant based on leachate constituent concentrations remaining below the predicted peak leachate values tabulated within Table 6-9 of the 2008 D&O Report and overall surface water quality Existing Conditions. As such, the established trigger concentration mechanism continues to be suitable for discerning potential landfill leachate impacts to surface water quality.
- PLIL parameter concentration trends in surface water at the TCEC have remained relatively low and stable, except in areas receiving runoff from the Excess Soil Stockpile where concentrations of TSS-related PLIL metal parameters have been observed above the respective PLIL trigger concentrations at SS1. In areas not affected by runoff from the Excess Soil Stockpile, TSS-related fluctuations in surface water quality over time are minor and are primarily attributed to erosion from exposed soil surfaces during construction activities (i.e., infrastructure development, waste cell excavation, and soil material handling) since 2008.
- TSS concentrations correspondingly and expectedly influence heavy metal concentrations within the surface watercourse.
- On-going monitoring data indicates that surface water quality is generally not adversely affected by the TCEC. Concentrations of the PLIL parameters typically satisfy the established trigger mechanisms that form part of the surface water quality evaluation procedures, with some exceptions listed below.
 - As noted above, at SS1, runoff of TSS-laden water from erosion of the Excess Soil Stockpile has likely caused TSS-related concentrations of PLIL-metals to exceed the respective PLIL trigger concentrations. However, WM continues to implement various sediment loading reduction actions where suitable.

- At SP2, since 2020, there has been an increase in occurrences of boron concentrations being observed above the PLIL trigger concentration during the majority of monitoring events. However, the boron concentrations are not showing a long-term trend of concern. Also, the boron concentrations are interpreted to not be landfill leachate related as neither chloride, phenols, nor un-ionized ammonia, were detected at elevated concentrations in combination with the noted boron concentrations.

Ultimately, surface water quality consistently meets the criteria for acceptable off-site discharge.

- The off-site temporary supplemental surface water monitoring program completed in 2022 showed low level detections of one (1) PAH parameter for one (1) of four (4) monitoring events at two (2) of the five (5) off-Site surface water monitoring stations during the first quarter of 2022. No other PAH parameter was detected at the Off-Site surface water monitoring stations for the 1-year short-term monitoring period in 2022.

5 References

Chapman, L.J. and Putnam, D.

- 2013 The Physiography of Southern Ontario, Third Edition. Ontario Geological Survey, Special Volume 2, 270pp.

GENIVAR Inc.

- 2013 2012 Annual Monitoring Report – Twin Creeks Landfill Site, Township of Warwick, Ontario, Volume 4 of 6 – Poplar Plantation Monitoring Program. Prepared for Waste Management of Canada Corporation. (2013 Poplar Plantation Report)

Henderson, Paddon Environmental Inc.

- 1997 Development & Operations Report, Canadian Waste Services Inc., Warwick Landfill, Warwick Township. Prepared for Canadian Waste Services Inc. (1997 D&O)
- 2008 Development and Operations Plans, Warwick Landfill Expansion Volumes 1 to 3, Prepared for Waste Management of Canada Corporation (2008 D&O)

Jagger Hims Limited

- 2005 Warwick Landfill Expansion, Environmental Assessment, Hydrogeological Assessment Volumes 1 to 3, Prepared for Waste Management of Canada Corporation
- 2007 Environmental Monitoring Plan, Warwick Landfill Expansion, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation (2007 EMP)

Ministry of the Environment and Energy

- 1994 Water management: Policies, Guidelines, Provincial Water Quality Objectives. Reprinted 1995 (PWQO)

Ministry of the Environment, Conservation and Parks (MECP)

- 2012 *Request for Modification of Surface Water Quality Trigger Concentration Level, Twin Creeks Landfill*, Letter dated May 18, 2012. Prepared for Waste Management of Canada Corporation (MECP 2012 Letter)
- 2014 *Request for Modification to Surface Water Monitoring/Assessment Process at Twin Creeks Landfill*, Letter dated February 27, 2014. Prepared for Waste Management of Canada Corporation (MECP 2014 Letter)
- 2016 Water Management: Policies, Guidelines, Provincial Water Quality Objectives. Updated 2016 (PWQO)

RWDI AIR Inc.

- 2019 2019 Sediment and Vegetation Assessment – Sedimentation Ponds, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2020a 2019 Fourth Quarter and Annual Monitoring Report, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation

- 2020b 2020 Sediment and Vegetation Assessment – Sedimentation Ponds, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2021a 2020 Fourth Quarter and Annual Monitoring Report, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2021b 2021 Sediment and Vegetation Assessment – Sedimentation Ponds, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2022a 2021 Fourth Quarter and Annual Monitoring Report, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2022b 2022 Sediment and Vegetation Assessment – Sedimentation Ponds, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation
- 2023 2022 Fourth Quarter and Annual Monitoring Report, Twin Creeks Environmental Centre, Township of Warwick, Ontario, Prepared for Waste Management of Canada Corporation

The page features a large, abstract graphic composed of several overlapping rectangular blocks. A dark green block is on the left side, overlapping a grey block above it and a light grey block below it. A black block is at the bottom right, overlapping the light grey block. The word 'Figures' is printed in a large, black, sans-serif font over the white space on the right side of the page.

Figures






FIGURE 1


PROJECT STUDY AREA




SURFACE WATER SYSTEM
 LANDFILL OPTIMIZATION ENVIRONMENTAL ASSESSMENT
 TWIN CREEKS ENVIRONMENTAL CENTRE
 TOWNSHIP OF WARWICK, ONTARIO

DWN BY: EW
 CHK BY: JCL
 DATE: AUGUST 2023
 SCALE: 1:8,000
 WASTE MANAGEMENT OF CANADA CORP.
 PROJECT FILE REF. NO. **2101750**


FIGURE **2**





MAP SOURCE:
 AERIAL PHOTO PROVIDED BY GOOGLE EARTH (2011), ACCESSED ON JANUARY 2014.
 FIGURE PROVIDED BY GENIVAR INC., FIGURE 3, FILE REF NO. 111-53111-00-F3-SP 12CM Q4, DATED JANUARY 2013.

NOTE:
 LOCATION OF CONSTRUCTION SEDIMENTATION PONDS, BERMS, POPLAR PLANTATION, TREATMENT PLANT, & EFFLUENT LAGOONS FROM NOVEMBER 2010 SURVEY PLAN.




LEGEND:

- Approximate Property Boundary
- Significant Groundwater Recharge Area

Note:

1. Locations are approximate and provided for illustrative purposes only.
2. Base map obtained from Source Protection Plan & Assessment Report (Thames-Sydenham Source Protection).



St. Clair Region Source Water Protection
 Surface Water Quality Existing Conditions Report, 5768 Nauvoo Road, Watford, ON

Waste Management


True North

| | |
|-----------------------------|-----------|
| Drawn by: EW | Figure: 5 |
| Approx. Scale: 1:20,320 | |
| Date Revised: Jun. 11, 2024 | |



Project #2101750

\\wagroup.net\wmm\Jobs\2023\121017506. Deliverables\Hydrology and Surface Water\2023 Existing Conditions Reports\Surface Water Quality\2023 Existing Conditions Report (Thames-Sydenham Source Protection).dwg

A large, bold, black letter 'A' is centered on the page. It is positioned to the right of a dark green vertical bar that extends from the top of the page down to the middle section.

Leachate and Irrigation Liquid Chemical Results

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | | | | | Sump | Sump | Sump | Sump | Sump | Sump | Sump | Sump | Sump | Sump | |
|------------------------------------|---------|---|-----------|--|-----------|-----------|-----------|-----------------|-----------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|
| | | Warwick Landfill Peak Value Including Recirculation | | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | Min | Max | Arithmetic Mean | Geomean | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) |
| | | 23-May-08 | 21-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 | 30-May-16 | 26-May-17 | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | | 290 | 7060 | 3847 | 2997 | 5770 | 6480 | 7060 | 4570 | 4300 | 940 | 5600 | 4700 | 4600 | 3900 |
| Conductivity | umho/cm | | | | 880 | 16400 | 10265 | 8254 | 13100 | 15000 | 16400 | 10800 | 12000 | 2600 | 14000 | 13000 | 15000 | 11000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | | 68 | 2600 | 1285 | 949 | 1300 | 1500 | 1800 | 1100 | 1400 | 200 | 1500 | 1800 | 2600 | 1500 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | | 25 | 462 | 230 | 176 | 435 | | 462 | 265 | 273 | 49 | 330 | 330 | 300 | 230 |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | | 0.5 | 81 | 36 | 18 | 70 | 81 | 5 | 59 | 54 | 78 | 72 | 0.5 | 70 | 39 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | | 0.00005 | 0.0001 | 0.00006 | 0.00005 | <0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.0001 | <0.0001 |
| Nitrate (N) | mg/L | | | | 0.05 | 1.85 | 0.47 | 0.31 | <0.1 | <1 | <1 | <1 | <2.0 | <0.10 | <0.50 | <1.0 | <1.0 | <0.50 |
| Nitrite (N) | mg/L | | | | 0.005 | 0.265 | 0.068 | 0.049 | 0.03 | <0.1 | <0.1 | <0.1 | <0.20 | <0.010 | <0.050 | <0.10 | <0.10 | 0.055 |
| pH | units | | 7.2 | | 7.3 | 8.0 | 7.7 | 7.7 | 7.6 | 8.0 | 7.7 | 7.6 | 7.7 | 7.5 | 7.8 | 7.8 | 7.5 | 7.6 |
| Phenols-4AAP | mg/L | 8.63 | 1 | | 0.0018 | 0.1 | 0.05 | 0.03 | 0.10 | 0.07 | 0.08 | 0.06 | 0.05 | 0.01 | 0.08 | 0.05 | 0.07 | <0.20 |
| Total Ammonia-N | mg/L | 2944 | 800 | | 11.1 | 857 | 469 | 336 | 576 | 724 | 857 | 558 | 529 | 100 | 795 | 592 | 560 | 512 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | | 0.002 | 0.01 | 0.006 | 0.005 | 0.007 | 0.010 | 0.007 | 0.006 | <0.01 | 0.003 | 0.010 | 0.010 | <0.01 | 0.006 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | | 0.049 | 0.29 | 0.18 | 0.16 | 0.19 | 0.19 | 0.20 | 0.20 | 0.19 | 0.11 | 0.23 | 0.23 | 0.29 | 0.17 |
| Total BOD | mg/L | 27600 | 1750 | | 5 | 200 | 77 | 51 | 200 | 140 | 200 | 74 | 81 | 14 | 94 | 60 | 88 | 63 |
| Total Boron (B) | mg/L | 7.13 | 50 | | 1.3 | 70 | 28.1 | 17.0 | 70 | 58 | 56 | 28 | 20 | 2.0 | 17 | 43 | 49 | 25.0 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | | 0.00005 | 0.0005 | 0.00021 | 0.00014 | <0.0001 | <0.0001 | <0.0005 | <0.0005 | <0.001 | <0.0001 | <0.0001 | <0.0005 | <0.001 | <0.0001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | | 76 | 150 | 108 | 106 | 100 | 100 | 85 | 110 | 140 | 96 | 130 | 110 | 130 | 95 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | | 63 | 1400 | 734 | 567 | 1200 | 1200 | 1400 | 850 | 860 | 180 | 1000 | 950 | 980 | 660 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | | 0.006 | 1.6 | 0.61 | 0.25 | 1.5 | 1.2 | 1.1 | 0.4 | 0.4 | 0.0 | 0.3 | 1.5 | 1.5 | 0.56 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | | 0.001 | 0.01 | 0.006 | 0.005 | 0.005 | 0.002 | 0.002 | <0.01 | <0.02 | 0.005 | <0.01 | <0.02 | <0.02 | 0.003 |
| Total Dissolved Solids | mg/L | 5200 | 525 | | 525 | 9960 | 5176 | 4013 | 8000 | 9410 | 9960 | 6320 | 5110 | 1200 | 6210 | 6360 | 7400 | 4640 |
| Total Iron (Fe) | mg/L | 1150 | 8 | | 22 | 54 | 10 | 6 | 7.9 | 5.2 | 5.2 | 3.5 | 2.9 | 5.9 | 5.1 | 7.4 | 24.0 | 3.4 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | | 11 | 930 | 502 | 351 | 720 | 810 | 930 | 570 | 600 | 100 | 860 | 630 | 580 | 530 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | | 0.0011 | 0.064 | 0.0101 | 0.0054 | 0.0082 | 0.0094 | 0.0080 | 0.0040 | <0.005 | 0.0022 | 0.0034 | 0.0150 | 0.0640 | 0.0047 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | | 22 | 390 | 222 | 177 | 240 | 390 | 340 | 300 | 290 | 60 | 330 | 270 | 310 | 210 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | | 0.053 | 0.37 | 0.23 | 0.20 | 0.37 | 0.37 | 0.23 | 0.26 | 0.33 | 0.25 | 0.24 | 0.34 | 0.23 | 0.098 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | | 0.011 | 1.1 | 0.48 | 0.27 | 1.10 | 0.96 | 0.93 | 0.44 | 0.42 | 0.05 | 0.35 | 0.96 | 0.92 | 0.360 |
| Total Phosphorus | mg/L | 18.61 | 3 | | 0.24 | 5.8 | 2.1 | 1.5 | 3.5 | 5.2 | 5.8 | 2.3 | 1.8 | <0.6 | 2.4 | 3.1 | 2.4 | 1.60 |
| Total Potassium (K) | mg/L | 2852 | 300 | | 12 | 620 | 328 | 243 | 340 | 520 | 520 | 500 | 440 | 89 | 620 | 390 | 380 | 340 |
| Total Sodium (Na) | mg/L | 6578 | 500 | | 57 | 2100 | 1122 | 822 | 1600 | 1800 | 1700 | 1200 | 1200 | 180 | 1300 | 1700 | 2100 | 1100 |
| Total Suspended Solids | mg/L | | 150 | | 12 | 270 | 73 | 44 | 20 | 14 | 15 | 64 | 20 | 120 | 29 | 12 | 97 | 20 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | | 0.01 | 0.1 | 0.04 | 0.03 | 0.10 | 0.08 | 0.05 | <0.05 | <0.1 | 0.02 | 0.04 | <0.05 | <0.1 | 0.02 |
| Un-ionized Ammonia | mg/L | | | | 0.028 | 29 | 5.53 | 2.19 | 3.3 | 5.4 | 8.2 | 2.4 | 9.7 | 0.2 | 29.0 | 12.0 | 2.3 | 3.10 |
| Ion Percentage | mg/L | | | | 3.75 | 15.98 | 9.50 | 8.43 | 11.5 | 7.1 | 15.8 | 5.2 | 7.5 | 6.0 | 11.5 | 6.2 | 5.2 | 14.8 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italic denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Sump | Sump | Sump | Sump | Sump | | | | | | | |
|------------------------------------|---|--|---------------------|---------|--------|-----------------|---------|---------------------|---------------------|---------------------|----------------|---------|---------|--|--|--|--|--|--|
| | | (Central Fill Area) | (Central Fill Area) | | | | | (Central Fill Area) | (Central Fill Area) | (Central Fill Area) | | | | | | | | | |
| | | 11-May-18 | 16-May-19 | | | | | 12-May-20 | 18-May-21 | 06-May-22 | | | | | | | | | |
| Date | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 290 | 7060 | 3847 | 2997 | 2800 | 290 | 2900 | 2900 | 2900 | 900 | | | | | | |
| Conductivity | umho/cm | | | 880 | 16400 | 10265 | 8254 | 7700 | 880 | 11000 | 8900 | 2600 | 2600 | | | | | | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 68 | 2600 | 1285 | 949 | 860 | 68 | 1900 | 1500 | 240 | 240 | | | | | | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 25 | 462 | 230 | 176 | 150 | 25 | 180 | 140 | 52 | 52 | | | | | | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 0.5 | 81 | 36 | 18 | 40 | 58 | 23 | 0.5 | 15 | 15 | | | | | | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0001 | 0.00006 | 0.00005 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.0002 | <0.0002 | | | | | | |
| Nitrate (N) | mg/L | | | 0.05 | 1.85 | 0.47 | 0.31 | <1.0 | <0.10 | 1.85 | <0.50 | 0.37 | 0.37 | | | | | | |
| Nitrite (N) | mg/L | | | 0.005 | 0.265 | 0.068 | 0.049 | <0.10 | 0.137 | 0.085 | <0.050 | 0.265 | 0.265 | | | | | | |
| pH | units | | 7.2 | 7.2 | 8.0 | 7.7 | 7.7 | 7.6 | 7.8 | 7.6 | 7.3 | 8.0 | 8.0 | | | | | | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.0018 | 0.1 | 0.05 | 0.03 | <0.080 | <0.0040 | 0.085 | <0.020 | 0.0018 | 0.0018 | | | | | | |
| Total Ammonia-N | mg/L | 2944 | 800 | 11.1 | 857 | 469 | 336 | 354 | 11.1 | 416 | 349 | 94.9 | 94.9 | | | | | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.002 | 0.01 | 0.006 | 0.005 | <0.005 | 0.002 | <0.01 | <0.005 | 0.003 | 0.003 | | | | | | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.049 | 0.29 | 0.18 | 0.16 | 0.11 | 0.05 | 0.2 | 0.24 | 0.063 | 0.063 | | | | | | |
| Total BOD | mg/L | 27600 | 1750 | 5 | 200 | 77 | 51 | 43 | 5 | 49 | 37 | 7 | 7 | | | | | | |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 70 | 28.1 | 17.0 | 7.4 | 1.3 | 23 | 18 | 3.1 | 3.1 | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.00005 | 0.0005 | 0.00021 | 0.00014 | <0.0005 | <0.0001 | <0.001 | <0.0005 | <0.0001 | <0.0001 | | | | | | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 76 | 150 | 108 | 106 | 95 | 76 | 120 | 150 | 80 | 80 | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 63 | 1400 | 734 | 567 | 480 | 63 | 570 | 450 | 160 | 160 | | | | | | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.006 | 1.6 | 0.61 | 0.25 | 0.11 | 0.01 | 0.19 | 0.12 | 0.015 | 0.015 | | | | | | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.001 | 0.01 | 0.006 | 0.005 | <0.01 | 0.006 | <0.02 | <0.01 | 0.006 | 0.006 | | | | | | |
| Total Dissolved Solids | mg/L | 5200 | 525 | 9960 | 5176 | 4013 | 3050 | 525 | 4870 | 3560 | 1030 | 1030 | 1030 | | | | | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 22 | 54 | 10 | 6 | 4.5 | 2.2 | 13 | 54 | 5.1 | 5.1 | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 11 | 930 | 502 | 351 | 330 | 11 | 420 | 340 | 96 | 96 | | | | | | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0011 | 0.064 | 0.0101 | 0.0054 | <0.003 | 0.0011 | 0.019 | 0.006 | 0.0026 | 0.0026 | | | | | | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 22 | 390 | 222 | 177 | 140 | 22 | 200 | 170 | 54 | 54 | | | | | | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.053 | 0.37 | 0.23 | 0.20 | 0.110 | 0.053 | 0.18 | 0.29 | 0.11 | 0.11 | | | | | | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.011 | 1.1 | 0.48 | 0.27 | 0.130 | 0.011 | 0.280 | 0.180 | 0.038 | 0.038 | | | | | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.24 | 5.8 | 2.1 | 1.5 | 0.97 | 0.24 | 1.00 | 1.20 | 0.36 | 0.36 | | | | | | |
| Total Potassium (K) | mg/L | 2852 | 300 | 12 | 620 | 328 | 243 | 260 | 12 | 220 | 210 | 74 | 74 | | | | | | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 57 | 2100 | 1122 | 822 | 640 | 57 | 1100 | 930 | 220 | 220 | | | | | | |
| Total Suspended Solids | mg/L | | 150 | 12 | 270 | 73 | 44 | 41 | 52 | 88 | 270 | 230 | 230 | | | | | | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.01 | 0.1 | 0.04 | 0.03 | <0.05 | 0.01 | <0.10 | <0.05 | 0.02 | 0.02 | | | | | | |
| Un-ionized Ammonia | mg/L | | | 0.028 | 29 | 5.53 | 2.19 | 1.10 | 0.03 | 0.92 | 0.69 | 4.7 | 4.7 | | | | | | |
| Ion Percentage | mg/L | | | 3.75 | 15.98 | 9.50 | 8.43 | 16.0 | 3.8 | 14.1 | 13.9 | 3.9 | 3.9 | | | | | | |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *ibolics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 |
|------------------------------------|---------|---|--|---------|-------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | (South Fill Area) | (South Fill Area) | | | | | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) |
| Date | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 23-May-08 | 20-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 | 30-May-16 | 26-May-17 |
| Laboratory | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 160 | 18300 | 5555 | 1637 | 18300 | 189 | 160 | 186 | 270 | 850 | 17000 | 240 | 16000 | 13000 |
| Conductivity | umho/cm | | | 501 | 31100 | 10060 | 3897 | 31100 | 640 | 501 | 653 | 950 | 2400 | 30000 | 660 | 27000 | 23000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 11 | 850 | 269 | 118 | 850 | 22 | 11 | 21 | 34 | 110 | 700 | 18 | 600 | 540 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 8.3 | 1480 | 297 | 86 | 1480.0 | 70.3 | 8.9 | 12.0 | 12.2 | 94.0 | 64.0 | 8.3 | 1100.0 | 810 |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 10 | 230 | 107 | 68 | 70 | 97 | 78 | 110 | 170 | 230 | 70 | 72 | 70 | 20 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.015 | 0.00121 | 0.0013 | <0.03 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00015 | <0.00010 | <0.002 | <0.0001 |
| Nitrate (N) | mg/L | | | 0.05 | 1.44 | 0.56 | 0.43 | <1.0 | 0.6 | 0.1 | 0.5 | 0.74 | <0.10 | <1.0 | 1.44 | <1.0 | <1.0 |
| Nitrite (N) | mg/L | | | 0.005 | 0.51 | 0.109 | 0.056 | 0.10 | 0.37 | 0.03 | 0.04 | 0.51 | <0.010 | <0.10 | 0.03 | <0.10 | <0.10 |
| pH | units | | 7.2 | 7.6 | 8.2 | 7.9 | 7.9 | 7.80 | 7.60 | 8.00 | 7.99 | 8.01 | 8.05 | 7.81 | 8.24 | 7.78 | 7.8 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.0005 | 0.6 | 0.11 | 0.02 | 0.60 | 0.03 | <0.001 | <0.001 | 0.0012 | 0.024 | 0.35 | 0.001 | 0.37 | <0.20 |
| Total Ammonia-N | mg/L | 2944 | 800 | 8 | 3540 | 899 | 187 | 2860.0 | 13.7 | 8.0 | 11.5 | 29.0 | 164.0 | 3540.0 | 13.5 | 2550.0 | 1720 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.0005 | 0.16 | 0.029 | 0.008 | 0.110 | 0.002 | 0.001 | 0.001 | 0.002 | 0.006 | 0.160 | <0.001 | <0.1 | 0.04 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.01 | 0.71 | 0.16 | 0.08 | 0.350 | 0.027 | 0.037 | 0.023 | 0.038 | 0.066 | 0.710 | 0.010 | <0.5 | 0.31 |
| Total BOD | mg/L | 27600 | 1750 | 1 | 1800 | 402 | 52 | 1800 | 59 | <2 | <2 | 22 | 120 | 1500 | <2.0 | 1300 | 720 |
| Total Boron (B) | mg/L | 7.13 | 50 | 0.67 | 560 | 107.5 | 19.3 | 260.0 | 0.9 | 0.7 | 1.0 | 2.1 | 12.0 | 560.0 | 1.1 | 290.0 | 210 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.00005 | 0.005 | 0.00005 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.01 | <0.0005 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 19 | 110 | 66 | 60 | 19 | 61 | 56 | 65 | 79 | 80 | 58 | 62 | 31 | 40 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 20 | 4400 | 1106 | 273 | 4400 | 34 | 33 | 41 | 33 | 310 | 3700 | 20 | 3600 | 1900 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.0025 | 0.51 | 0.10 | 0.02 | 0.290 | <0.005 | 0.006 | <0.005 | <0.005 | 0.014 | 0.510 | <0.005 | <0.5 | 0.18 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.001 | 0.1 | 0.016 | 0.007 | 0.030 | 0.003 | 0.004 | 0.004 | <0.002 | 0.004 | <0.1 | 0.003 | <0.2 | <0.01 |
| Total Dissolved Solids | mg/L | | 5200 | 334 | 20000 | 4485 | 1861 | 20000 | 412 | 334 | 416 | 494 | 1150 | 11600 | 360 | 10900 | 8740 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 0.14 | 5 | 2 | 1 | 1.0 | 1.7 | 3.3 | 2.3 | 3.3 | 1.9 | <1.0 | 0.1 | <10.0 | <0.5 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 11 | 3500 | 965 | 199 | 3500 | 14 | 11 | 12 | 33 | 160 | 3500 | 16 | 2500 | 2200 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0025 | 0.028 | 0.006 | 0.002 | 0.0280 | 0.0013 | 0.0015 | 0.0011 | 0.0007 | 0.0013 | 0.0200 | <0.0005 | <0.05 | 0.006 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 19 | 450 | 109 | 67 | 220 | 21 | 19 | 22 | 28 | 40 | 450 | 21 | 220 | 170 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.005 | 0.33 | 0.12 | 0.07 | 0.030 | 0.089 | 0.036 | 0.030 | 0.073 | 0.080 | 0.050 | 0.005 | <0.2 | 0.03 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.002 | 0.46 | 0.10 | 0.03 | 0.300 | 0.004 | 0.005 | 0.005 | 0.004 | 0.017 | 0.460 | 0.002 | 0.200 | 0.17 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.12 | 7.8 | 2.0 | 0.8 | 4.30 | 0.12 | <0.3 | 0.17 | 0.18 | <0.6 | 7.80 | 0.94 | 5.40 | 4.50 |
| Total Potassium (K) | mg/L | 2852 | 300 | 6.7 | 1100 | 218 | 63 | 540.0 | 7.9 | 7.0 | 6.7 | 14.0 | 31.0 | 1100.0 | 7.0 | 540.0 | 400 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 19 | 6300 | 1254 | 306 | 3200 | 26 | 19 | 28 | 48 | 200 | 6300 | 25 | 3100 | 2400 |
| Total Suspended Solids | mg/L | 150 | 3 | 66 | 23 | 18 | 66 | 66 | 22 | 25 | 18 | 30 | 21 | 3 | 6 | 18 | 18 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.005 | 0.5 | 0.06 | 0.02 | 0.10 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.1 | <0.01 | <1 | <0.05 |
| Un-ionized Ammonia | mg/L | | | 0.09 | 220 | 35.42 | 4.56 | 110.00 | 0.41 | 0.23 | 0.09 | 0.22 | 3.40 | 220.00 | 0.62 | 77.00 | 45 |
| Ion Percentage | mg/L | | | 0.96 | 29.99 | 14.23 | 9.74 | 30.0 | 3.6 | 8.6 | 4.5 | 1.0 | 12.6 | 7.5 | 1.9 | 24.1 | 26.6 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | MH18 | MH18 | MH18 | MH18 | MH18 | | | | | | |
|------------------------------------|---------|---|--|---------|-------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|--|--|--|--|--|--|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | | | | | | |
| | | | | | | | | 11-May-18 | 16-May-19 | 12-May-20 | 18-May-21 | 06-May-22 | | | | | | |
| Date | | | | | | | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 160 | 18300 | 5555 | 1637 | 6800 | 960 | 3700 | 5000 | 670 | | | | | | |
| Conductivity | umho/cm | | | 501 | 31100 | 10060 | 3897 | 13000 | 2600 | 7700 | 9000 | 1700 | | | | | | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 11 | 850 | 269 | 118 | 450 | 140 | 240 | 250 | 46 | | | | | | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 8.3 | 1480 | 297 | 86 | 290 | 70 | 170 | 240 | 22 | | | | | | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 10 | 230 | 107 | 68 | 84 | 230 | 200 | 100 | 180 | | | | | | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.015 | 0.00121 | 0.00013 | <0.0001 | <0.0001 | <0.00010 | <0.0015 | <0.0002 | | | | | | |
| Nitrate (N) | mg/L | | | 0.05 | 1.44 | 0.56 | 0.43 | <2.0 | <0.10 | <0.50 | <0.50 | 1.80 | | | | | | |
| Nitrite (N) | mg/L | | | 0.005 | 0.51 | 0.109 | 0.056 | <0.20 | 0.031 | <0.050 | <0.050 | 0.223 | | | | | | |
| pH | units | | 7.2 | 7.6 | 8.2 | 7.9 | 7.9 | 7.8 | 8.0 | 8.0 | 8.1 | 8.2 | | | | | | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.0005 | 0.6 | 0.11 | 0.02 | <0.20 | <0.020 | 0.056 | 0.078 | 0.0016 | | | | | | |
| Total Ammonia-N | mg/L | 2944 | 800 | 8 | 3540 | 899 | 187 | 935 | 112 | 638 | 826 | 61.8 | | | | | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.0005 | 0.16 | 0.029 | 0.008 | 0.02 | <0.01 | 0.02 | 0.02 | 0.002 | | | | | | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.01 | 0.71 | 0.16 | 0.08 | 0.21 | 0.12 | 0.09 | 0.06 | 0.042 | | | | | | |
| Total BOD | mg/L | 27600 | 1750 | 1 | 1800 | 402 | 52 | 190 | 6 | 130 | 180 | 6 | | | | | | |
| Total Boron (B) | mg/L | 7.13 | 50 | 0.67 | 560 | 107.5 | 19.3 | 97 | 34 | 61 | 75 | 8.1 | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.00005 | 0.005 | 0.0005 | 0.0001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.0001 | | | | | | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 19 | 110 | 66 | 60 | 100 | 110 | 75 | 44 | 110 | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 20 | 4400 | 1106 | 273 | 930 | 130 | 650 | 750 | 57 | | | | | | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.0025 | 0.51 | 0.10 | 0.02 | 0.09 | <0.05 | 0.06 | 0.06 | 0.005 | | | | | | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.001 | 0.1 | 0.016 | 0.007 | <0.02 | <0.02 | <0.02 | <0.02 | <0.002 | | | | | | |
| Total Dissolved Solids | mg/L | | 5200 | 334 | 20000 | 4485 | 1861 | 4540 | 1280 | 3230 | 3070 | 745 | | | | | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 0.14 | 5 | 2 | 1 | 2.0 | 3.0 | 1.0 | <1 | 1.4 | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 11 | 3500 | 965 | 199 | 870 | 99 | 670 | 830 | 60 | | | | | | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.00025 | 0.028 | 0.006 | 0.002 | <0.005 | <0.005 | <0.005 | <0.005 | <0.0005 | | | | | | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 19 | 450 | 109 | 67 | 130 | 77 | 94 | 82 | 38 | | | | | | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.005 | 0.33 | 0.12 | 0.07 | 0.32 | 0.33 | 0.25 | 0.07 | 0.27 | | | | | | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.002 | 0.46 | 0.10 | 0.03 | 0.10 | 0.04 | 0.07 | 0.08 | 0.007 | | | | | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.12 | 7.8 | 2.0 | 0.8 | 2.80 | 0.31 | 1.70 | 1.7 | 0.2 | | | | | | |
| Total Potassium (K) | mg/L | 2852 | 300 | 6.7 | 1100 | 218 | 63 | 220 | 80 | 140 | 150 | 20 | | | | | | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 19 | 6300 | 1254 | 306 | 1200 | 450 | 810 | 900 | 100 | | | | | | |
| Total Suspended Solids | mg/L | | 150 | 3 | 66 | 23 | 18 | 24 | 57 | 12 | 13 | 11 | | | | | | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.005 | 0.5 | 0.06 | 0.02 | <0.1 | <0.1 | <0.1 | <0.1 | <0.01 | | | | | | |
| Un-ionized Ammonia | mg/L | | | 0.09 | 220 | 35.42 | 4.56 | 7 | 3 | 20 | 43 | 1.3 | | | | | | |
| Ion Percentage | mg/L | | | 0.96 | 29.99 | 14.23 | 9.74 | 25.6 | 15.9 | 16.8 | 26.7 | 8.0 | | | | | | |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *Italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp |
|------------------------------------|---------|---|--|---------|--------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 23-May-08 | 21-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 | 30-May-16 | 26-May-17 |
| Laboratory | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 1300 | 4520 | 3085 | 2932 | 4100 | 4520 | 2930 | 4330 | 4100 | 3400 | 3000 | 2300 | 2300 | 3400 |
| Conductivity | umho/cm | | | 3600 | 10800 | 7809 | 7451 | 10400 | 10800 | 8730 | 10800 | 10000 | 8900 | 7100 | 6400 | 6000 | 8000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 250 | 1000 | 675 | 621 | 1000 | 980 | 850 | 960 | 1000 | 720 | 580 | 440 | 470 | 680 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 64 | 935 | 295 | 215 | 793 | 935 | 305 | 467 | 268 | 440 | 180 | 150 | 110 | 190 |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 53 | 410 | 189 | 166 | 292 | 700 | 410 | 190 | 260 | 150 | 120 | 130 | 280 | 53 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0001 | 0.00006 | 0.00005 | <0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.0001 | <0.0001 |
| Nitrate (N) | mg/L | | | 0.05 | 6.7 | 1.28 | 0.66 | <0.1 | <1 | <1 | <1 | <2.0 | <1.0 | <0.5 | 2.9 | 6.7 | <1.0 |
| Nitrite (N) | mg/L | | | 0.005 | 1.73 | 0.289 | 0.115 | <0.1 | <0.1 | <0.1 | <0.1 | <0.20 | <0.10 | <0.05 | 1.73 | 0.44 | 0.100 |
| pH | units | | 7.2 | 7.6 | 7.9 | 7.7 | 7.7 | 7.70 | 7.60 | 7.80 | 7.71 | 7.83 | 7.62 | 7.77 | 7.87 | 7.59 | 7.7 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.004 | 0.36 | 0.11 | 0.05 | 0.360 | 0.072 | 0.210 | 0.200 | 0.093 | 0.240 | 0.038 | 0.018 | <0.020 | <0.080 |
| Total Ammonia-N | mg/L | 2944 | 800 | 150 | 724 | 404 | 380 | 411 | 724 | 385 | 521 | 495 | 512 | 380 | 381 | 264 | 396 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.0025 | 0.018 | 0.009 | 0.014 | 0.014 | 0.017 | 0.011 | 0.010 | 0.010 | 0.012 | 0.008 | 0.008 | <0.005 | 0.006 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.098 | 0.26 | 0.20 | 0.19 | 0.19 | 0.19 | 0.23 | 0.22 | 0.25 | 0.26 | 0.24 | 0.19 | 0.17 | 0.20 |
| Total BOD | mg/L | 27600 | 1750 | 28 | 1700 | 329 | 129 | 1200 | 1700 | 330 | 480 | 120 | 600 | 130 | 63 | 35 | 76 |
| Total Boron (B) | mg/L | 7.13 | 50 | 3 | 15 | 7.8 | 7.1 | 6.4 | 7.7 | 6.6 | 8.2 | 15.0 | 14.0 | 6.9 | 5.5 | 6.2 | 7.9 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.00005 | 0.0018 | 0.00043 | 0.00025 | 0.0018 | 0.0014 | 0.0004 | <0.0005 | <0.001 | 0.0003 | 0.0001 | <0.0005 | <0.0005 | <0.0001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 110 | 380 | 207 | 191 | 380 | 370 | 360 | 230 | 200 | 220 | 190 | 140 | 160 | 110 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 180 | 2500 | 925 | 671 | 2400 | 2500 | 1100 | 1600 | 910 | 1700 | 570 | 460 | 340 | 550 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.013 | 0.21 | 0.06 | 0.04 | 0.070 | 0.100 | 0.059 | 0.070 | 0.050 | 0.057 | 0.040 | <0.03 | 0.039 | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.003 | 0.08 | 0.014 | 0.009 | 0.080 | 0.025 | 0.033 | 0.010 | <0.02 | 0.008 | <0.01 | <0.01 | 0.003 | |
| Total Dissolved Solids | mg/L | | 5200 | 1450 | 6930 | 3864 | 3469 | 6670 | 6930 | 5540 | 6420 | 4630 | 4140 | 3120 | 2590 | 2690 | 3280 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 2.4 | 33 | 12 | 8 | 27.0 | 26.0 | 33.0 | 17.0 | 8.0 | 19.0 | 7.4 | 3.2 | 3.5 | 2.4 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 140 | 810 | 426 | 394 | 530 | 810 | 400 | 550 | 490 | 580 | 410 | 410 | 250 | 460 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.001 | 0.02 | 0.006 | 0.004 | 0.0180 | 0.0083 | 0.0200 | 0.0050 | 0.0050 | 0.0060 | 0.0025 | 0.0040 | <0.003 | 0.001 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 95 | 400 | 224 | 204 | 310 | 350 | 340 | 320 | 400 | 240 | 200 | 150 | 170 | 180 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.2 | 3.3 | 0.93 | 0.62 | 3.30 | 2.50 | 2.30 | 1.10 | 0.74 | 0.74 | 0.35 | 0.32 | 0.31 | 0.20 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.25 | 0.13 | 0.11 | 0.240 | 0.210 | 0.180 | 0.220 | 0.250 | 0.120 | 0.110 | 0.087 | 0.064 | 0.110 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.5 | 5.2 | 1.6 | 1.4 | 1.0 | 5.2 | 2.5 | 2.3 | 1.5 | 2.2 | 1.2 | 1.5 | <1.5 | 1.20 |
| Total Potassium (K) | mg/L | 2852 | 300 | 68 | 390 | 222 | 198 | 320 | 340 | 250 | 350 | 390 | 260 | 220 | 180 | 150 | 210 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 1400 | 709 | 639 | 960 | 1000 | 830 | 1100 | 1400 | 740 | 700 | 490 | 460 | 660 |
| Total Suspended Solids | mg/L | | 150 | 8 | 830 | 104 | 46 | 86 | 78 | 830 | 21 | 8 | 18 | 86 | 46 | 26 | 17 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.02 | 17 | 1.4 | 0.1 | 17.00 | 2.40 | 0.37 | 0.88 | 0.20 | 0.27 | 0.07 | 0.10 | 0.07 | 0.03 |
| Un-ionized Ammonia | mg/L | | | 0.55 | 8.9 | 4.08 | 3.13 | 5.5 | 5.4 | 6.1 | 2.9 | 6.1 | 6.0 | 8.9 | 7.6 | 1.9 | 2.20 |
| Ion Percentage | mg/L | | | 1.4 | 24.57 | 8.63 | 6.67 | 2.9 | 1.4 | 5.2 | 3.1 | 6.6 | 5.7 | 3.9 | 7.0 | 10.0 | 15.9 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | | | | | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | | | | | |
|------------------------------------|---------|---|--|---------|--------|-----------------|---------|-----------|-----------|----------------|----------------|----------------|--|--|--|--|--|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | Min | Max | Arithmetic Mean | Geomean | 11-May-18 | 16-May-19 | 12-May-20 | 18-May-21 | 06-May-22 | | | | | |
| | | | | | | | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 1300 | 4520 | 3085 | 2932 | 2800 | 1300 | 3200 | 2900 | 1700 | | | | | |
| Conductivity | umho/cm | | | 3600 | 10800 | 7809 | 7451 | 6800 | 3600 | 9100 | 6300 | 4200 | | | | | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 250 | 1000 | 675 | 621 | 450 | 250 | 850 | 590 | 300 | | | | | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 64 | 935 | 295 | 215 | 140 | 64 | 200 | 110 | 70 | | | | | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 53 | 410 | 189 | 166 | 230 | 220 | 93 | 190 | 110 | | | | | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0001 | 0.00006 | 0.00005 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.0002 | | | | | |
| Nitrate (N) | mg/L | | | 0.05 | 6.7 | 1.28 | 0.66 | <1.0 | 1.55 | 2.54 | 0.13 | 1.12 | | | | | |
| Nitrite (N) | mg/L | | | 0.005 | 1.73 | 0.289 | 0.115 | 0.240 | 0.163 | 0.422 | 0.095 | 0.821 | | | | | |
| pH | units | | 7.2 | 7.6 | 7.9 | 7.7 | 7.7 | 7.6 | 7.7 | 7.8 | 7.6 | 7.8 | | | | | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.004 | 0.36 | 0.11 | 0.05 | <0.080 | <0.0080 | <0.040 | <0.020 | 0.042 | | | | | |
| Total Ammonia-N | mg/L | 2944 | 800 | 150 | 724 | 404 | 380 | 412 | 150 | 495 | 302 | 233 | | | | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.0025 | 0.018 | 0.009 | 0.008 | <0.005 | 0.003 | <0.01 | 0.018 | 0.005 | | | | | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.098 | 0.26 | 0.20 | 0.19 | 0.17 | 0.10 | 0.22 | 0.22 | 0.11 | | | | | |
| Total BOD | mg/L | 27600 | 1750 | 28 | 1700 | 329 | 129 | 38 | 38 | 62 | 38 | 28 | | | | | |
| Total Boron (B) | mg/L | 7.13 | 50 | 3 | 15 | 7.8 | 7.1 | 5.0 | 3.0 | 12 | 8.6 | 3.4 | | | | | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.00005 | 0.0018 | 0.00043 | 0.00025 | <0.0005 | <0.0001 | <0.001 | <0.0005 | <0.0001 | | | | | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 110 | 380 | 207 | 191 | 140 | 140 | 150 | 180 | 130 | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 180 | 2500 | 925 | 671 | 430 | 180 | 610 | 330 | 200 | | | | | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.013 | 0.21 | 0.06 | 0.04 | 0.030 | 0.013 | 0.21 | 0.05 | 0.019 | | | | | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.003 | 0.08 | 0.014 | 0.009 | <0.01 | 0.004 | <0.02 | 0.01 | 0.003 | | | | | |
| Total Dissolved Solids | mg/L | | 5200 | 1450 | 6930 | 3864 | 3469 | 2530 | 1630 | 3940 | 2400 | 1450 | | | | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 2.4 | 33 | 12 | 8 | 2.5 | 2.5 | 8.0 | 11 | 3.4 | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 140 | 810 | 426 | 394 | 350 | 140 | 470 | 300 | 240 | | | | | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.001 | 0.02 | 0.006 | 0.004 | <0.003 | 0.001 | 0.009 | 0.005 | 0.0013 | | | | | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 95 | 400 | 224 | 204 | 120 | 110 | 200 | 170 | 95 | | | | | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.2 | 3.3 | 0.93 | 0.62 | 0.63 | 0.30 | 0.42 | 0.46 | 0.26 | | | | | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.25 | 0.13 | 0.11 | 0.078 | 0.029 | 0.16 | 0.089 | 0.03 | | | | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.5 | 5.2 | 1.6 | 1.4 | 0.87 | 0.50 | 1.80 | 1.2 | 0.63 | | | | | |
| Total Potassium (K) | mg/L | 2852 | 300 | 68 | 390 | 222 | 198 | 140 | 75 | 220 | 150 | 68 | | | | | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 1400 | 709 | 639 | 400 | 270 | 820 | 540 | 270 | | | | | |
| Total Suspended Solids | mg/L | | 150 | 8 | 830 | 104 | 46 | 20 | 23 | 77 | 180 | 46 | | | | | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.02 | 17 | 1.4 | 0.1 | <0.05 | 0.02 | <0.1 | <0.05 | 0.03 | | | | | |
| Un-ionized Ammonia | mg/L | | | 0.55 | 8.9 | 4.08 | 3.13 | 1.30 | 0.55 | 4 | 1.9 | 0.9 | | | | | |
| Ion Percentage | mg/L | | | 1.4 | 24.57 | 8.63 | 6.67 | 24.6 | 4.6 | 8.5 | 14.4 | 15.6 | | | | | |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-----------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 02-Mar-10 | 31-May-10 | 21-Sep-10 | 19-Nov-10 | 28-Feb-11 | 10-May-11 | 10-Aug-11 | 09-Nov-11 | 01-Mar-12 | 15-May-12 |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | 1820 | | 3090 | | 5460 | | 3360 | | 5500 |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | 4390 | | 7220 | | 13000 | | 8020 | | 15000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | 330 | | 510 | | 1300 | | 750 | | 1800 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 308 | 958 | 547 | 2430 | 3110 | 3020 | 1250 | 762 | 634 | 468 |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | <20 | | <50 | | 25 | | 10 | | <20 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | <0.0001 | | <0.0001 | | <0.0001 | | <0.0001 | | <0.00010 |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | <0.1 | | <0.1 | | <1 | | <1 | | <1.0 |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | 0.03 | | 0.02 | | <0.1 | | <0.1 | | <0.10 |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.00 | 7.50 | 7.30 | 7.37 | 7.60 | 7.44 | 7.38 | 7.34 | 7.53 | 7.74 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | 0.80 | | 1.00 | | 3.90 | | 1.31 | | 0.55 |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | 57 | | 128 | | 489 | | 368 | | 663 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | 0.006 | | 0.012 | | 0.032 | | 0.022 | | 0.044 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | 0.25 | | 0.60 | | 0.51 | | 0.25 | | 0.27 |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 370 | 920 | 650 | 3800 | 1600 | 3800 | 2400 | 1100 | 460 | 350 |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | 1.3 | | 1.3 | | 4.8 | | 3.3 | | 7.7 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | 0.0001 | | 0.0002 | | 0.0005 | | 0.0002 | | 0.0008 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | 530 | | 1000 | | 1000 | | 460 | | 180 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | 2600 | | 14000 | | 12000 | | 2400 | | 1900 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | 0.048 | | 0.036 | | 0.190 | | 0.190 | | 0.14 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | 0.005 | | 0.008 | | <0.01 | | 0.010 | | 0.020 |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | 2720 | | 4010 | | 7410 | | 4540 | | 7170 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | 9.5 | | 12.0 | | 5.7 | | 4.2 | | 2.8 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 26 | 66 | 70 | 140 | 400 | 580 | 330 | 330 | 520 | 700 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | 0.0013 | | 0.0020 | | <0.003 | | 0.0022 | | 0.0030 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | 200 | | 250 | | 460 | | 230 | | 490 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | 3.3 | | 8.1 | | 4.8 | | 1.5 | | 0.19 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | 0.029 | | 0.074 | | 0.190 | | 0.110 | | 0.28 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 0.79 | 2.70 | 1.10 | 7.00 | 6.00 | 5.50 | 2.50 | 2.40 | 4.60 | 4.0 |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | 81 | | 150 | | 500 | | 270 | | 590 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | 270 | | 410 | | 1200 | | 670 | | 1600 |
| Total Suspended Solids | mg/L | | 150 | 13 | 420 | 85 | 73 | | 56 | | 76 | | 67 | | 39 | | 56 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | 0.14 | | 0.16 | | 0.24 | | 0.15 | | 0.36 |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | 0.07 | | 0.17 | | 5.80 | | 1.50 | | 6.7 |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | 19.0 | | 17.8 | | 10.1 | | 1.8 | | 1.9 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 01-Aug-12 | 05-Nov-12 | 22-Feb-13 | 13-May-13 | 21-Aug-13 | 13-Nov-13 | 11-Mar-14 | 05-May-14 | 28-Jul-14 | 19-Nov-14 |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | 6500 | | 6500 | | 6500 | | 4900 | | 5300 |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | 2000 | | 15000 | | 18000 | | 13000 | | 16000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | 1600 | | 1900 | | 2400 | | 1300 | | 1900 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 234 | 1070 | 460 | 450 | 550 | 530 | 2200 | 3000 | 3700 | 1900 |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | 88 | | 10 | | 10 | | 25 | | 20 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | <0.00010 | | <0.00010 | | <0.00010 | | <0.00010 | | <0.00010 |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | 2.0 | | <1.0 | | <1.0 | | <2.0 | | <1.0 |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | <0.20 | | <0.10 | | <0.20 | | <0.20 | | 0.13 |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.45 | 7.67 | 7.50 | 7.80 | 7.76 | 7.94 | 7.28 | 7.70 | 7.53 | 7.70 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | 0.81 | | 0.13 | | 0.19 | | 1.00 | | 1.10 |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | 715 | | 859 | | 924 | | 676 | | 772 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | 0.040 | | 0.040 | | 0.046 | | 0.050 | | 0.05 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | 0.37 | | 0.22 | | 0.31 | | 0.75 | | 0.28 |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 460 | 1600 | 480 | 200 | 200 | 120 | 5200 | 5500 | 7500 | 3300 |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | 6.5 | | 6.5 | | 8.3 | | 9.7 | | 9.6 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | 0.0002 | | <0.001 | | <0.0005 | | <0.001 | | <0.001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | 300 | | 110 | | 79 | | 1400 | | 480 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | 4900 | | 1600 | | 1800 | | 12000 | | 5800 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | 0.18 | | 0.15 | | 0.20 | | 0.45 | | 0.29 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | 0.013 | | <0.02 | | <0.01 | | 0.030 | | <0.02 |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | 7860 | | 7280 | | 8460 | | 8430 | | 8620 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | 5.2 | | 2.2 | | 2.0 | | 120.0 | | 14 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 300 | 760 | 730 | 1000 | 1000 | 1100 | 660 | 770 | 1000 | 1000 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | 0.0023 | | <0.005 | | <0.003 | | 0.0090 | | <0.005 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | 420 | | 390 | | 370 | | 530 | | 250 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | 0.71 | | 0.10 | | 0.10 | | 14.00 | | 3.4 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | 0.33 | | 0.32 | | 0.34 | | 0.79 | | 0.34 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 1.8 | 5.2 | 3.3 | 3.3 | 5.7 | 4.8 | 10.0 | 23.0 | 9.5 | 7.6 |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | 520 | | 620 | | 670 | | 760 | | 590 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | 1700 | | 1600 | | 1800 | | 2000 | | 1600 |
| Total Suspended Solids | mg/L | | 150 | 13 | 420 | 85 | 73 | | 27 | | 22 | | 13 | | 360 | | 190 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | 0.20 | | 0.20 | | 0.15 | | 3.60 | | 0.60 |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | 5.1 | | 6.6 | | 25.0 | | 19.0 | | 9.5 |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | 5.1 | | 12.5 | | 14.1 | | 31.1 | | 3.7 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 05-Mar-15 | 27-May-15 | 30-Jul-15 | 18-Nov-15 | 15-Mar-16 | 30-May-16 | 25-Jul-16 | 03-Nov-16 | 27-Mar-17 | 30-May-17 |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | 7700 | | 7000 | | 8100 | | 6100 | | 8200 |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | 20000 | | 19000 | | 18000 | | 14000 | | 20000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | 2300 | | 2200 | | 1900 | | 1400 | | 2300 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 1800 | 4500 | 4400 | 1000 | 2000 | 2000 | 830 | 1000 | 480 | 710 |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | 50 | | 50 | | 70 | | 25 | | 50 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | <0.0020 | | <0.00010 | | <0.0002 | | <0.0002 | | <0.0002 |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | <5.0 | | <5.0 | | <2.0 | | <1.0 | | <5.0 |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | <0.50 | | <0.50 | | <0.10 | | <0.10 | | <0.50 |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.41 | 7.87 | 7.61 | 7.42 | 7.73 | 7.71 | 7.60 | 7.80 | 7.74 | 8.03 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | 2.40 | | 1.50 | | 1.92 | | 0.660 | | 0.233 |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | 1130 | | 1130 | | 939 | | 821 | | 1150 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | 0.05 | | 0.06 | | 0.05 | | 0.048 | | 0.080 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | 0.37 | | 0.31 | | 0.33 | | 0.27 | | 0.44 |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 3700 | 7600 | 8200 | 6300 | 3600 | 3900 | 960 | 1600 | 440 | 350 |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | 11.0 | | 11.0 | | 10.0 | | 6.7 | | 11.0 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | <0.001 | | <0.0005 | | <0.001 | | <0.0005 | | <0.001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | 960 | | 800 | | 480 | | 270 | | 110 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | 14000 | | 9400 | | 7000 | | 3400 | | 2500 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | 0.37 | | 0.35 | | 0.28 | | 0.19 | | 0.33 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | 0.12 | | <0.02 | | 0.05 | | 0.04 | | 0.35 |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | 13600 | | 12000 | | 10700 | | 7030 | | 8580 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | 25 | | 28 | | 12 | | 7.1 | | 4.0 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 920 | 1200 | 1400 | 1200 | 840 | 1000 | 1000 | 1200 | 1000 | 1200 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | 0.006 | | <0.003 | | <0.005 | | <0.003 | | 0.009 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | 380 | | 380 | | 380 | | 300 | | 340 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | 7.8 | | 5.6 | | 3.0 | | 1.10 | | 0.18 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | 0.45 | | 0.45 | | 0.38 | | 0.27 | | 0.39 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 7.5 | 10.0 | 11.0 | 7.4 | 5.0 | 5.8 | 6.5 | 4.0 | 5.9 | 8.1 |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | 680 | | 700 | | 630 | | 460 | | 630 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | 1900 | | 1800 | | 1800 | | 1300 | | 2000 |
| Total Suspended Solids | mg/L | | 150 | 13 | 420 | 85 | 73 | | 110 | | 420 | | 240 | | 56 | | 70 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | 0.80 | | 0.41 | | 0.30 | | 0.21 | | 0.40 |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | 26.0 | | 13.0 | | 10.0 | | 11.0 | | 21.0 |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | 2.8 | | 2.3 | | 10.0 | | 12.9 | | 18.3 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 10-Aug-17 | 20-Oct-17 | 22-Mar-18 | 28-May-18 | 17-Aug-18 | 08-Nov-18 | 08-Jan-19 | 11-Apr-19 | 23-Jul-19 | 07-Nov-19 |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | 5100 | | 7900 | | 6200 | | 9900 | | 3900 |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | 12000 | | 19000 | | 14000 | | 21000 | | 10000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | 1400 | | 2600 | | 1500 | | 2600 | | 1200 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 880 | 530 | 290 | 820 | 1000 | 650 | 670 | 890 | 1000 | 550 |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | 38 | | <20 | | 60 | | 72 | | 220 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | <0.0002 | | <0.0004 | | <0.0002 | | <0.0002 | | <0.0002 |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | <0.10 | | <2.0 | | <1.0 | | <5.0 | | 0.061 |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | 0.039 | | <0.20 | | <0.10 | | <0.50 | | <0.10 |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.78 | 7.84 | 7.92 | 7.81 | 8.04 | 7.94 | 7.88 | 7.86 | 7.99 | 7.47 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | 0.790 | | 0.110 | | 0.430 | | 0.240 | | 0.077 |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | 700 | | 1300 | | 970 | | 1200 | | 620 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | 0.540 | | 0.100 | | 0.062 | | 0.11 | | 0.07 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | 0.29 | | 0.46 | | 0.23 | | 0.32 | | 0.28 |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 410 | 540 | 170 | 240 | 610 | 620 | 220 | 330 | 210 | 520 |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | 14.0 | | 18.0 | | 14.0 | | 12.0 | | 6.8 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | <0.0005 | | <0.001 | | <0.0005 | | <0.0005 | | <0.001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | 140 | | 96 | | 96 | | 91 | | 280 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | 1700 | | 2300 | | 1900 | | 2800 | | 1200 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | 0.20 | | 0.45 | | 0.24 | | 0.45 | | 0.26 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | 0.06 | | 0.05 | | 0.08 | | 0.12 | | 0.07 |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | 5300 | | 6850 | | 6300 | | 8410 | | 5010 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | 5.6 | | 4.0 | | 3.0 | | 4.2 | | 5.0 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 1400 | 630 | 970 | 1300 | 1400 | 980 | 1300 | 1400 | 1800 | 600 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | 0.003 | | <0.005 | | 0.007 | | 0.007 | | 0.006 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | 180 | | 200 | | 200 | | 230 | | 140 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | 0.26 | | 0.18 | | 0.24 | | 0.22 | | 1.70 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | 0.19 | | 0.37 | | 0.23 | | 0.31 | | 0.23 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 10.0 | 4.7 | 5.1 | 8.4 | 7.2 | 3.7 | 0.1 | 8.9 | 11.0 | 4.0 |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | 340 | | 680 | | 460 | | 670 | | 380 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | 1100 | | 2200 | | 1400 | | 2000 | | 1100 |
| Total Suspended Solids | mg/L | | 150 | 13 | 420 | 85 | 73 | | 83 | | 100 | | 47 | | 120 | | 70 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | 0.13 | | 0.20 | | 0.55 | | 0.31 | | 0.30 |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | 7.7 | | 28.0 | | 19.0 | | 24.0 | | 4.2 |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | 21.9 | | 17.3 | | 20.5 | | 29.4 | | 9.8 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 22-Jan-20 | 12-May-20 | 11-Aug-20 | 11-Nov-20 | 12-Jan-21 | 19-May-21 | 11-Aug-21 | 04-Nov-21 | 19-Jan-22 | 24-May-22 |
| Date | | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | 9300 | | 4600 | | 10000 | | 6400 | | 9000 |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | 26000 | | 12000 | | 21000 | | 13000 | | 19000 |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | 3400 | | 1300 | | 2200 | | 970 | | 2000 |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 1200 | 1500 | 1500 | 540 | 750 | 800 | 850 | 760 | 580 | 760 |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | 25 | | 10 | | 10 | | 25 | | 25 |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | <0.0002 | | <0.0002 | | <0.003 | | <0.0002 | | <0.0002 |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | <1.0 | | <1.0 | | <1.0 | | <0.50 | | <1.0 |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | 0.12 | | <0.10 | | <0.10 | | <0.050 | | 0.11 |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.60 | 7.90 | 7.98 | 8.07 | 7.5 | 7.8 | 7.84 | 7.70 | 7.63 | 7.86 |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | 1.000 | | 0.11 | | 0.26 | | 0.87 | | 0.08 |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | 2000 | | 830 | | 1800 | | 705 | | 666 |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | 0.16 | | 0.08 | | 0.12 | | 0.077 | | 0.14 |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | 0.41 | | 0.21 | | 0.38 | | 0.36 | | 0.42 |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 1500 | 1200 | 1300 | 230 | 510 | 410 | 240 | 790 | 170 | 170 |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | 18.0 | | 7.8 | | 24 | | 8.2 | | 28 |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | <0.001 | | <0.001 | | <0.0005 | | <0.0005 | | <0.001 |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | 150 | | 85 | | 89 | | 210 | | 82 |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | 4600 | | 1400 | | 2600 | | 2300 | | 250 |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | 0.76 | | 0.36 | | 0.53 | | 0.22 | | 0.46 |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | 0.08 | | <0.02 | | <0.01 | | 0.01 | | <0.02 |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | 11700 | | 4910 | | 8280 | | 6500 | | 7710 |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | 4.0 | | 2 | | 3.2 | | 1.6 | | 2 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 1000 | 2700 | 2700 | 940 | 1400 | 1500 | 1700 | 930 | 1400 | 2000 |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | 0.011 | | <0.005 | | 0.005 | | 0.004 | | 0.005 |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | 280 | | 130 | | 280 | | 210 | | 250 |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | 0.55 | | 0.22 | | 0.17 | | 0.48 | | 0.16 |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | 0.46 | | 0.21 | | 0.35 | | 0.2 | | 0.3 |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 7.0 | 12.0 | 9.5 | 5.1 | 6.8 | 9.5 | 10 | 4.6 | 6.4 | 9.7 |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | 900 | | 390 | | 660 | | 400 | | 600 |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | 2700 | | 1200 | | 2000 | | 1100 | | 1800 |
| Total Suspended Solids | mg/L | 150 | 13 | 420 | 85 | 73 | | | 270 | | 29 | | 45 | | 44 | | 37 |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | 0.20 | | 0.1 | | 0.23 | | 0.34 | | 0.20 |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | 63.0 | | 40 | | 32 | | 5.6 | | 31 |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | 18.0 | | 18.0 | | 25.9 | | 20.7 | | 26.1 |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxim denotes Maxxim Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | Equalization Tank | Equalization Tank | | | | | | | | |
|--|---------|---|--|---------|--------|-----------------|---------|-------------------|-------------------|--|--|--|--|--|--|--|--|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 25-Jul-22 | 07-Nov-22 | | | | | | | | |
| Date | | | | | | | | Bureau Veritas | Bureau Veritas | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | | 4500 | 1820 | 10000 | 7158 | 5907 | | | | | | | | | | |
| Conductivity | umho/cm | | | 2000 | 26000 | 16750 | 13287 | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 330 | 3400 | 1906 | 1539 | | | | | | | | | | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 170 | 4500 | 775 | 929 | 170 | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | 483 | 200 | 10 | 220 | 48 | 24 | | | | | | | | | | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00023 | 0.00009 | | | | | | | | | | |
| Nitrate (N) | mg/L | | | 0.05 | 2.5 | 0.98 | 0.57 | | | | | | | | | | |
| Nitrite (N) | mg/L | | | 0.02 | 0.25 | 0.112 | 0.077 | | | | | | | | | | |
| pH | units | | 7.2 | 7.0 | 8.1 | 7.8 | 7.7 | 7.70 | | | | | | | | | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.076 | 3.9 | 0.38 | 0.51 | | | | | | | | | | |
| Total Ammonia-N | mg/L | 2944 | 800 | 57 | 2000 | 1077 | 728 | | | | | | | | | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.006 | 0.54 | 0.140 | 0.060 | | | | | | | | | | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.21 | 0.75 | 0.34 | 0.34 | | | | | | | | | | |
| Total BOD | mg/L | 27600 | 1750 | 46 | 8200 | 484 | 790 | 46 | | | | | | | | | |
| Total Boron (B) | mg/L | 7.13 | 50 | 1.3 | 28 | 14.3 | 8.5 | | | | | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0001 | 0.0025 | 0.00040 | 0.00038 | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 79 | 1400 | 136 | 243 | | | | | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 250 | 14000 | 2188 | 3162 | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.036 | 0.76 | 0.39 | 0.24 | | | | | | | | | | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.005 | 0.35 | 0.073 | 0.023 | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 5200 | 2720 | 13600 | 7093 | 7077 | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 1.6 | 120 | 4 | 6 | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 26 | 2700 | 1318 | 779 | 460 | | | | | | | | | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.0013 | 0.011 | 0.006 | 0.003 | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 130 | 530 | 224 | 278 | | | | | | | | | | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.1 | 14 | 0.46 | 0.79 | | | | | | | | | | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.029 | 0.79 | 0.30 | 0.26 | | | | | | | | | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 0.13 | 23 | 7.0 | 5.2 | 2.1 | | | | | | | | | |
| Total Potassium (K) | mg/L | 2852 | 300 | 81 | 900 | 547 | 481 | | | | | | | | | | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 270 | 2700 | 1667 | 1385 | | | | | | | | | | |
| Total Suspended Solids | mg/L | | 150 | 13 | 420 | 85 | 73 | | | | | | | | | | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.1 | 3.6 | 0.3 | 0.3 | | | | | | | | | | |
| Un-ionized Ammonia | mg/L | | | 0.07 | 63 | 24.46 | 9.10 | | | | | | | | | | |
| Ion Percentage | mg/L | | | 1.78 | 31.06 | 20.00 | 11.34 | | | | | | | | | | |

- Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxim denotes Maxxim Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 |
|------------------------------------|---------|---|--|---------|--------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------------|----------------|-----|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 07-May-14 | 19-May-15 | 31-May-16 | 26-May-17 | 11-May-18 | 15-May-19 | 12-May-20 | 18-May-21 | 10-May-22 | |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 1600 | 11000 | 6084 | 6435 | 1600 | 4300 | 11000 | 6600 | 8600 | 8400 | 8300 | 7800 | 8100 | |
| Conductivity | umho/cm | | | 4800 | 25000 | 15261 | 17753 | 4800 | 11000 | 23000 | 19000 | 25000 | 25000 | 24000 | 23000 | 22000 | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 440 | 3500 | 1984 | 2210 | 440 | 1100 | 2800 | 2700 | 3000 | 3300 | 3500 | 3300 | 3000 | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 110 | 1000 | 987 | 647 | 590 | 110 | 730 | 630 | 930 | 1000 | 950 | 890 | 850 | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 10 | 310 | 68 | 67 | 10 | 160 | 10 | 100 | 310 | 150 | 50 | 50 | 150 | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00029 | 0.00019 | <0.00010 | <0.00010 | <0.002 | <0.0001 | <0.0001 | <0.0002 | <0.00010 | <0.0015 | <0.003 | |
| Nitrate (N) | mg/L | | | 0.25 | 11.7 | 1.44 | 1.18 | <0.50 | <1.0 | <2.0 | <5.0 | <2.0 | <1.0 | <2.0 | <1.0 | 11.7 | |
| Nitrite (N) | mg/L | | | 0.025 | 0.35 | 0.113 | 0.136 | <0.050 | 0.16 | <0.20 | <0.50 | <0.50 | <0.20 | 0.18 | <0.20 | 0.35 | |
| pH | pH | | 7.2 | 7.5 | 8.1 | 7.6 | 7.8 | 7.5 | 8.0 | 7.7 | 7.9 | 7.8 | 7.9 | 7.9 | 7.6 | 8.0 | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.046 | 0.57 | 0.64 | 0.18 | 0.480 | 0.390 | 0.570 | <0.40 | <0.20 | <0.040 | <0.040 | 0.046 | 0.064 | |
| Total Ammonia-N | mg/L | 2944 | 800 | 379 | 1780 | 947 | 1187 | 559 | 379 | 1590 | 1240 | 1610 | 1520 | 1650 | 1780 | 1560 | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.04 | 3.1 | 0.533 | 0.596 | 0.04 | 1.30 | 0.94 | 0.39 | 0.49 | 0.32 | 1.6 | 0.64 | 3.1 | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.63 | 13 | 2.15 | 2.15 | 0.6 | 9.7 | 2.3 | 0.9 | 1.2 | 0.9 | 3.6 | 1.5 | 13 | |
| Total BOD | mg/L | 27600 | 1750 | 260 | 3800 | 1315 | 860 | 1800 | 840 | 760 | 260 | 560 | 390 | 1100 | 940 | 3800 | |
| Total Boron (B) | mg/L | 7.13 | 50 | 6 | 18 | 9.2 | 12.3 | 8 | 6 | 16 | 12 | 14 | 18 | 15 | 13 | 14 | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0005 | 0.031 | 0.0052 | 0.0045 | <0.001 | 0.028 | 0.007 | 0.002 | 0.002 | 0.002 | 0.010 | 0.003 | 0.031 | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 170 | 17000 | 1710 | 790 | 1100 | 17000 | 480 | 170 | 230 | 190 | 960 | 380 | 4900 | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 1700 | 9800 | 5676 | 5502 | 7700 | 1700 | 7300 | 9800 | 6100 | 5000 | 9400 | 4100 | 4200 | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.37 | 27 | 2.41 | 1.70 | 0.37 | 4.60 | 1.20 | 0.60 | 0.91 | 0.87 | 1.80 | 2.5 | 27 | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.03 | 3.8 | 0.48 | 0.30 | 0.03 | 3.80 | 0.33 | 0.10 | 0.18 | 0.08 | 0.64 | 0.23 | 2.7 | |
| Total Dissolved Solids | mg/L | | 5200 | 4080 | 11900 | 7583 | 8616 | 4080 | 9390 | 8600 | 9030 | 11800 | 11900 | 8920 | 8150 | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 100 | 4200 | 645 | 563 | 100 | 4200 | 1200 | 310 | 330 | 130 | 1000 | 250 | 3400 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 440 | 2500 | 870 | 1375 | 650 | 440 | 1700 | 1400 | 1600 | 1400 | 2100 | 2200 | 2500 | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.007 | 2 | 0.21 | 0.12 | 0.007 | 2.000 | 0.180 | 0.044 | 0.072 | 0.035 | 0.280 | 0.091 | 0.91 | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 220 | 4200 | 648 | 506 | 430 | 4200 | 330 | 230 | 220 | 270 | 520 | 300 | 1700 | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.85 | 92 | 9.95 | 4.86 | 12.00 | 92.00 | 3.00 | 0.90 | 1.20 | 0.85 | 5.60 | 2.8 | 32 | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.57 | 8.9 | 1.51 | 1.57 | 0.63 | 7.40 | 2.10 | 0.78 | 0.85 | 0.57 | 1.50 | 1.2 | 8.9 | |
| Total Phosphorus | mg/L | 18.61 | 3 | 11 | 150 | 24.1 | 47.1 | 11 | 53 | 26 | 29 | 51 | 130 | 150 | 65 | 40 | |
| Total Potassium (K) | mg/L | 2852 | 300 | 600 | 980 | 604 | 751 | 640 | 600 | 850 | 600 | 710 | 980 | 920 | 760 | 800 | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 890 | 2900 | 1667 | 2023 | 1700 | 890 | 2400 | 1800 | 2200 | 2900 | 2700 | 2100 | | |
| Total Suspended Solids | mg/L | | 150 | 42 | 19000 | 16365 | 5447 | 42 | 19000 | 1300 | 8800 | 6200 | 6000 | 1500 | 18000 | 46000 | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 1.1 | 20 | 3.3 | 4.0 | 2.9 | 9.6 | 7.2 | 1.6 | 2.6 | 1.1 | 7.6 | 2 | 20 | |
| Un-ionized Ammonia | mg/L | | | 17 | 130 | 29.53 | 42.38 | 17 | 66 | 39 | 46 | 26 | 130 | 54 | 25 | 48 | |
| Ion Percentage | mg/L | | | 0.26 | 84.8 | 21.10 | 16.17 | 65.0 | 84.8 | 18.2 | 20.7 | 23.1 | 11.7 | 0.3 | 13.4 | 39.1 | |

Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 |
|------------------------------------|---------|---|--|---------|--------|-----------------|---------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------------|----------------|-----|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 07-May-14 | 27-May-15 | 31-May-16 | 26-May-17 | 11-May-18 | 15-May-19 | 12-May-20 | 19-May-21 | 10-May-22 | |
| Date | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 4400 | 16000 | 9420 | 10712 | 4400 | 8000 | 12000 | 11000 | 9800 | 16000 | 14000 | 14000 | 13000 | |
| Conductivity | umho/cm | | | 12000 | 31000 | 20867 | 22861 | 12000 | 24000 | 23000 | 22000 | 21000 | 31000 | 31000 | 20000 | 29000 | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 840 | 3600 | 2269 | 2375 | 840 | 3000 | 2000 | 2100 | 2000 | 2900 | 3200 | 3600 | 3400 | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 420 | 4400 | 1873 | 976 | 840 | 760 | 4400 | 490 | 420 | 810 | 1100 | 1200 | 1300 | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 0.1 | 1000 | 157 | 62 | 380 | 1000 | 10 | 100 | 140 | 0.1 | 50 | 170 | 320 | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0048 | 0.00071 | 0.00044 | 0.0048 | <0.0020 | <0.002 | <0.0001 | <0.0001 | <0.002 | <0.00010 | <0.0015 | <0.003 | |
| Nitrate (N) | mg/L | | | 0.25 | 2.5 | 1.28 | 1.05 | <0.50 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <5.0 | | |
| Nitrite (N) | mg/L | | | 0.025 | 51.4 | 3.602 | 0.224 | <0.05 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | 1.12 | 51.4 | |
| pH | pH | | 7.2 | 6.1 | 8.2 | 7.6 | 7.6 | 6.1 | 7.5 | 7.2 | 7.8 | 7.9 | 7.7 | 7.9 | 8.1 | 8.2 | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.07 | 3.3 | 1.05 | 0.26 | 1.90 | 0.09 | 3.30 | 1.39 | <0.20 | <0.20 | 0.09 | 0.07 | 0.097 | |
| Total Ammonia-N | mg/L | 2944 | 800 | 449 | 2790 | 1445 | 1604 | 449 | 1460 | 1320 | 1400 | 1410 | 2690 | 2790 | 2480 | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.05 | 1.9 | 0.264 | 0.215 | 1.90 | 0.24 | 0.70 | 0.07 | 0.05 | 0.15 | 0.18 | 0.19 | 0.17 | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.1 | 17 | 1.80 | 0.50 | 17.00 | 1.30 | 5.40 | 0.14 | 0.14 | 0.32 | 0.2 | 0.14 | 0.1 | |
| Total BOD | mg/L | 27600 | 1750 | 160 | 13000 | 3742 | 588 | 7700 | 240 | 13000 | 260 | 160 | 540 | 340 | 230 | 200 | |
| Total Boron (B) | mg/L | 7.13 | 50 | 8 | 23 | 12.2 | 13.0 | 8 | 14 | 8 | 11 | 9.2 | 16 | 16 | 23 | 20 | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0005 | 0.03 | 0.0034 | 0.0013 | 0.030 | 0.003 | 0.010 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 94 | 24000 | 2474 | 535 | 24000 | 1000 | 6600 | 210 | 210 | 350 | 130 | 120 | 94 | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 1500 | 23000 | 7887 | 4595 | 22000 | 2700 | 23000 | 2100 | 1500 | 3300 | 3400 | 4400 | 4300 | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.26 | 6.8 | 1.08 | 0.94 | 6.80 | 0.86 | 2.70 | 0.32 | 0.26 | 0.72 | 0.70 | 1.0 | 0.87 | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.03 | 5.5 | 0.55 | 0.15 | 5.50 | 0.34 | 1.80 | 0.06 | 0.05 | 0.10 | 0.04 | 0.03 | 0.04 | |
| Total Dissolved Solids | mg/L | | 5200 | 7590 | 16900 | 10997 | 11320 | 8680 | 11200 | 16900 | 9600 | 7590 | 12500 | 12600 | 13600 | 11900 | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 64 | 6800 | 700 | 272 | 6800 | 420 | 2400 | 190 | 92 | 170 | 94 | 64 | 66 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 1100 | 3400 | 1497 | 1889 | 1100 | 1700 | 1400 | 1400 | 1300 | 2100 | 3400 | 2900 | 3100 | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.013 | 3 | 0.279 | 0.071 | 3.000 | 0.170 | 0.850 | 0.026 | 0.022 | 0.045 | 0.023 | 0.013 | 0.014 | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 290 | 5600 | 849 | 680 | 5600 | 520 | 1700 | 690 | 520 | 470 | 390 | 330 | 290 | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.39 | 140 | 15.29 | 2.99 | 140.0 | 6.1 | 42.0 | 1.5 | 1.3 | 1.9 | 0.6 | 0.58 | 0.39 | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.81 | 10 | 1.66 | 1.49 | 10.00 | 1.30 | 5.60 | 1.00 | 0.90 | 0.92 | 0.81 | 0.88 | 0.85 | |
| Total Phosphorus | mg/L | 18.61 | 3 | 4.8 | 130 | 20.2 | 15.7 | 130.0 | 12.0 | 110.0 | 5.8 | 4.8 | 15.0 | 12.0 | 9.7 | 6.8 | |
| Total Potassium (K) | mg/L | 2852 | 300 | 680 | 1200 | 821 | 923 | 780 | 900 | 680 | 850 | 690 | 1100 | 1200 | 1200 | 1100 | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 1000 | 3500 | 2120 | 2228 | 1000 | 2500 | 1400 | 2300 | 1900 | 2900 | 2900 | 3500 | 3000 | |
| Total Suspended Solids | mg/L | | 150 | 870 | 210000 | 17930 | 4219 | 210000 | 1000 | 43000 | 1500 | 2400 | 5200 | 1200 | 2400 | 870 | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 2.4 | 18 | 3.8 | 4.6 | 18.0 | 7.5 | 2.9 | 4.6 | 2.8 | 4.7 | 2.4 | 3.1 | | |
| Un-ionized Ammonia | mg/L | | | 13 | 370 | 68.17 | 59.14 | 78 | 14 | 80 | 13 | 18 | 64 | 87 | 210 | 370 | |
| Ion Percentage | mg/L | | | 2.07 | 88.83 | 20.84 | 19.42 | 88.8 | 2.1 | 37.6 | 11.5 | 17.1 | 23.4 | 23.6 | 20.9 | 25.0 | |

Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) *italics* denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table A-1
Leachate - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Min | Max | Arithmetic Mean | Geomean | PS5 | PS5 | PS5 | | | | | | |
|------------------------------------|---------|---|--|---------|--------|-----------------|---------|----------------|----------------|----------------|--|--|--|--|--|--|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | 12-May-20 | 19-May-21 | 10-May-22 | | | | | | |
| Date | | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO3) | mg/L | | 4500 | 6400 | 7700 | 7000 | 6980 | 6400 | 7700 | 6900 | | | | | | |
| Conductivity | umho/cm | | | 15000 | 16220 | 15407 | 15396 | 15000 | 16220 | 15000 | | | | | | |
| Dissolved Chloride (Cl) | mg/L | 8625 | 2500 | 860 | 1400 | 1187 | 1161 | 860 | 1400 | 1300 | | | | | | |
| Dissolved Organic Carbon | mg/L | 13312 | 1500 | 280 | 4100 | 1593 | 771 | 4100 | 280 | 400 | | | | | | |
| Dissolved Sulphate (SO4) | mg/L | 483 | 200 | 10 | 89 | 51 | 37 | 89 | 10 | 55 | | | | | | |
| Mercury (Hg) | mg/L | 0.021 | 0.005 | 0.00005 | 0.0015 | 0.00053 | 0.00016 | <0.00010 | <0.00010 | <0.003 | | | | | | |
| Nitrate (N) | mg/L | | | 0.25 | 0.5 | 0.42 | 0.40 | <0.50 | <1.0 | <1.0 | | | | | | |
| Nitrite (N) | mg/L | | | 0.025 | 0.05 | 0.042 | 0.040 | <0.050 | <0.10 | <0.10 | | | | | | |
| pH | pH | | 7.2 | 7.4 | 8.0 | 7.7 | 7.7 | 7.4 | 7.6 | 8.0 | | | | | | |
| Phenols-4AAP | mg/L | 8.63 | 1 | 0.03 | 4.33 | 1.47 | 0.17 | 4.33 | 0.04 | 0.03 | | | | | | |
| Total Ammonia-N | mg/L | 2944 | 800 | 1040 | 1080 | 1060 | 1060 | 1060 | 1080 | 1040 | | | | | | |
| Total Arsenic (As) | mg/L | <0.11 | <0.11 | 0.04 | 0.07 | 0.057 | 0.055 | 0.04 | 0.06 | 0.07 | | | | | | |
| Total Barium (Ba) | mg/L | 0.966 | 0.966 | 0.31 | 0.49 | 0.38 | 0.37 | 0.49 | 0.31 | 0.33 | | | | | | |
| Total BOD | mg/L | 27600 | 1750 | 63 | 230 | 147 | 120 | >8500 | 230 | 63 | | | | | | |
| Total Boron (B) | mg/L | 7.13 | 50 | 5.8 | 9 | 7.4 | 7.3 | 5.8 | 7.5 | 9.0 | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.12 | 0.12 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | <0.001 | <0.001 | <0.001 | | | | | | |
| Total Calcium (Ca) | mg/L | 3795 | 200 | 98 | 730 | 319 | 210 | 730 | 130 | 98 | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | 50600 | 3500 | 1400 | 12000 | 5000 | 2996 | 12000 | 1600 | 1400 | | | | | | |
| Total Chromium (Cr) | mg/L | 0.92 | 0.5 | 0.09 | 0.12 | 0.11 | 0.11 | 0.09 | 0.11 | 0.12 | | | | | | |
| Total Copper (Cu) | mg/L | 0.064 | 0.1 | 0.01 | 0.12 | 0.01 | 0.01 | <0.02 | <0.02 | <0.02 | | | | | | |
| Total Dissolved Solids | mg/L | | 5200 | 5210 | 9980 | 6900 | 6592 | 9980 | 5510 | 5210 | | | | | | |
| Total Iron (Fe) | mg/L | 1150 | 8 | 24 | 30 | 26 | 26 | 30 | 24 | 25 | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | 3450 | 960 | 1000 | 1600 | 1300 | 1277 | 1300 | 1000 | 1600 | | | | | | |
| Total Lead (Pb) | mg/L | 1.38 | 1.38 | 0.007 | 0.01 | 0.008 | 0.008 | 0.007 | 0.007 | 0.01 | | | | | | |
| Total Magnesium (Mg) | mg/L | 1380 | 350 | 380 | 400 | 390 | 390 | 390 | 380 | 400 | | | | | | |
| Total Manganese (Mn) | mg/L | 22.8 | 1 | 0.27 | 3.4 | 1.33 | 0.67 | 3.4 | 0.33 | 0.27 | | | | | | |
| Total Nickel (Ni) | mg/L | 1.84 | 0.5 | 0.22 | 0.38 | 0.31 | 0.30 | 0.22 | 0.32 | 0.38 | | | | | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 5.4 | 6.3 | 5.9 | 5.9 | 6.3 | 5.9 | 5.4 | | | | | | |
| Total Potassium (K) | mg/L | 2852 | 300 | 420 | 590 | 507 | 502 | 420 | 510 | 590 | | | | | | |
| Total Sodium (Na) | mg/L | 6578 | 500 | 960 | 1500 | 1287 | 1263 | 960 | 1400 | 1500 | | | | | | |
| Total Suspended Solids | mg/L | | 150 | 190 | 740 | 403 | 340 | 740 | 280 | 190 | | | | | | |
| Total Zinc (Zn) | mg/L | 11.27 | 0.3 | 0.2 | 0.7 | 0.5 | 0.4 | 0.2 | 0.7 | 0.6 | | | | | | |
| Un-ionized Ammonia | mg/L | | | 4.3 | 13 | 10.10 | 8.99 | 4.3 | 13 | 13 | | | | | | |
| Ion Percentage | mg/L | | | 3.08 | 18.81 | 11.12 | 8.72 | 3.1 | 18.8 | 11.5 | | | | | | |

Notes: 1) Blank denotes parameter not analysed.
2) < denotes parameter concentration is below the laboratory method reporting limit (MRL).
3) umho/cm denotes micro-ohms per centimetre.
NTU denotes nephelometric turbidity unit.
mg/L denotes milligrams per litre.
4) Maxxam denotes Maxxam Analytics Inc.
5) Italics denotes parameter concentration is presented as half the laboratory RDL for Ion Percentage calculation.
6) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

**TIME-CONCENTRATION GRAPH - Leachate
Existing and Expansion Landfills
Chloride**




FIGURE A-1

TIME-CONCENTRATION GRAPH - Leachate Existing and Expansion Landfills Boron




FIGURE A-2

**TIME-CONCENTRATION GRAPH - Leachate
Existing and Expansion Landfills
Ammonia**




FIGURE A-3

**TIME-CONCENTRATION GRAPH - Leachate
Existing and Expansion Landfills
Zinc**




FIGURE A-4

**TIME-CONCENTRATION GRAPH - Leachate
Existing and Expansion Landfills
Phenols**




FIGURE A-5

**TIME-CONCENTRATION GRAPH - Leachate
Existing and Expansion Landfills
Nickel**




FIGURE A-6

TIME-CONCENTRATION GRAPH - Leachate Existing and Expansion Landfills Chromium




FIGURE A-7

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) |
|-------------------------------------|-------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|
| Date | | 25-May-04 | 06-Apr-05 | 27-Mar-06 | 04-Apr-07 | 23-May-08 | 21-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 |
| Laboratory | | Accutest | Accutest | Accutest | Accutest | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM |
| Benzo(a)pyrene | µg/L | | | | | <2 | <1 | <1 | <0.8 | <2 | <0.8 | <2 | <1.0 |
| 1,2-Dichlorobenzene | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | <2.5 |
| 1,3-Dichlorobenzene | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | <2.5 |
| 1,4-Dichlorobenzene | µg/L | | | | | <5 | <3 | <3 | 3 | <5 | <2 | <5 | <2.5 |
| Hexachlorobenzene | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | <2.5 |
| 1,2,4-Trichlorobenzene | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | <2.5 |
| 2,4-Dichlorophenol | µg/L | | | | | <3 | <2 | <2 | <1 | <3 | <1 | <3 | <1.5 |
| Pentachlorophenol | µg/L | | | | | <10 | <5 | <5 | <4 | <10 | <4 | <30 | <5.0 |
| Phenol | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | 13 |
| 2,4,6-Trichlorophenol | µg/L | | | | | <5 | <3 | <3 | <2 | <5 | <2 | <5 | <2.5 |
| Di-N-butyl phthalate | µg/L | | | | | <20 | <10 | <10 | <8 | <20 | <8 | <20 | <10 |
| Diethyl phthalate | µg/L | | | | | 16.0 | 8.0 | 7.0 | 6.0 | <10 | <4 | <10 | 7.7 |
| Dimethyl phthalate | µg/L | | | | | <10 | <5 | <5 | <4 | <10 | <4 | <10 | <5.0 |
| Benzene | µg/L | 361 | 96 | 30 | 50 | 87 | 58 | 58 | 41 | 49 | <5.0 | 34 | 100 |
| 1,4-Dichlorobenzene | µg/L | | | | | <20 | <20 | <10 | <20 | <10 | <10 | <4.0 | <10 |
| Ethylbenzene | µg/L | 318.0 | 40.3 | 103.0 | 171.0 | 200.0 | 86.0 | 180.0 | 71.0 | 140.0 | <5.0 | 17.0 | 160.0 |
| Methylene Chloride(Dichloromethane) | µg/L | | | | | <50 | <50 | <30 | <50 | <25 | <25 | <10 | <25 |
| Toluene | µg/L | 782 | <32 | 15 | 32 | 110 | <20 | 27 | <20 | 29 | <10 | 12 | 50 |
| Vinyl Chloride | µg/L | | | | | <20 | <20 | <10 | <20 | <10 | <10 | <4.0 | <10 |
| p+m-Xylene | µg/L | 1990.0 | 916.0 | 339.0 | 607.0 | 880.0 | 520.0 | 680.0 | 280.0 | 520.0 | 9.1 | 200.0 | 640.0 |
| o-Xylene | µg/L | 1140.0 | 493.0 | 160.0 | 329.0 | 430.0 | 260.0 | 330.0 | 200.0 | 250.0 | <5.0 | 130.0 | 300.0 |
| Xylene (Total) | µg/L | | | | | 1300.0 | 780.0 | 1000.0 | 480.0 | 770.0 | 9.1 | 340.0 | 940.0 |

| Parameter | Units | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | Sump (Central Fill Area) | | | | | |
|-------------------------------------|-------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|--|--|--|--|--|
| Date | | 30-May-16 | 26-May-17 | 11-May-18 | 16-May-19 | 12-May-20 | 18-May-21 | 06-May-22 | | | | | |
| Laboratory | | MAXXAM | MAXXAM | MAXXAM | MAXXAM | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | |
| Benzo(a)pyrene | µg/L | <0.80 | <1.6 | <0.80 | <0.20 | <20 | <0.80 | <0.80 | | | | | |
| 1,2-Dichlorobenzene | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,3-Dichlorobenzene | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,4-Dichlorobenzene | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | 2.2 | <2.0 | | | | | |
| Hexachlorobenzene | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 2,4-Dichlorophenol | µg/L | <1.2 | <2.4 | <1.2 | <0.30 | <30 | <1.2 | <1.2 | | | | | |
| Pentachlorophenol | µg/L | <10 | <8.0 | <28 | <6.0 | <100 | <4.0 | <4.0 | | | | | |
| Phenol | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 2,4,6-Trichlorophenol | µg/L | <2.0 | <4.0 | <2.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| Di-N-butyl phthalate | µg/L | <8.0 | <16 | <8.0 | <2.0 | <200 | <8.0 | <8.0 | | | | | |
| Diethyl phthalate | µg/L | 5.0 | <8.0 | <4.0 | <1.0 | <100 | <4.0 | <4.0 | | | | | |
| Dimethyl phthalate | µg/L | <4.0 | <8.0 | <4.0 | <1.0 | <100 | <4.0 | <4.0 | | | | | |
| Benzene | µg/L | 21.0 | <2.5 | <10 | <0.20 | 110 | 64 | 3.2 | | | | | |
| 1,4-Dichlorobenzene | µg/L | <20 | <5.0 | <2.0 | <0.50 | 7.8 | <20 | <2.0 | | | | | |
| Ethylbenzene | µg/L | <10 | <2.5 | <10 | 0.34 | 190 | 110 | 3.8 | | | | | |
| Methylene Chloride(Dichloromethane) | µg/L | <50 | <13 | <100 | <2.0 | <20 | <100 | <10 | | | | | |
| Toluene | µg/L | 21.0 | <5.0 | <10 | <0.20 | 220 | <10 | <1.0 | | | | | |
| Vinyl Chloride | µg/L | <20 | <5.0 | <10 | <0.20 | <2.0 | <10 | <1.0 | | | | | |
| p+m-Xylene | µg/L | 740.00 | 82.00 | 18.00 | 0.81 | 1500 | 120 | 15 | | | | | |
| o-Xylene | µg/L | 93 | <2.5 | <10 | <0.20 | 620 | 23 | 4.9 | | | | | |
| Xylene (Total) | µg/L | 830.00 | 82.00 | 18.00 | 0.81 | 2100 | 140 | 20 | | | | | |

Notes: 1) µg/L denotes micrograms per litre.
2) Accutest denotes chemical analytical testing was completed by Accutest Laboratories.
3) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2

Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | MH-18 | MH-18 | MH-18 | MH-18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 |
|-------------------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Date | | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) |
| Laboratory | | 25-May-04 | 06-Apr-05 | 27-Mar-06 | 04-Apr-07 | 23-May-08 | 20-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 |
| | | Accutest | Accutest | Accutest | Accutest | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM | MAXXAM |
| Benzo(a)pyrene | µg/L | | | | | <2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.8 | <8 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| Hexachlorobenzene | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| 2,4-Dichlorophenol | µg/L | | | | | <3 | <0.3 | <0.3 | <0.3 | <0.3 | <1 | <10 | <0.30 |
| Pentachlorophenol | µg/L | | | | | <10 | <1 | <1 | <1 | <1 | <4 | <100 | <1.0 |
| Phenol | µg/L | | | | | 89 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | 34 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | | | | | <5 | <0.5 | <0.5 | <0.5 | <0.5 | <2 | <20 | <0.50 |
| Di-N-butyl phthalate | µg/L | | | | | <20 | <2 | <2 | <2 | <2 | <8 | <80 | <2.0 |
| Diethyl phthalate | µg/L | | | | | 25 | <1 | <1 | <1 | <1 | <4 | <40 | <1.0 |
| Dimethyl phthalate | µg/L | | | | | <10 | <1 | <1 | <1 | <1 | <4 | <40 | <1.0 |
| Benzene | µg/L | 12.0 | 5.4 | 9.0 | <0.5 | 9.0 | 0.3 | <0.1 | <0.1 | <0.10 | <5.0 | <10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | | | | | <10 | <0.2 | <0.2 | <0.2 | <0.20 | <10 | <20 | 0.45 |
| Ethylbenzene | µg/L | 891.0 | 257.0 | 41.0 | <0.5 | 52.0 | 0.8 | <0.1 | <0.1 | 0.3 | <5.0 | 46.0 | <0.10 |
| Methylene Chloride(Dichloromethane) | µg/L | | | | | <30 | <0.5 | <0.5 | <0.5 | <0.50 | <25 | <50 | <0.50 |
| Toluene | µg/L | 90.5 | 23.3 | 343.0 | <0.5 | 550.0 | 8.7 | <0.2 | <0.2 | 0.3 | <10 | 450.0 | <0.20 |
| Vinyl Chloride | µg/L | | | | | 14.0 | <0.2 | <0.2 | <0.2 | <0.20 | <10 | <20 | <0.20 |
| p+m-Xylene | µg/L | 200.0 | 68.7 | 135.0 | <1.0 | 190.0 | 2.6 | <0.1 | <0.1 | 1.9 | <5.0 | 140.0 | <0.10 |
| o-Xylene | µg/L | 97.4 | 28.0 | 53.0 | <0.5 | 66.0 | 1.0 | <0.1 | <0.1 | 0.6 | <5.0 | 60.0 | <0.10 |
| Xylene (Total) | µg/L | | | | | 250.0 | 3.6 | <0.1 | <0.1 | 2.5 | <5.0 | 200.0 | <0.10 |

| Parameter | Units | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | MH18 | | | | | |
|-------------------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--|--|--|--|--|
| Date | | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | (South Fill Area) | | | | | |
| Laboratory | | 30-May-16 | 26-May-17 | 11-May-18 | 16-May-19 | 12-May-20 | 18-May-21 | 06-May-22 | | | | | |
| | | MAXXAM | MAXXAM | MAXXAM | MAXXAM | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | |
| Benzo(a)pyrene | µg/L | <0.80 | <1.6 | <2.0 | <0.20 | <20 | <0.80 | <0.80 | | | | | |
| 1,2-Dichlorobenzene | µg/L | <2.0 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,3-Dichlorobenzene | µg/L | <2.0 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,4-Dichlorobenzene | µg/L | 2.1 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| Hexachlorobenzene | µg/L | <2.0 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | <2.0 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| 2,4-Dichlorophenol | µg/L | <1.2 | <2.4 | <3.0 | <0.30 | <30 | <1.2 | <1.2 | | | | | |
| Pentachlorophenol | µg/L | <10 | <8.0 | <70 | <6.0 | <100 | <4.0 | <4.0 | | | | | |
| Phenol | µg/L | 17.0 | 16.0 | 8.8 | <0.50 | <50 | 11 | <2.0 | | | | | |
| 2,4,6-Trichlorophenol | µg/L | <2.0 | <4.0 | <5.0 | <0.50 | <50 | <2.0 | <2.0 | | | | | |
| Di-N-butyl phthalate | µg/L | <8.0 | <16 | <20 | <2.0 | <200 | <8.0 | <8.0 | | | | | |
| Diethyl phthalate | µg/L | 11.0 | 21.0 | 11.0 | <1.0 | <100 | 6.6 | <4.0 | | | | | |
| Dimethyl phthalate | µg/L | <4.0 | <8.0 | <10 | <1.0 | <100 | <4.0 | <4.0 | | | | | |
| Benzene | µg/L | 10.0 | 10.0 | <10 | 0.2 | 3.4 | <10 | <1.0 | | | | | |
| 1,4-Dichlorobenzene | µg/L | <10 | <25 | <5.0 | <0.50 | <4.0 | <20 | <2.0 | | | | | |
| Ethylbenzene | µg/L | 49.0 | 58.0 | 25.0 | 0.6 | 17 | 14 | <1.0 | | | | | |
| Methylene Chloride(Dichloromethane) | µg/L | <25 | <100 | <100 | <2.0 | <20 | <100 | <10 | | | | | |
| Toluene | µg/L | 520.0 | 500.0 | 230.0 | <0.20 | 150 | 140 | <1.0 | | | | | |
| Vinyl Chloride | µg/L | 17.0 | 19.0 | <16 | 0.4 | 3.1 | <10 | <1.0 | | | | | |
| p+m-Xylene | µg/L | 160.0 | 170.0 | 73.0 | <0.20 | 53 | 40 | <1.0 | | | | | |
| o-Xylene | µg/L | 60.0 | 70.0 | 30.0 | 0.7 | 20 | 15 | <1.0 | | | | | |
| Xylene (Total) | µg/L | 220.0 | 240.0 | 100.0 | 0.7 | 73 | 55 | <1.0 | | | | | |

Notes: 1) µg/L denotes micrograms per litre.

2) Accutest denotes chemical analytical testing was completed by Accutest Laboratories.

3) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp |
|-------------------------------------|-------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Date | | 23-May-08 | 21-May-09 | 20-May-10 | 10-May-11 | 08-May-12 | 07-May-13 | 07-May-14 | 19-May-15 | 30-May-16 | 26-May-17 | 11-May-18 | 16-May-19 |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Benzo(a)pyrene | µg/L | <2 | <1 | <1 | <4 | <2 | <0.8 | <1 | <1.0 | <0.80 | <0.80 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | 1.1 | <0.50 |
| Hexachlorobenzene | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | <3 | | <2 | <6 | <3 | <1 | <2 | <1.5 | <1.2 | <1.2 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | <10 | <5 | <5 | <20 | <10 | <4 | <10 | <5.0 | <10 | <4.0 | <7.0 | <6.0 |
| Phenol | µg/L | 76.0 | 110.0 | 32.0 | 22.0 | 6.0 | 23.0 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | <5 | <3 | <3 | <10 | <5 | <2 | <3 | <2.5 | <2.0 | <2.0 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | <20 | <10 | <10 | <40 | <20 | <8 | <10 | <10 | <8.0 | <8.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 12.0 | 23.0 | 9.0 | <20 | <10 | 9.0 | <5 | <5.0 | <4.0 | <4.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 10.0 | <5 | <5 | <20 | <10 | <4 | <5 | <5.0 | <4.0 | <4.0 | <1.0 | <1.0 |
| Benzene | µg/L | 3.0 | 4.0 | 2.0 | <3 | 3.1 | 3.1 | 2.3 | 1.8 | <1.0 | <2.0 | <10 | 1.3 |
| 1,4-Dichlorobenzene | µg/L | <4 | <4 | <4 | <5 | 3.3 | <2.0 | <2.0 | 1.3 | <2.0 | <4.0 | 1.1 | 0.7 |
| Ethylbenzene | µg/L | 25.0 | 23.0 | 19.0 | 17.0 | 22.0 | 21.0 | 22.0 | 15.0 | <1.0 | <2.0 | <10 | 1.2 |
| Methylene Chloride(Dichloromethane) | µg/L | 25.0 | 39.0 | <10 | <10 | <5.0 | <5.0 | <5.0 | <2.5 | <5.0 | <10 | <100 | <2.0 |
| Toluene | µg/L | 43.0 | 49.0 | 53.0 | 60.0 | 27.0 | 39.0 | 5.9 | 5.0 | <2.0 | <4.0 | <10 | 0.8 |
| Vinyl Chloride | µg/L | <4 | <4 | <4 | <5 | <2.0 | <2.0 | <2.0 | <1.0 | <2.0 | <4.0 | <10 | <0.20 |
| p+m-Xylene | µg/L | 51.0 | 50.0 | 34.0 | 34.0 | 49.0 | 36.0 | 38.0 | 25.0 | 7.7 | 7.9 | <10 | 3.6 |
| o-Xylene | µg/L | 18.0 | 17.0 | 13.0 | 20.0 | 24.0 | 17.0 | 16.0 | 14.0 | <1.0 | 6.5 | <10 | 1.9 |
| Xylene (Total) | µg/L | 69.0 | 67.0 | 47.0 | 54.0 | 72.0 | 53.0 | 54.0 | 39.0 | 7.7 | 14.0 | <10 | 5.5 |

| Parameter | Units | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp | CFA-Comp |
|-------------------------------------|-------|----------------|----------------|----------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Date | | 12-May-20 | 18-May-21 | 06-May-22 | | | | | | | | | |
| Laboratory | | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | | |
| Benzo(a)pyrene | µg/L | <20 | <0.80 | <0.80 | | | | | | | | | |
| 1,2-Dichlorobenzene | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| 1,3-Dichlorobenzene | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| Hexachlorobenzene | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| 2,4-Dichlorophenol | µg/L | <30 | <1.2 | <1.2 | | | | | | | | | |
| Pentachlorophenol | µg/L | <100 | <4.0 | <4.0 | | | | | | | | | |
| Phenol | µg/L | <50 | <2.0 | 5.7 | | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/L | <50 | <2.0 | <2.0 | | | | | | | | | |
| Di-N-butyl phthalate | µg/L | <200 | <8.0 | <8.0 | | | | | | | | | |
| Diethyl phthalate | µg/L | <100 | <4.0 | <4.0 | | | | | | | | | |
| Dimethyl phthalate | µg/L | <100 | <4.0 | <4.0 | | | | | | | | | |
| Benzene | µg/L | <2.0 | <10 | 3.4 | | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | <4.0 | <20 | <2.0 | | | | | | | | | |
| Ethylbenzene | µg/L | <2.0 | <10 | 7.6 | | | | | | | | | |
| Methylene Chloride(Dichloromethane) | µg/L | <20 | <100 | <10 | | | | | | | | | |
| Toluene | µg/L | <2.0 | <10 | 6.9 | | | | | | | | | |
| Vinyl Chloride | µg/L | <2.0 | <10 | <1.0 | | | | | | | | | |
| p+m-Xylene | µg/L | 14 | <10 | 21 | | | | | | | | | |
| o-Xylene | µg/L | 8.8 | <10 | 9.6 | | | | | | | | | |
| Xylene (Total) | µg/L | 23 | <10 | 30 | | | | | | | | | |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Date | | 02-Mar-10 | 31-May-10 | 21-Sep-10 | 19-Nov-10 | 28-Feb-11 | 10-May-11 | 10-Aug-11 | 09-Nov-11 | 01-Mar-12 | 15-May-12 | 01-Aug-12 | 05-Nov-12 |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Benzo(a)pyrene | µg/L | | <8 | | <20 | | <40 | | <4 | | <2 | | <8 |
| 1,2-Dichlorobenzene | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| 1,3-Dichlorobenzene | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| 1,4-Dichlorobenzene | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| Hexachlorobenzene | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| 1,2,4-Trichlorobenzene | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| 2,4-Dichlorophenol | µg/L | | <10 | | <30 | | <60 | | <6 | | <3 | | <10 |
| Pentachlorophenol | µg/L | | <40 | | <100 | | <200 | | <20 | | <10 | | <40 |
| Phenol | µg/L | | 150 | | 340 | | 1100 | | 180 | | <20 | | 110 |
| 2,4,6-Trichlorophenol | µg/L | | <20 | | <50 | | <100 | | <10 | | <5 | | <20 |
| Di-N-butyl phthalate | µg/L | | <80 | | <200 | | <400 | | <40 | | <20 | | <80 |
| Diethyl phthalate | µg/L | | <40 | | <100 | | <200 | | <20 | | <10 | | <40 |
| Dimethyl phthalate | µg/L | | <40 | | <100 | | <200 | | <20 | | <10 | | <40 |
| Benzene | µg/L | 1.6 | 2.0 | 1.1 | <10 | <1 | <30 | 2.7 | <5 | 6.9 | 5.3 | 7.7 | 6.0 |
| Ethylbenzene | µg/L | 9.0 | 10.0 | 6.0 | <10 | 9.0 | <30 | 11.0 | 13.0 | 15.0 | 11.0 | 20.0 | 15.0 |
| o-Xylene | µg/L | 10.0 | 9.0 | 6.4 | <10 | 7.0 | <30 | 8.7 | 10.0 | 12.0 | 6.7 | 16.0 | 11.0 |
| p+m-Xylene | µg/L | 27.0 | 24.0 | 19.0 | 11.0 | 20.0 | <30 | 27.0 | 29.0 | 32.0 | 21.0 | 46.0 | 32.0 |
| Toluene | µg/L | 85.0 | 76.0 | 180.0 | 53.0 | 88.0 | 92.0 | 160.0 | 270.0 | 330.0 | 270.0 | 230.0 | 97.0 |
| Dichloromethane | µg/L | | 160.0 | | 85.0 | | <100 | | <30 | | <13 | | <25 |
| Vinyl Chloride | µg/L | | <2 | | <20 | | <50 | | <10 | | <5.0 | | <10 |

| Parameter | Units | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Date | | 22-Feb-13 | 13-May-13 | 21-Aug-13 | 13-Nov-13 | 11-Mar-14 | 05-May-14 | 28-Jul-14 | 14-Nov-14 | 05-Mar-15 | 27-May-15 | 30-Jul-15 | 18-Nov-15 |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Benzo(a)pyrene | µg/L | | <0.8 | | <0.8 | | <40 | | <20 | | <100 | | <80 |
| 1,2-Dichlorobenzene | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| 1,3-Dichlorobenzene | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| 1,4-Dichlorobenzene | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| Hexachlorobenzene | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| 1,2,4-Trichlorobenzene | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| 2,4-Dichlorophenol | µg/L | | <1 | | <1 | | <60 | | <30 | | <150 | | <120 |
| Pentachlorophenol | µg/L | | <4 | | <4 | | <500 | | <100 | | <500 | | <400 |
| Phenol | µg/L | | <5 | | <8 | | 300 | | 110 | | 510 | | 280 |
| 2,4,6-Trichlorophenol | µg/L | | <2 | | <2 | | <100 | | <50 | | <250 | | <200 |
| Di-N-butyl phthalate | µg/L | | <8 | | <8 | | <400 | | <200 | | <1000 | | <800 |
| Diethyl phthalate | µg/L | | 6 | | <4 | | <200 | | <100 | | <500 | | <400 |
| Dimethyl phthalate | µg/L | | <4 | | <4 | | <200 | | <100 | | <500 | | <400 |
| Benzene | µg/L | 5.5 | 7.9 | 8.2 | 6.6 | 3.4 | 3.0 | 1.2 | 2.5 | 3.0 | <10 | 2.0 | <10 |
| Ethylbenzene | µg/L | 11.0 | 16.0 | 18.0 | 14.0 | 14.0 | 13.0 | 3.4 | 6.6 | 11.0 | <10 | 4.3 | <10 |
| o-Xylene | µg/L | 8.1 | 11.0 | 14.0 | 12.0 | 13.0 | 14.0 | 3.7 | 6.7 | 13.0 | <10 | 4.6 | <10 |
| p+m-Xylene | µg/L | 23.0 | 35.0 | 41.0 | 36.0 | 36.0 | 40.0 | 7.5 | 16.0 | 27.0 | 16.0 | 10.0 | 13.0 |
| Toluene | µg/L | 47.0 | 57.0 | 40.0 | 20.0 | 73.0 | 120.0 | 25.0 | 61.0 | 110.0 | 67.0 | 30.0 | 66.0 |
| Dichloromethane | µg/L | | <13 | | <13 | | 100 | | <13 | | <50 | | <50 |
| Vinyl Chloride | µg/L | | <5.0 | | <5.0 | | <4.0 | | <5.0 | | <20 | | <20 |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Date | | 15-Mar-16 | 30-May-16 | 25-Jul-16 | 03-Nov-16 | 27-Mar-17 | 30-May-17 | 10-Aug-17 | 20-Oct-17 | 22-Mar-18 | 28-May-18 | 17-Aug-18 | 08-Nov-18 |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Benzo(a)pyrene | µg/L | | <0.80 | | <80 | | <4.0 | | <40 | | <40 | | <20 |
| 1,2-Dichlorobenzene | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| 1,3-Dichlorobenzene | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| 1,4-Dichlorobenzene | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| Hexachlorobenzene | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| 1,2,4-Trichlorobenzene | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| 2,4-Dichlorophenol | µg/L | | <1.2 | | <120 | | <6.0 | | <60 | | <60 | | <30 |
| Pentachlorophenol | µg/L | | <10 | | <400 | | <20 | | <200 | | <200 | | <100 |
| Phenol | µg/L | | 230 | | <200 | | 14.0 | | <100 | | <100 | | <50 |
| 2,4,6-Trichlorophenol | µg/L | | <2.0 | | <200 | | <10 | | <100 | | <100 | | <50 |
| Di-N-butyl phthalate | µg/L | | <8.0 | | <800 | | <40 | | <400 | | <400 | | <200 |
| Diethyl phthalate | µg/L | | 5.6 | | <400 | | <20 | | <200 | | <200 | | <100 |
| Dimethyl phthalate | µg/L | | <4.0 | | <400 | | <20 | | <200 | | <200 | | <100 |
| Benzene | µg/L | 1.5 | <5.0 | 4.0 | <5.0 | 3.5 | <5.0 | 3.3 | <5.0 | <10 | 3.8 | 3.3 | 2.0 |
| Ethylbenzene | µg/L | 3.7 | 5.1 | 8.6 | <5.0 | 6.4 | 10.0 | 8.7 | <5.0 | <10 | 10.0 | 10.0 | 8.0 |
| o-Xylene | µg/L | 5.3 | 6.1 | 6.4 | <5.0 | 7.5 | 11.0 | 10.0 | 5.1 | <10 | 11.0 | 11.0 | 6.8 |
| p+m-Xylene | µg/L | 11.0 | 14.0 | 20.0 | 8.5 | 17.0 | 27.0 | 24.0 | 11.0 | 16.0 | 26.0 | 24.0 | 15.0 |
| Toluene | µg/L | 84.0 | 110.0 | 120.0 | 210.0 | 63.0 | 56.0 | 56.0 | 23.0 | 33.0 | 51.0 | 65.0 | 20.0 |
| Dichloromethane | µg/L | | <25 | | <25 | | <25 | | | | <2.0 | | <4.0 |
| Vinyl Chloride | µg/L | | <10 | | <10 | | <10 | | | | 1.5 | | <0.40 |

| Parameter | Units | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank |
|------------------------|-------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Date | | 08-Jan-19 | 11-Apr-19 | 23-Jul-19 | 07-Nov-19 | 22-Jan-20 | 15-May-20 | 11-Aug-20 | 11-Nov-20 | 12-Jan-21 | 19-May-21 | 11-Aug-21 | 04-Nov-21 |
| Laboratory | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Benzo(a)pyrene | µg/L | | <20 | | <2.0 | | <20 | | <2.0 | | <2.0 | | <2.0 |
| 1,2-Dichlorobenzene | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| 1,3-Dichlorobenzene | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| 1,4-Dichlorobenzene | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| Hexachlorobenzene | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| 1,2,4-Trichlorobenzene | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| 2,4-Dichlorophenol | µg/L | | <30 | | <3.0 | | <30 | | <3.0 | | <3.0 | | <3.0 |
| Pentachlorophenol | µg/L | | <100 | | <10 | | <100 | | <10 | | <10 | | <10 |
| Phenol | µg/L | | <50 | | 9.7 | | 69 | | 21 | | 7.1 | | 39 |
| 2,4,6-Trichlorophenol | µg/L | | <50 | | <5.0 | | <50 | | <5.0 | | <5.0 | | <5.0 |
| Di-N-butyl phthalate | µg/L | | <200 | | <20 | | <200 | | <20 | | <20 | | <20 |
| Diethyl phthalate | µg/L | | <100 | | <10 | | <100 | | <10 | | <10 | | <10 |
| Dimethyl phthalate | µg/L | | <100 | | 13.0 | | <100 | | <10 | | <10 | | <10 |
| Benzene | µg/L | 3.4 | 4.6 | 4.9 | 2.6 | <10 | 6.1 | 3.5 | 2.4 | 6.5 | <10 | <10 | 6.1 |
| Ethylbenzene | µg/L | 8.5 | 16.0 | 13.0 | 7.4 | 17.0 | 16 | 9.8 | 6.6 | 21 | 18 | 13 | 18 |
| o-Xylene | µg/L | 9.2 | 15.0 | 15.0 | 9.3 | 18.0 | 21.0 | 9.7 | 8.0 | 22 | 17 | 13 | 16 |
| p+m-Xylene | µg/L | 21.0 | 32.0 | 35.0 | 22.0 | 42.0 | 45.0 | 22.0 | 17.0 | 48 | 41 | 30 | 39 |
| Toluene | µg/L | 34.0 | 56.0 | 70.0 | 57.0 | 90.0 | 73.0 | 93.0 | 78.0 | 910 | 2400 | 160 | 200 |
| Dichloromethane | µg/L | | <20 | | 94 | | <20 | | <20 | | <100 | | <20 |
| Vinyl Chloride | µg/L | | <2.0 | | <2.0 | | <2.0 | | <2.0 | | <10 | | 2.6 |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | Equalization Tank | Equalization Tank | Equalization Tank | Equalization Tank | | | | | | | | |
|------------------------|-------|-------------------|-------------------|-------------------|-------------------|--|--|--|--|--|--|--|--|
| Date | | 19-Jan-22 | 24-May-22 | 25-Jul-22 | 07-Nov-22 | | | | | | | | |
| Laboratory | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <2.0 | | <8.0 | | | | | | | | |
| 1,2-Dichlorobenzene | µg/L | | <5.0 | | <20 | | | | | | | | |
| 1,3-Dichlorobenzene | µg/L | | <5.0 | | <20 | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | | <5.0 | | <20 | | | | | | | | |
| Hexachlorobenzene | µg/L | | <5.0 | | <20 | | | | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | | <5.0 | | <20 | | | | | | | | |
| 2,4-Dichlorophenol | µg/L | | <3.0 | | <12 | | | | | | | | |
| Pentachlorophenol | µg/L | | <10 | | <40 | | | | | | | | |
| Phenol | µg/L | | <5.0 | | <20 | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/L | | <5.0 | | <20 | | | | | | | | |
| Di-N-butyl phthalate | µg/L | | <20 | | <80 | | | | | | | | |
| Diethyl phthalate | µg/L | | <10 | | <40 | | | | | | | | |
| Dimethyl phthalate | µg/L | | <10 | | <40 | | | | | | | | |
| Benzene | µg/L | <10 | 5.2 | 2.6 | <10 | | | | | | | | |
| Ethylbenzene | µg/L | 16 | 17 | <1.0 | 11 | | | | | | | | |
| o-Xylene | µg/L | 13 | 18 | 1.1 | 12 | | | | | | | | |
| p+m-Xylene | µg/L | 27 | 40 | 2.5 | 27 | | | | | | | | |
| Toluene | µg/L | 71 | 49 | 4.2 | 55 | | | | | | | | |
| Dichloromethane | µg/L | | <2.0 | | <100 | | | | | | | | |
| Vinyl Chloride | µg/L | | 1.7 | | <10 | | | | | | | | |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | PS1 | | | |
|------------------------|-------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------------|----------------|--|--|--|
| Date | | 07-May-14 | 19-May-15 | 31-May-16 | 26-May-17 | 11-May-18 | 15-May-19 | 12-May-20 | 18-May-21 | 10-May-22 | | | |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | |
| Benzo(a)pyrene | µg/L | <8 | <4.0 | <4.0 | <2.0 | <4.0 | <4.0 | <20 | <0.80 | <2.0 | | | |
| 1,2-Dichlorobenzene | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| 1,3-Dichlorobenzene | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| 1,4-Dichlorobenzene | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| Hexachlorobenzene | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| 1,2,4-Trichlorobenzene | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| 2,4-Dichlorophenol | µg/L | <10 | <6.0 | <6.0 | <3.0 | <6.0 | <6.0 | <50 | <1.2 | <3.0 | | | |
| Pentachlorophenol | µg/L | <100 | <50 | <50 | <10 | <14 | <120 | <30 | <4.0 | <10 | | | |
| Phenol | µg/L | 170 | <10 | <10 | <5.0 | 16.0 | <10 | <100 | 7.2 | <5.0 | | | |
| 2,4,6-Trichlorophenol | µg/L | <20 | <10 | <10 | <5.0 | <10 | <10 | <50 | <2.0 | <5.0 | | | |
| Di-N-butyl phthalate | µg/L | <80 | <40 | <40 | <20 | <40 | <40 | <50 | <8.0 | <20 | | | |
| Diethyl phthalate | µg/L | <40 | <20 | <20 | <10 | <20 | <20 | <200 | <4.0 | <10 | | | |
| Dimethyl phthalate | µg/L | <40 | <20 | <20 | <10 | <20 | <20 | <100 | <4.0 | <10 | | | |
| Benzene | µg/L | <2.0 | <0.50 | 2.8 | <10 | <10 | <2.0 | <2.0 | <10 | 2.5 | | | |
| Ethylbenzene | µg/L | 4.9 | <0.50 | 5.5 | <10 | 11.0 | 2.8 | 2.4 | <10 | 3.2 | | | |
| o-Xylene | µg/L | <2.0 | <0.50 | 6.3 | <10 | 12.0 | 2.6 | 2.5 | <10 | 2.8 | | | |
| p+m-Xylene | µg/L | 2.8 | <0.50 | 15 | <10 | 25.0 | 9.0 | 6.3 | <10 | 5.2 | | | |
| Toluene | µg/L | 20.0 | 5.0 | 37.0 | 12.0 | 44.0 | 7.7 | 6.3 | 16 | 11 | | | |
| Dichloromethane | µg/L | 40.0 | <2.5 | <13 | <100 | <100 | <20 | <20 | <100 | <20 | | | |
| Vinyl Chloride | µg/L | <4.0 | <1.0 | <5.0 | <10 | <10 | <2.0 | <2.0 | <10 | <2.0 | | | |

| Parameter | Units | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | PS3 | | | |
|------------------------|-------|-----------|-----------|-----------|-----------|-----------|-----------|----------------|----------------|----------------|--|--|--|
| Date | | 07-May-14 | 27-May-15 | 31-May-16 | 26-May-17 | 11-May-18 | 15-May-19 | 12-May-20 | 19-May-21 | 10-May-22 | | | |
| Laboratory | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | |
| Benzo(a)pyrene | µg/L | <3 | <10 | <4.0 | <2.0 | <2.0 | <0.80 | <20 | <2.0 | <2.0 | | | |
| 1,2-Dichlorobenzene | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| 1,3-Dichlorobenzene | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| 1,4-Dichlorobenzene | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| Hexachlorobenzene | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| 1,2,4-Trichlorobenzene | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| 2,4-Dichlorophenol | µg/L | <5 | <15 | <6.0 | <3.0 | <3.0 | <1.2 | <30 | <3.0 | <3.0 | | | |
| Pentachlorophenol | µg/L | <20 | <50 | <50 | <10 | <70 | <25 | <100 | <10 | <10 | | | |
| Phenol | µg/L | 290.0 | <25 | 490.0 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| 2,4,6-Trichlorophenol | µg/L | <8 | <25 | <10 | <5.0 | <5.0 | <2.0 | <50 | <5.0 | <5.0 | | | |
| Di-N-butyl phthalate | µg/L | <30 | <100 | <40 | <20 | <20 | <8.0 | <200 | <20 | <20 | | | |
| Diethyl phthalate | µg/L | 43.0 | <50 | 24.0 | <10 | <10 | <4.0 | <100 | <10 | <10 | | | |
| Dimethyl phthalate | µg/L | <20 | <50 | <20 | <10 | <10 | <4.0 | <2.0 | <10 | <10 | | | |
| Benzene | µg/L | <5.0 | 4.9 | <25 | <10 | <10 | 4.3 | <2.0 | <10 | <10 | | | |
| Ethylbenzene | µg/L | <5.0 | 9.3 | <25 | <10 | <10 | 3.6 | <2.0 | <10 | <10 | | | |
| o-Xylene | µg/L | 6.6 | 12.0 | <25 | <10 | <10 | 3.7 | <2.0 | <10 | <10 | | | |
| p+m-Xylene | µg/L | 13.0 | 24.0 | 26.0 | <10 | <10 | 7.2 | <2.0 | <10 | <10 | | | |
| Toluene | µg/L | 120.0 | 52.0 | 180.0 | <10 | <10 | 68.0 | 2.4 | <10 | <10 | | | |
| Dichloromethane | µg/L | 470.0 | <5.0 | <130 | <100 | <100 | <20 | <20 | <100 | <100 | | | |
| Vinyl Chloride | µg/L | <10 | 3.4 | <50 | <10 | <10 | <2.0 | <2.0 | <10 | <10 | | | |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

Table A-2
Leachate - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PSS | PSS | PSS | | | | | | | | | |
|------------------------|-------|----------------|----------------|----------------|--|--|--|--|--|--|--|--|--|
| Date | | 12-May-20 | 19-May-21 | 10-May-22 | | | | | | | | | |
| Laboratory | | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | | |
| Benzo(a)pyrene | µg/L | <20 | <0.20 | <2.0 | | | | | | | | | |
| 1,2-Dichlorobenzene | µg/L | <50 | <0.50 | <5.0 | | | | | | | | | |
| 1,3-Dichlorobenzene | µg/L | <50 | <0.50 | <5.0 | | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | <50 | <1.0 | <5.0 | | | | | | | | | |
| Hexachlorobenzene | µg/L | <50 | <0.50 | <5.0 | | | | | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | <50 | <0.50 | <5.0 | | | | | | | | | |
| 2,4-Dichlorophenol | µg/L | <30 | <0.30 | <3.0 | | | | | | | | | |
| Pentachlorophenol | µg/L | <100 | <1.0 | <10 | | | | | | | | | |
| Phenol | µg/L | 800 | <3.0 | <5.0 | | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/L | <50 | <0.50 | <5.0 | | | | | | | | | |
| Di-N-butyl phthalate | µg/L | <200 | <2.0 | <20 | | | | | | | | | |
| Diethyl phthalate | µg/L | <100 | 1 | <10 | | | | | | | | | |
| Dimethyl phthalate | µg/L | <100 | <1.0 | <10 | | | | | | | | | |
| Benzene | µg/L | 2.5 | 4.3 | <2.0 | | | | | | | | | |
| Ethylbenzene | µg/L | 7.3 | 10 | <2.0 | | | | | | | | | |
| o-Xylene | µg/L | 9.2 | 9.2 | 2.3 | | | | | | | | | |
| p+m-Xylene | µg/L | 19 | 22 | 6.3 | | | | | | | | | |
| Toluene | µg/L | 87 | 1700 | 6.1 | | | | | | | | | |
| Dichloromethane | µg/L | <20 | <20 | <20 | | | | | | | | | |
| Vinyl Chloride | µg/L | <2.0 | 2.2 | <2.0 | | | | | | | | | |

Notes: 1) µg/L denotes micrograms per litre.
2) MAXXAM denotes chemical analytical testing was completed by Maxxam Analytics Inc.

**Table A-3
General Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System**

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Target Concentration 100% Leachate | CCME Guideline | Min | Max | Arithmetic Mean | Geomean | PS Holding Tank | | | | | | | | | |
|---------------------------------|----------|---|--|------------------------------------|----------------|---------|--------|-----------------|---------|-----------------|-----------|-------------|-------------|-----------|--------------|----------------|----------------|----------------|----------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | | | 28-Sep-17 | 28-May-18 | 11-Jun-18 | 17-Jul-18 | 22-Aug-18 | 27-Sep-18 | 24-May-19 | 26-Jun-19 | 5-Jul-19 | 7-Aug-19 |
| | | | | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Alkalinity as CaCO ₃ | mg/L | | 4500 | 9,150 | - | 990 | 9700 | 3253 | 2902 | 5000 | 1800 | 4800 | 2700 | 990 | 4600 | 1700 | 3700 | 1800 | 3700 |
| Chloride | mg/L | 8625 | 2500 | 1,241 | 700 to 14,000* | 240 | 1400 | 673 | 614 | 1400 | 370 | 1200 | 760 | 240 | 730 | 310 | 720 | 500 | 1200 |
| Conductivity | uS/cm | | | 10,616 | - | 980 | 11310 | 6790 | 6219 | 9100 | 3600 | 8200 | 5500 | 3300 | 980 | 4700 | 9200 | 4600 | 10000 |
| N-NH ₃ (Ammonia) | mg/L | 2944 | 800 | 554 | - | 17 | 1310 | 428 | 317 | 988 | 155 | 682 | 17 | 153 | 533 | 161 | 478 | 207 | 607 |
| N-NO ₂ (Nitrite) | mg/L | | | | - | 0.005 | 0.155 | 0.052 | 0.036 | <0.20 | 0.13 | <0.20 | 0.033 | 0.01 | <0.10 | <0.050 | <0.10 | <0.010 | <0.10 |
| N-NO ₃ (Nitrate) | mg/L | | | | - | 0.05 | 1 | 0.34 | 0.22 | <2.0 | <1.0 | <2.0 | <0.10 | <0.10 | <0.10 | <0.50 | <1.0 | <0.10 | <1.0 |
| pH | pH units | | 7.2 | | 6.0-8.5 | 6.73 | 8.1 | 7.3 | 7.3 | 8.0 | 6.9 | 7.2 | 7.8 | 7.9 | 7.2 | 6.9 | 7.1 | 7.1 | 7.6 |
| Sulphate | mg/L | 483 | 200 | | - | 10 | 560 | 269 | 201 | <20 | 370 | 99 | 90 | 140 | 210 | 330 | 77 | 560 | 300 |
| Total Kjeldahl Nitrogen | mg/L | 3450 | 960 | 2,948 | - | 150 | 1300 | 477 | 400 | 890 | 150 | 670 | 360 | 150 | 570 | 160 | 500 | 220 | 700 |
| Total Phosphorus | mg/L | 18.61 | 3 | 2.37 | - | 0.45 | 5.7 | 1.88 | 1.49 | 5.70 | 0.45 | 3.70 | 2.20 | 0.77 | 3.60 | 0.66 | 1.90 | 0.90 | 3.50 |
| Calcium | mg/L | 3795 | 200 | | - | 45 | 840 | 177 | 149 | 67 | 260 | 160 | 45 | 51 | 840 | 180 | 150 | 190 | 140 |
| Magnesium | mg/L | 1380 | 350 | 347 | - | 53 | 330 | 165 | 154 | 170 | 140 | 230 | 88 | 53 | 330 | 130 | 200 | 200 | 170 |
| Potassium | mg/L | 2852 | 300 | 238 | - | 36 | 380 | 183 | 154 | 380 | 74 | 380 | 190 | 78 | 270 | 79 | 230 | 110 | 290 |
| Sodium | mg/L | 6578 | 500 | 921 | - | 220 | 1400 | 690 | 619 | 1300 | 300 | 1200 | 560 | 240 | 820 | 370 | 770 | 550 | 940 |
| Aluminum | mg/L | 4.09 | 4.09 | | 20.0 | 0.1 | 56.0 | 2.5 | 0.4 | 0.4 | 0.3 | 0.3 | 1.2 | 0.2 | 56.0 | 0.2 | 0.1 | 0.5 | 1.3 |
| Arsenic | mg/L | <0.11 | <0.11 | | 2.0 | 0.0 | 0.1 | 0.021 | 0.013 | 0.050 | 0.004 | 0.039 | 0.030 | 0.013 | 0.078 | <0.005 | 0.009 | 0.004 | 0.050 |
| Barium | mg/L | 0.966 | 0.966 | | - | 0.058 | 1.4 | 0.22 | 0.18 | 0.25 | 0.13 | 0.36 | 0.14 | 0.058 | 1.4 | 0.14 | 0.28 | 0.12 | 0.21 |
| Beryllium | mg/L | <0.007 | <0.007 | | 0.1 | 0.0003 | 0.015 | 0.0018 | 0.0010 | <0.006 | <0.0006 | <0.003 | <0.003 | <0.0006 | <0.003 | <0.003 | <0.003 | <0.0006 | <0.006 |
| Bismuth | mg/L | | | | - | 0.0005 | 0.025 | 0.0030 | 0.0016 | <0.01 | <0.001 | <0.005 | <0.005 | <0.001 | <0.005 | <0.005 | <0.005 | <0.001 | <0.01 |
| Boron | mg/L | 7.13 | 50 | 25.3 | 6.0 | 1.8 | 110.0 | 13.3 | 8.7 | 21.0 | 3.9 | 18.0 | 7.0 | 3.8 | 19.0 | 7.9 | 15.0 | 4.1 | 7.3 |
| Cadmium | mg/L | 0.12 | 0.12 | 0.0025 | 0.01 | 0.00005 | 0.0025 | 0.0003 | 0.0002 | <0.001 | <0.0001 | <0.0005 | <0.0005 | <0.0001 | 0.0016 | <0.0005 | <0.0005 | <0.0001 | <0.001 |
| Chromium | mg/L | 0.92 | 0.5 | 0.12 | 0.1 | 0.012 | 0.24 | 0.08 | 0.06 | 0.22 | 0.01 | 0.17 | 0.11 | 0.04 | 0.24 | <0.03 | 0.04 | 0.02 | 0.18 |
| Cobalt | mg/L | <0.115 | <0.115 | | 5.0 | 0.0 | 0.1 | 0.014 | 0.010 | 0.024 | 0.007 | 0.022 | 0.011 | 0.0045 | 0.099 | 0.004 | 0.011 | 0.0057 | 0.017 |
| Copper | mg/L | 0.064 | 0.1 | 0.43 | 5 | 0.001 | 0.32 | 0.021 | 0.006 | <0.02 | 0.005 | <0.01 | <0.01 | 0.003 | 0.32 | <0.01 | <0.01 | 0.002 | <0.02 |
| Iron | mg/L | 1150 | 8 | 25 | 20.0 | 0.6 | 210.0 | 10.7 | 3.4 | 3.0 | 3.7 | 2.3 | 1.7 | 0.6 | 210.0 | 2.7 | 1.0 | 3.5 | 5.0 |
| Lead | mg/L | 1.38 | 1.38 | 0.33 | 2.0 | 0.0 | 0.2 | 0.0075 | 0.0019 | <0.005 | 0.0008 | <0.003 | <0.003 | 0.0006 | 0.15 | <0.003 | <0.003 | 0.0025 | <0.005 |
| Molybdenum | mg/L | <0.06 | <0.06 | 1.82 | 0.05 | 0.003 | 0.05 | 0.019 | 0.013 | <0.02 | 0.003 | <0.01 | 0.02 | 0.019 | 0.05 | <0.01 | <0.01 | 0.017 | 0.05 |
| Nickel | mg/L | 1.84 | 0.5 | 29.3 | 2.0 | 0.0 | 0.4 | 0.101 | 0.080 | 0.23 | 0.044 | 0.19 | 0.094 | 0.036 | 0.37 | 0.027 | 0.093 | 0.046 | 0.16 |
| Selenium | mg/L | <0.100 | <0.100 | | 0.05 | 0.0025 | 0.15 | 0.017 | 0.009 | <0.05 | <0.005 | <0.03 | <0.03 | <0.005 | <0.03 | <0.03 | <0.03 | <0.005 | <0.05 |
| Silver | mg/L | | | | - | 0.0002 | 0.01 | 0.0012 | 0.0007 | <0.004 | <0.0004 | <0.002 | <0.002 | <0.0004 | <0.002 | <0.002 | <0.002 | <0.0004 | <0.004 |
| Strontium | mg/L | | | | - | 0.51 | 3.5 | 1.5 | 1.4 | 0.88 | 1.4 | 1.6 | 0.6 | 0.51 | 3.5 | 1.3 | 1.7 | 1.7 | 1.3 |
| Tin | mg/L | | | | - | 0.001 | 0.05 | 0.010 | 0.007 | 0.02 | 0.003 | 0.02 | 0.02 | 0.006 | 0.04 | <0.01 | <0.01 | 0.004 | <0.02 |
| Titanium | mg/L | 0.29 | 0.29 | | - | 0.015 | 0.77 | 0.090 | 0.054 | 0.15 | 0.016 | 0.11 | 0.09 | 0.031 | 0.77 | <0.03 | 0.06 | 0.022 | 0.18 |
| Vanadium | mg/L | 0.115 | 0.115 | | 1.0 | 0.0 | 0.1 | 0.017 | 0.012 | 0.030 | 0.004 | 0.026 | 0.018 | 0.006 | 0.120 | 0.005 | 0.015 | 0.005 | 0.030 |
| Zinc | mg/L | 11.27 | 0.3 | 0.043 | 5.0 | 0.0 | 1.8 | 0.104 | 0.032 | <0.1 | 0.020 | 0.080 | 0.070 | 0.030 | 1.800 | <0.05 | <0.05 | 0.030 | 0.100 |

- NOTES:** 1) Blank denotes data not available.
2) Target Concentrations derived from LMP and "Expansion of Poplar Cap Irrigation System for Existing Waste Disposal Area" report by Genivar Consultants LP dated January 2010.
3) CCME Guidelines denotes maximum concentration for negative effects to vegetation for irrigation water as per Canadian Water Quality Guidelines (2004).
4) '*' denotes concentration estimated based on poplar tree tolerance and vegetable crops of > 710 mg/L (CCME, 2004), and salty water irrigation for poplars at 400 to 14,000 mg/L (Shanon et al, 1998).
5) '-' denotes no CCME Guideline.
6) µs/cm denotes microsiemens per centimeter.
7) mg/L denotes milligrams per litre.
8) '**' denotes parameter not analysed due to log in error at laboratory.
9) Shading indicates exceedances of the target concentrations.
10) Bolding indicates exceedances of CCME guideline.
11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant target concentrations.

Table A-3
General Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Target Concentration 100% Leachate | CCME Guideline | Min | Max | Arithmetic Mean | Geomean | PS Holding Tank | | | | | | | | | |
|---------------------------------|----------|---|--|------------------------------------|----------------|---------|--------|-----------------|---------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | | | 11-Sep-19 | 07-Oct-19 | 20-May-20 | 09-Jun-20 | 21-Jul-20 | 31-Aug-20 | 15-Sep-20 | 19-May-21 | 23-Jun-21 | 14-Jul-21 |
| | | | | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Alkalinity as CaCO ₃ | mg/L | | 4500 | 9,150 | - | 990 | 9700 | 3253 | 2902 | 3800 | 2800 | 1600 | 2400 | 3400 | 4800 | 1800 | 2500 | 3400 | 2700 |
| Chloride | mg/L | 8625 | 2500 | 1,241 | 700 to 14,000* | 240 | 1400 | 673 | 614 | 670 | 700 | 510 | 540 | 950 | 1100 | 520 | 420 | 660 | 560 |
| Conductivity | uS/cm | | | 10,616 | - | 980 | 11310 | 6790 | 6219 | 7900 | 8200 | 4830 | 5690 | 6110 | 9770 | 5910 | 6000 | 6060 | 7080 |
| N-NH ₃ (Ammonia) | mg/L | 2944 | 800 | 554 | - | 17 | 1310 | 428 | 317 | 464 | 473 | 201 | 292 | 604 | 719 | 221 | 299 | 455 | 334 |
| N-NO ₂ (Nitrite) | mg/L | | | | - | 0.005 | 0.155 | 0.052 | 0.036 | 0.145 | <0.10 | 0.057 | <0.050 | <0.10 | <0.10 | 0.068 | 0.155 | <0.010 | <0.050 |
| N-NO ₃ (Nitrate) | mg/L | | | | - | 0.05 | 1 | 0.34 | 0.22 | <0.10 | <1.0 | 0.36 | <0.50 | <1.0 | <1.0 | <0.10 | <0.50 | <0.10 | <0.50 |
| pH | pH units | | 7.2 | | 6.0-8.5 | 6.73 | 8.1 | 7.3 | 7.3 | 7.4 | 7.4 | 7.3 | 7.0 | 8.0 | 7.6 | 7.0 | 7.0 | 6.9 | 6.7 |
| Sulphate | mg/L | 483 | 200 | | - | 10 | 560 | 269 | 201 | 250 | 380 | 420 | 270 | <50 | 480 | 290 | 440 | 300 | 250 |
| Total Kjeldahl Nitrogen | mg/L | 3450 | 960 | 2,948 | - | 150 | 1300 | 477 | 400 | 440 | 420 | 190 | 280 | 590 | 900 | 220 | 280 | 420 | 340 |
| Total Phosphorus | mg/L | 18.61 | 3 | 2.37 | - | 0.45 | 5.7 | 1.88 | 1.49 | 1.80 | 2.10 | 0.59 | 1.10 | 3.00 | 3.30 | 0.68 | 0.94 | 1.6 | 1.3 |
| Calcium | mg/L | 3795 | 200 | | - | 45 | 840 | 177 | 149 | 170 | 200 | 200 | 160 | 59 | 180 | 200 | 190 | 150 | 150 |
| Magnesium | mg/L | 1380 | 350 | 347 | - | 53 | 330 | 165 | 154 | 190 | 180 | 110 | 140 | 100 | 180 | 130 | 150 | 160 | 160 |
| Potassium | mg/L | 2852 | 300 | 238 | - | 36 | 380 | 183 | 154 | 180 | 190 | 78 | 120 | 300 | 330 | 120 | 90 | 150 | 140 |
| Sodium | mg/L | 6578 | 500 | 921 | - | 220 | 1400 | 690 | 619 | 650 | 740 | 350 | 530 | 850 | 1200 | 520 | 600 | 670 | 580 |
| Aluminum | mg/L | 4.09 | 4.09 | | 20.0 | 0.1 | 56.0 | 2.5 | 0.4 | 0.3 | 0.7 | 0.15 | 0.09 | 0.55 | 0.4 | 2.6 | <0.2 | 0.8 | 0.56 |
| Arsenic | mg/L | <0.11 | <0.11 | | 2.0 | 0.0 | 0.1 | 0.021 | 0.013 | 0.008 | 0.021 | 0.005 | 0.007 | 0.049 | 0.05 | 0.012 | <0.01 | <0.01 | 0.005 |
| Barium | mg/L | 0.966 | 0.966 | | - | 0.058 | 1.4 | 0.22 | 0.18 | 0.22 | 0.18 | 0.12 | 0.18 | 0.15 | 0.22 | 0.18 | 0.11 | 0.17 | 0.16 |
| Beryllium | mg/L | <0.007 | <0.007 | | 0.1 | 0.0003 | 0.015 | 0.0018 | 0.0010 | <0.0006 | <0.0006 | <0.0006 | <0.0006 | <0.003 | <0.006 | <0.0006 | <0.006 | <0.006 | <0.003 |
| Bismuth | mg/L | | | | - | 0.0005 | 0.025 | 0.0030 | 0.0016 | <0.001 | <0.001 | <0.001 | <0.001 | <0.005 | <0.01 | <0.001 | <0.01 | <0.01 | <0.005 |
| Boron | mg/L | 7.13 | 50 | 25.3 | 6.0 | 1.8 | 110.0 | 13.3 | 8.7 | 4.4 | 7.9 | 3.1 | 4.4 | 6.7 | 20.0 | 5.0 | 20 | 17 | 6.2 |
| Cadmium | mg/L | 0.12 | 0.12 | | 0.01 | 0.00005 | 0.0025 | 0.0003 | 0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0005 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.0005 |
| Chromium | mg/L | 0.92 | 0.5 | 0.12 | 0.1 | 0.012 | 0.24 | 0.08 | 0.06 | 0.05 | 0.10 | 0.03 | 0.032 | 0.24 | 0.23 | 0.06 | <0.05 | 0.05 | 0.03 |
| Cobalt | mg/L | <0.115 | <0.115 | | 5.0 | 0.0 | 0.1 | 0.014 | 0.010 | 0.0089 | 0.011 | 0.0057 | 0.0069 | 0.019 | 0.019 | 0.0092 | 0.006 | 0.009 | 0.008 |
| Copper | mg/L | 0.064 | 0.1 | 0.43 | 5 | 0.001 | 0.32 | 0.021 | 0.006 | <0.002 | 0.004 | 0.002 | <0.002 | <0.01 | <0.02 | 0.007 | <0.02 | <0.02 | <0.01 |
| Iron | mg/L | 1150 | 8 | 25 | 20.0 | 0.6 | 210.0 | 10.7 | 3.4 | 2.0 | 4.5 | 4.1 | 2.7 | 1.9 | 5.0 | 7.0 | 4 | 5 | 3.3 |
| Lead | mg/L | 1.38 | 1.38 | 0.33 | 2.0 | 0.0 | 0.2 | 0.0075 | 0.0019 | 0.0015 | 0.0021 | 0.0008 | 0.0007 | <0.003 | <0.005 | 0.004 | <0.005 | <0.005 | <0.003 |
| Molybdenum | mg/L | <0.06 | <0.06 | 1.82 | 0.05 | 0.003 | 0.05 | 0.019 | 0.013 | 0.008 | 0.018 | 0.02 | 0.013 | 0.05 | 0.05 | 0.013 | 0.03 | <0.02 | 0.01 |
| Nickel | mg/L | 1.84 | 0.5 | 29.3 | 2.0 | 0.0 | 0.4 | 0.101 | 0.080 | 0.082 | 0.1 | 0.044 | 0.062 | 0.16 | 0.17 | 0.081 | 0.05 | 0.08 | 0.06 |
| Selenium | mg/L | <0.100 | <0.100 | | 0.05 | 0.0025 | 0.15 | 0.017 | 0.009 | <0.005 | <0.005 | <0.005 | <0.005 | <0.03 | <0.05 | <0.005 | <0.05 | <0.05 | <0.03 |
| Silver | mg/L | | | | - | 0.0002 | 0.01 | 0.0012 | 0.0007 | <0.0004 | <0.0004 | <0.0004 | <0.0004 | <0.002 | <0.004 | <0.0004 | <0.004 | <0.004 | <0.002 |
| Strontium | mg/L | | | | - | 0.51 | 3.5 | 1.5 | 1.4 | 1.6 | 1.9 | 1.6 | 1.6 | 0.58 | 1.7 | 1.6 | 1.5 | 1.6 | 1.5 |
| Tin | mg/L | | | | - | 0.001 | 0.05 | 0.010 | 0.007 | 0.005 | 0.008 | <0.002 | 0.003 | 0.02 | <0.02 | 0.003 | <0.02 | <0.02 | <0.01 |
| Titanium | mg/L | 0.29 | 0.29 | | - | 0.015 | 0.77 | 0.090 | 0.054 | 0.05 | 0.07 | 0.026 | 0.036 | 0.14 | 0.16 | 0.069 | <0.05 | <0.05 | 0.05 |
| Vanadium | mg/L | 0.115 | 0.115 | | 1.0 | 0.0 | 0.1 | 0.017 | 0.012 | 0.011 | 0.016 | 0.006 | 0.009 | 0.027 | 0.03 | 0.014 | <0.01 | <0.01 | 0.01 |
| Zinc | mg/L | 11.27 | 0.3 | 0.043 | 5.0 | 0.0 | 1.8 | 0.104 | 0.032 | 0.020 | 0.040 | <0.01 | <0.01 | 0.050 | <0.1 | 0.03 | <0.1 | <0.1 | <0.05 |

- NOTES:** 1) Blank denotes data not available.
2) Target Concentrations derived from LMP and "Expansion of Poplar Cap Irrigation System for Existing Waste Disposal Area" report by Genivar Consultants LP dated Ja
3) CCME Guidelines denotes maximum concentration for negative effects to vegetation for irrigation water as per Canadian Water Quality Guidelines (2004).
4) '*' denotes concentration estimated based on poplar tree tolerance and vegetable crops of > 710 mg/L (CCME, 2004), and salty water irrigation for poplars at 400 to 1
5) '-' denotes no CCME Guideline.
6) µs/cm denotes microsiemens per centimeter.
7) mg/L denotes milligrams per litre.
8) "***" denotes parameter not analysed due to log in error at laboratory.
9) Shading indicates exceedances of the target concentrations.
10) Bolding indicates exceedances of CCME guideline.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant target concentrations.

Table A-3
General Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System

| Parameter | Units | D&O Anticipated Raw Leachate Quality | | Target Concentration 100% Leachate | CCME Guideline | Min | Max | Arithmetic Mean | Geomean | PS Holding Tank | | | | | | | | | |
|---------------------------------|----------|---|--|------------------------------------|----------------|---------|--------|-----------------|---------|-----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|--|--|
| | | Warwick Landfill Peak Value Including Recirculation | Warwick Landfill Anticipated Phase 1 Raw Leachate Design Quality | | | | | | | 11-Aug-21 | 16-Sep-21 | 24-May-22 | 7-Jun-22 | 7-Jul-22 | 9-Aug-22 | 1-Sep-22 | 4-Oct-22 | | |
| | | | | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | |
| Alkalinity as CaCO ₃ | mg/L | | 4500 | 9,150 | - | 990 | 9700 | 3253 | 2902 | 9700 | 4900 | 1400 | 3700 | 3300 | 3300 | 1900 | 2900 | | |
| Chloride | mg/L | 8625 | 2500 | 1,241 | 700 to 14,000* | 240 | 1400 | 673 | 614 | 610 | 880 | 400 | 810 | 660 | 680 | 500 | 250 | | |
| Conductivity | uS/cm | | | 10,616 | - | 980 | 11310 | 6790 | 6219 | 9940 | 11310 | 4460 | 9570 | 8020 | 8300 | 5100 | 6680 | | |
| N-NH ₃ (Ammonia) | mg/L | 2944 | 800 | 554 | - | 17 | 1310 | 428 | 317 | 1310 | 639 | 166 | 638 | 366 | 575 | 194 | 39 | | |
| N-NO ₂ (Nitrite) | mg/L | | | | - | 0.005 | 0.155 | 0.052 | 0.036 | <0.10 | <0.10 | <0.010 | 0.022 | <0.10 | <0.10 | <0.010 | <0.10 | | |
| N-NO ₃ (Nitrate) | mg/L | | | | - | 0.05 | 1 | 0.34 | 0.22 | <1.0 | <1.0 | <0.10 | <0.10 | 0.19 | <1.0 | <0.10 | <1.0 | | |
| pH | pH units | | 7.2 | | 6.0-8.5 | 6.73 | 8.1 | 7.3 | 7.3 | 7.4 | 7.9 | 7.3 | 7.4 | 7.1 | 7.5 | 6.9 | 8.1 | | |
| Sulphate | mg/L | 483 | 200 | | - | 10 | 560 | 269 | 201 | 83 | 160 | 530 | 66 | 230 | 310 | 430 | 420 | | |
| Total Kjeldahl Nitrogen | mg/L | 3450 | 960 | 2,948 | - | 150 | 1300 | 477 | 400 | 1300 | 650 | 160 | 650 | 550 | 550 | 210 | 830 | | |
| Total Phosphorus | mg/L | 18.61 | 3 | 2.37 | - | 0.45 | 5.7 | 1.88 | 1.49 | 3.4 | 2.3 | 0.5 | 2.4 | 1.4 | 1.5 | 0.8 | 0.66 | | |
| Calcium | mg/L | 3795 | 200 | | - | 45 | 840 | 177 | 149 | 77 | 150 | 220 | 140 | 140 | 150 | 220 | 110 | | |
| Magnesium | mg/L | 1380 | 350 | 347 | - | 53 | 330 | 165 | 154 | 170 | 280 | 150 | 210 | 150 | 210 | 170 | 64 | | |
| Potassium | mg/L | 2852 | 300 | 238 | - | 36 | 380 | 183 | 154 | 270 | 280 | 51 | 230 | 180 | 200 | 94 | 36 | | |
| Sodium | mg/L | 6578 | 500 | 921 | - | 220 | 1400 | 690 | 619 | 1400 | 1000 | 320 | 770 | 610 | 790 | 470 | 220 | | |
| Aluminum | mg/L | 4.09 | 4.09 | | 20.0 | 0.1 | 56.0 | 2.5 | 0.4 | <0.8 | 0.44 | 0.08 | 0.14 | 0.13 | 0.32 | 0.14 | 0.33 | | |
| Arsenic | mg/L | <0.11 | <0.11 | | 2.0 | 0.0 | 0.1 | 0.021 | 0.013 | <0.05 | 0.01 | 0.008 | 0.009 | 0.01 | 0.012 | 0.004 | 0.063 | | |
| Barium | mg/L | 0.966 | 0.966 | | - | 0.058 | 1.4 | 0.22 | 0.18 | <0.3 | 0.26 | 0.08 | 0.25 | 0.22 | 0.2 | 0.17 | 0.083 | | |
| Beryllium | mg/L | <0.007 | <0.007 | | 0.1 | 0.0003 | 0.015 | 0.0018 | 0.0010 | <0.03 | <0.003 | <0.003 | <0.003 | <0.0006 | <0.003 | <0.0006 | <0.0006 | | |
| Bismuth | mg/L | | | | - | 0.0005 | 0.025 | 0.0030 | 0.0016 | <0.05 | <0.005 | <0.005 | <0.005 | <0.001 | <0.005 | <0.001 | <0.001 | | |
| Boron | mg/L | 7.13 | 50 | 25.3 | 6.0 | 1.8 | 110.0 | 13.3 | 8.7 | 110 | 20 | 7.5 | 10 | 7.4 | 6.8 | 7.5 | 1.8 | | |
| Cadmium | mg/L | 0.12 | 0.12 | | 0.01 | 0.00005 | 0.0025 | 0.0003 | 0.0002 | <0.005 | <0.0005 | <0.0005 | <0.0005 | <0.0001 | <0.0005 | <0.0001 | <0.0001 | | |
| Chromium | mg/L | 0.92 | 0.5 | 0.12 | 0.1 | 0.012 | 0.24 | 0.08 | 0.06 | <0.3 | 0.07 | <0.03 | 0.05 | 0.047 | 0.05 | 0.023 | 0.026 | | |
| Cobalt | mg/L | <0.115 | <0.115 | | 5.0 | 0.0 | 0.1 | 0.014 | 0.010 | <0.03 | 0.015 | <0.003 | 0.012 | 0.01 | 0.012 | 0.0045 | 0.0028 | | |
| Copper | mg/L | 0.064 | 0.1 | 0.43 | 5 | 0.001 | 0.32 | 0.021 | 0.006 | <0.1 | <0.01 | <0.01 | <0.01 | 0.003 | 0.1 | 0.007 | <0.002 | | |
| Iron | mg/L | 1150 | 8 | 25 | 20.0 | 0.6 | 210.0 | 10.7 | 3.4 | <5 | 2.6 | 5.9 | 1.8 | 2.6 | 4.2 | 4.1 | 1.8 | | |
| Lead | mg/L | 1.38 | 1.38 | 0.33 | 2.0 | 0.0 | 0.2 | 0.0075 | 0.0019 | <0.03 | 0.003 | <0.003 | <0.003 | 0.0008 | <0.003 | 0.0008 | 0.0006 | | |
| Molybdenum | mg/L | <0.06 | <0.06 | 1.82 | 0.05 | 0.003 | 0.05 | 0.019 | 0.013 | <0.1 | <0.01 | <0.01 | <0.01 | 0.018 | <0.01 | 0.008 | 0.017 | | |
| Nickel | mg/L | 1.84 | 0.5 | 29.3 | 2.0 | 0.0 | 0.4 | 0.101 | 0.080 | 0.12 | 0.13 | 0.023 | 0.099 | 0.088 | 0.11 | 0.047 | 0.023 | | |
| Selenium | mg/L | <0.100 | <0.100 | | 0.05 | 0.0025 | 0.15 | 0.017 | 0.009 | <0.3 | <0.03 | <0.03 | <0.03 | <0.005 | <0.03 | <0.005 | <0.005 | | |
| Silver | mg/L | | | | - | 0.0002 | 0.01 | 0.0012 | 0.0007 | <0.02 | <0.002 | <0.002 | <0.002 | <0.0004 | <0.002 | <0.0004 | <0.0004 | | |
| Strontium | mg/L | | | | - | 0.51 | 3.5 | 1.5 | 1.4 | 1.0 | 1.6 | 2.2 | 1.6 | 1.8 | 1.7 | 2.2 | 0.96 | | |
| Tin | mg/L | | | | - | 0.001 | 0.05 | 0.010 | 0.007 | <0.1 | <0.01 | <0.01 | <0.01 | 0.004 | <0.01 | <0.002 | 0.008 | | |
| Titanium | mg/L | 0.29 | 0.29 | | - | 0.015 | 0.77 | 0.090 | 0.054 | <0.3 | 0.06 | <0.03 | 0.05 | 0.049 | 0.05 | 0.023 | 0.031 | | |
| Vanadium | mg/L | 0.115 | 0.115 | | 1.0 | 0.0 | 0.1 | 0.017 | 0.012 | <0.05 | 0.013 | <0.005 | 0.012 | 0.014 | 0.013 | 0.006 | 0.007 | | |
| Zinc | mg/L | 11.27 | 0.3 | 0.043 | 5.0 | 0.0 | 1.8 | 0.104 | 0.032 | <0.5 | <0.05 | <0.05 | <0.05 | 0.01 | <0.05 | <0.01 | <0.01 | | |

- NOTES:** 1) Blank denotes data not available.
2) Target Concentrations derived from LMP and "Expansion of Poplar Cap Irrigation System for Existing Waste Disposal Area" report by Genivar Consultants LP dated Ja
3) CCME Guidelines denotes maximum concentration for negative effects to vegetation for irrigation water as per Canadian Water Quality Guidelines (2004).
4) '*' denotes concentration estimated based on poplar tree tolerance and vegetable crops of > 710 mg/L (CCME, 2004), and salty water irrigation for poplars at 400 to 1
5) '-' denotes no CCME Guideline.
6) µs/cm denotes microsiemens per centimeter.
7) mg/L denotes milligrams per litre.
8) "***" denotes parameter not analysed due to log in error at laboratory.
9) Shading indicates exceedances of the target concentrations.
10) Bolding indicates exceedances of CCME guideline.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant target concentrations.

Table A-4
Organic VOC Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System

| Parameter | Units | Target Concentration 100% Leachate | PS Holding Tank | | | | | | | | | | | | | | | | | | | |
|-------------------------------------|-------|---------------------------------------|-----------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|-----------|----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | 28-Sep-17 | 28-May-18 | 11-Jun-18 | 17-Jul-18 | 22-Aug-18 | 27-Sep-18 | 24-May-19 | 26-Jun-19 | 5-Jul-19 | 7-Aug-19 | 11-Sep-19 | 7-Oct-19 | 20-May-20 | 9-Jun-20 | 21-Jul-20 | 31-Aug-20 | 15-Sep-20 | 19-May-21 | 23-Jun-21 | 14-Jul-21 |
| BTEX (Total) | µg/L | 127* | 36.0 | 17.3 | 91.8 | 25.4 | 11.9 | 50.2 | 8.3 | 79.9 | 57.3 | 61.0 | 55.0 | 59.3 | 42.9 | 30.3 | 31.9 | 74.8 | 42.0 | 44.0 | 25.9 | 9.9 |
| Acetone (2-Propanone) | ug/L | | 710.0 | 20.0 | 490.0 | 410.0 | 75.0 | 44.0 | <100 | 23.0 | <200 | 330.0 | <500 | 45.0 | 39 | 38 | 800 | 640 | 100 | <500 | <100 | <100 |
| Benzene | ug/L | | <5.0 | 1.6 | 4.8 | 0.9 | 0.4 | 3.1 | <2.0 | 6.7 | 5.0 | 4.2 | 10.0 | 2.3 | 1.7 | 3 | <2.0 | 3 | 3.6 | <10 | 3.6 | <2.0 |
| Bromodichloromethane | ug/L | | <5.0 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| Bromoform | ug/L | | <10 | <1.0 | <10 | <1.0 | <1.0 | <1.0 | <10 | <1.0 | <20 | <1.0 | <50 | <1.0 | <1.0 | <1.0 | <10 | <10 | <1.0 | <50 | <10 | <10 |
| Bromomethane | ug/L | | <25 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| Carbon Tetrachloride | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.19 | <0.19 | <1.9 | <1.9 | <0.19 | <9.5 | <1.9 | <1.9 |
| Chlorobenzene | ug/L | | <5.0 | 2.6 | 5.4 | <0.20 | <0.20 | 3.1 | <2.0 | 3.4 | <4.0 | 1.0 | <10 | 2.8 | <0.20 | 3.2 | <2.0 | <2.0 | 1.3 | <10 | 4 | <2.0 |
| Chloroethane | ug/L | | <10 | 1.5 | <10 | <1.0 | <1.0 | 2.4 | <10 | 2.0 | <20 | <1.0 | <50 | <1.0 | 1.7 | <1.0 | <10 | <10 | 1.2 | <50 | <10 | <10 |
| Chloroform | ug/L | | 7.8 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | 0.9 | <10 | <0.20 | <0.20 | <0.20 | 18.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| Chloromethane | ug/L | | <25 | <5.0 | <50 | <5.0 | <5.0 | <5.0 | <50 | <5.0 | <100 | <5.0 | <250 | <5.0 | <5.0 | <5.0 | <50 | <50 | <5.0 | <250 | <50 | <50 |
| Dibromochloromethane | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| 1,2-Dichlorobenzene | ug/L | | <10 | <0.50 | <5.0 | <2.0 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| 1,3-Dichlorobenzene | ug/L | | <10 | <0.50 | <5.0 | <2.0 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| 1,4-Dichlorobenzene | ug/L | | <10 | 2.0 | <5.0 | <2.0 | <0.50 | 2.5 | <5.0 | 3.2 | <10 | 1.1 | <25 | 1.9 | 0.65 | 1.2 | <4.0 | <4.0 | 2.6 | <20 | <4.0 | <4.0 |
| 1,1-Dichloroethane | ug/L | | <5.0 | 0.7 | <2.0 | <0.20 | <0.20 | 1.5 | 2.1 | 2.1 | <4.0 | 0.5 | <10 | 0.5 | 0.88 | 0.26 | <2.0 | <2.0 | 0.88 | <10 | <2.0 | <2.0 |
| 1,2-Dichloroethane | ug/L | | <10 | <0.50 | <5.0 | 1.1 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.49 | <4.9 | <4.9 | <0.49 | <25 | <4.9 | <4.9 |
| 1,1-Dichloroethylene | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.20 | <0.20 | <2.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| cis-1,2-Dichloroethylene | ug/L | | <5.0 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| trans-1,2-Dichloroethylene | ug/L | | <5.0 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| 1,2-Dichloropropane | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.20 | <0.20 | <2.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| cis-1,3-Dichloropropene | ug/L | | <10 | <0.30 | <3.0 | <0.30 | <0.30 | <0.30 | <3.0 | <0.30 | <6.0 | <0.30 | <15 | <0.30 | <0.30 | <0.30 | <3.0 | <3.0 | <0.30 | <15 | <3.0 | <3.0 |
| trans-1,3-Dichloropropene | ug/L | | <10 | <0.40 | <4.0 | <0.40 | <0.40 | <0.40 | <4.0 | <0.40 | <8.0 | <0.40 | <20 | <0.40 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| Ethylbenzene | ug/L | | <5.0 | <0.20 | 16.0 | 2.3 | 1.2 | 5.9 | <2.0 | 26.0 | 13.0 | 6.8 | 14.0 | 11.0 | 1.2 | 5.3 | 2.9 | 7.8 | 6.4 | <10 | <2.0 | <2.0 |
| Ethylene Dibromide | ug/L | | <10 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.19 | <0.19 | <1.9 | <1.9 | <0.19 | <9.5 | <1.9 | <1.9 |
| Methylene Chloride(Dichloromethane) | ug/L | | <25 | <2.0 | <20 | <2.0 | <2.0 | <2.0 | <20 | <2.0 | <40 | <2.0 | <100 | <2.0 | <2.0 | <2.0 | <20 | <20 | <2.0 | <100 | <20 | <20 |
| Methyl Ethyl Ketone (2-Butanone) | ug/L | | 1000.0 | <10 | 600.0 | 730.0 | 150.0 | 27.0 | <100 | <10 | <200 | 100.0 | <500 | 25.0 | <10 | 12 | 1000 | 840 | 110 | <500 | <100 | <100 |
| Methyl Isobutyl Ketone | ug/L | | <250 | <5.0 | <50 | 18.0 | 5.5 | <5.0 | <50 | <5.0 | <100 | 12.0 | <250 | 6.8 | <5.0 | <5.0 | <50 | <50 | <5.0 | <250 | <50 | <50 |
| Methyl t-butyl ether (MTBE) | ug/L | | <10 | 1.1 | <5.0 | 1.9 | 0.6 | 1.1 | <5.0 | 1.1 | <10 | 1.9 | <25 | 1.1 | <0.50 | 0.69 | <5.0 | <5.0 | 1.3 | <25 | <5.0 | <5.0 |
| Styrene | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| 1,1,1,2-Tetrachloroethane | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| 1,1,1,2,2-Tetrachloroethane | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| Tetrachloroethylene | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.20 | <0.20 | <2.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| Toluene | ug/L | | 25.0 | 1.5 | 21.0 | 13.0 | 6.4 | 6.2 | <2.0 | 4.2 | 4.3 | 21.0 | 10.0 | 11.0 | 4.0 | 3.0 | 17 | 35 | 6.0 | 24 | 7.3 | <2.0 |
| 1,1,1-Trichloroethane | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.20 | <0.20 | <2.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| 1,1,2-Trichloroethane | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.40 | <0.40 | <4.0 | <4.0 | <0.40 | <20 | <4.0 | <4.0 |
| Trichloroethylene | ug/L | | <5.0 | <0.20 | <2.0 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <4.0 | <0.20 | <10 | <0.20 | <0.20 | <0.20 | <2.0 | <2.0 | <0.20 | <10 | <2.0 | <2.0 |
| Trichlorofluoromethane (FREON 11) | ug/L | | <10 | <0.50 | <5.0 | <0.50 | <0.50 | <0.50 | <5.0 | <0.50 | <10 | <0.50 | <25 | <0.50 | <0.50 | <0.50 | <5.0 | <5.0 | <0.50 | <25 | <5.0 | <5.0 |
| Vinyl Chloride | ug/L | | <10 | 0.3 | <2.0 | 0.3 | 0.2 | 0.3 | <2.0 | 0.5 | <4.0 | 0.5 | <10 | 0.4 | <0.20 | 0.23 | <2.0 | <2.0 | 0.28 | <10 | <2.0 | <2.0 |
| p+m-Xylene | ug/L | | 11.0 | 7.8 | 38.0 | 6.2 | 2.7 | 23.0 | 2.3 | 30.0 | 25.0 | 20.0 | 21.0 | 25.0 | 23 | 14 | 7.5 | 20 | 20 | 10 | 6.1 | <2.0 |
| o-Xylene | ug/L | | <5.0 | 6.2 | 13.0 | 3.0 | 1.2 | 12.0 | 3.0 | 12.0 | 10.0 | 9.1 | <10 | 11.0 | 14 | 5.4 | 3.7 | 9 | 6.6 | <10 | 7.6 | 6.9 |
| Total Xylenes | ug/L | | 11.0 | 14.0 | 50.0 | 9.2 | 3.9 | 35.0 | 5.3 | 43.0 | 35.0 | 29.0 | 21.0 | 35.0 | 36 | 19 | 11 | 29 | 26 | 10 | 14 | 6.9 |

- NOTES:** 1) Blank denotes data not available.
2) < - denotes parameter concentration is below the estimated quantitation limit or method reporting limit.
3) µg/L denotes microgram per litre.
4) VOCs for leachate holding tank not analysed in July 2007 due to an error at laboratory.
5) "*" denotes composite concentration of benzene, ethylbenzene, toluene, and xylene (BTEX); where a concentration was less than the Reported Detection Limit (RDL), the concentration was considered to be equal to one half of the RDL.
6) Shading denotes exceedances of the target concentration.

Table A-4
Organic VOC Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System


| Parameter | Units | Target Concentration 100% Leachate | PS Holding Tank | | | | | | | | | | | | | | | | |
|-------------------------------------|-------|---------------------------------------|-----------------|-----------|-----------|----------|----------|----------|----------|----------|--|--|--|--|--|--|--|--|--|
| | | | 11-Aug-21 | 16-Sep-21 | 24-May-22 | 7-Jun-22 | 7-Jul-22 | 9-Aug-22 | 1-Sep-22 | 4-Oct-22 | | | | | | | | | |
| BTEX (Total) | µg/L | 127* | 319 | 131 | 31 | 50 | 40 | 40 | 23 | 66 | | | | | | | | | |
| Acetone (2-Propanone) | ug/L | | <500 | 53 | 300 | <100 | 110 | 110 | 35 | 4000 | | | | | | | | | |
| Benzene | ug/L | | <10 | 5.5 | 1.2 | 3.8 | 2.7 | 3.1 | 1.9 | 3.9 | | | | | | | | | |
| Bromodichloromethane | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| Bromoform | ug/L | | <50 | <1.0 | <1.0 | <10 | <5.0 | <10 | <1.0 | <1.0 | | | | | | | | | |
| Bromomethane | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| Carbon Tetrachloride | ug/L | | <9.5 | <0.19 | <0.19 | <1.9 | <0.95 | <1.9 | <0.19 | <0.19 | | | | | | | | | |
| Chlorobenzene | ug/L | | <10 | 4.8 | 0.34 | 4.3 | 2.4 | 2.5 | 2.6 | 0.4 | | | | | | | | | |
| Chloroethane | ug/L | | <50 | 1.6 | <1.0 | <10 | <5.0 | <10 | <1.0 | <1.0 | | | | | | | | | |
| Chloroform | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | <0.20 | | | | | | | | | |
| Chloromethane | ug/L | | <250 | <5.0 | <5.0 | <50 | <25 | <50 | <5.0 | <5.0 | | | | | | | | | |
| Dibromochloromethane | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| 1,2-Dichlorobenzene | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| 1,3-Dichlorobenzene | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| 1,4-Dichlorobenzene | ug/L | | <20 | 2.9 | 0.98 | 4.2 | <2.0 | <4.0 | 1.5 | 1.7 | | | | | | | | | |
| 1,1-Dichloroethane | ug/L | | <10 | 0.56 | 0.28 | <2.0 | <1.0 | <2.0 | 0.29 | <0.20 | | | | | | | | | |
| 1,2-Dichloroethane | ug/L | | <25 | <0.49 | <0.49 | <4.9 | <2.5 | <4.9 | <0.49 | 3.7 | | | | | | | | | |
| 1,1-Dichloroethylene | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | <0.20 | | | | | | | | | |
| cis-1,2-Dichloroethylene | ug/L | | <25 | 0.9 | 1.1 | <5.0 | <2.5 | <5.0 | <0.50 | 2.9 | | | | | | | | | |
| trans-1,2-Dichloroethylene | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| 1,2-Dichloropropane | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | 0.47 | | | | | | | | | |
| cis-1,3-Dichloropropene | ug/L | | <15 | <0.30 | <0.30 | <3.0 | <1.5 | <3.0 | <0.30 | <0.30 | | | | | | | | | |
| trans-1,3-Dichloropropene | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| Ethylbenzene | ug/L | | 24 | 28 | 3.0 | 4.6 | 11 | 5.7 | 3.0 | 6.8 | | | | | | | | | |
| Ethylene Dibromide | ug/L | | <9.5 | <0.19 | <0.19 | <1.9 | <0.95 | <1.9 | <0.19 | <0.19 | | | | | | | | | |
| Methylene Chloride(Dichloromethane) | ug/L | | <100 | <2.0 | <2.0 | <20 | <10 | <20 | <2.0 | <2.0 | | | | | | | | | |
| Methyl Ethyl Ketone (2-Butanone) | ug/L | | <500 | 23 | 300 | <100 | 71 | <100 | 31 | 4200 | | | | | | | | | |
| Methyl Isobutyl Ketone | ug/L | | <250 | 7.5 | 11 | <50 | <25 | <50 | <5.0 | 59 | | | | | | | | | |
| Methyl t-butyl ether (MTBE) | ug/L | | <25 | 0.97 | <0.50 | <5.0 | <2.5 | <5.0 | 0.82 | 0.82 | | | | | | | | | |
| Styrene | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| 1,1,1,2-Tetrachloroethane | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| Tetrachloroethylene | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | <0.20 | | | | | | | | | |
| Toluene | ug/L | | 200 | 15 | 9.3 | 4.1 | 2.3 | 5.1 | 3.4 | 27 | | | | | | | | | |
| 1,1,1-Trichloroethane | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | <0.20 | | | | | | | | | |
| 1,1,2-Trichloroethane | ug/L | | <20 | <0.40 | <0.40 | <4.0 | <2.0 | <4.0 | <0.40 | <0.40 | | | | | | | | | |
| Trichloroethylene | ug/L | | <10 | <0.20 | <0.20 | <2.0 | <1.0 | <2.0 | <0.20 | <0.20 | | | | | | | | | |
| Trichlorofluoromethane (FREON 11) | ug/L | | <25 | <0.50 | <0.50 | <5.0 | <2.5 | <5.0 | <0.50 | <0.50 | | | | | | | | | |
| Vinyl Chloride | ug/L | | <10 | 0.4 | 0.32 | <2.0 | <1.0 | <2.0 | 0.26 | <0.20 | | | | | | | | | |
| p+m-Xylene | ug/L | | 63 | 58 | 12 | 22 | 16 | 17 | 11 | 19 | | | | | | | | | |
| o-Xylene | ug/L | | 27 | 24 | 5.2 | 15 | 7.3 | 8.8 | 3.5 | 9.2 | | | | | | | | | |
| Total Xylenes | ug/L | | 90 | 82 | 17 | 37 | 24 | 26 | 15 | 28 | | | | | | | | | |

- NOTES:** 1) Blank denotes data not available.
2) < - denotes parameter concentration is below the estimated quantitation limit or method reporting limit.
3) µg/L denotes microgram per litre.
4) VOCs for leachate holding tank not analysed in July 2007 due to an error at laboratory.
5) "*" denotes composite concentration of benzene, ethylbenzene, toluene, and xylene (BTEX); where a concentration was less than the Reported Detection Limit (RDL), the concentration was considered to be equal to one half of the RDL.
6) Shading denotes exceedances of the target concentration.

Table A-5
Organic EPA 625 Chemical Results - Irrigation Liquid
Twin Creeks Environmental Centre - Poplar System

| Parameter | Units | Target Concentration 100% Leachate | PS Holding Tank | | | | | | | | | | | | | | | |
|------------------------------------|-------|------------------------------------|-----------------|-----------|-----------|----------|----------|----------|----------|----------|--|--|--|--|--|--|--|--|
| | | | 11-Aug-21 | 16-Sep-21 | 24-May-22 | 7-Jun-22 | 7-Jul-22 | 9-Aug-22 | 1-Sep-22 | 4-Oct-22 | | | | | | | | |
| Acenaphthene | ug/L | <0.80 | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | |
| Acenaphthylene | ug/L | <0.80 | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | |
| Anthracene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Benzo(a)anthracene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Benzo(a)pyrene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Benzo(b)fluoranthene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Benzo(g,h,i)perylene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Benzo(k)fluoranthene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| 1-Chloronaphthalene | ug/L | <4.0 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| 2-Chloronaphthalene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Chrysene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Dibenz(a,h)anthracene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Fluoranthene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Fluorene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| 1-Methylnaphthalene | ug/L | <0.80 | 1.1 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| 2-Methylnaphthalene | ug/L | <0.80 | 1.3 | <0.80 | <1.0 | <2.0 | 0.94 | <0.80 | <2.0 | | | | | | | | | |
| Naphthalene | ug/L | 3.6 | 6.8 | 1.5 | 1.3 | 13 | 6.5 | <0.80 | 8.0 | | | | | | | | | |
| Perylene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Phenanthrene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| Pyrene | ug/L | <0.80 | <0.80 | <0.80 | <1.0 | <2.0 | <0.80 | <0.80 | <2.0 | | | | | | | | | |
| 1,2-Dichlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,3-Dichlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,4-Dichlorobenzene | ug/L | <2.0 | 2.1 | <2.0 | 2.8 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Hexachlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Pentachlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,2,3,5-Tetrachlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,2,4,5-Tetrachlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,2,3-Trichlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,2,4-Trichlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 1,3,5-Trichlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2-Chlorophenol | ug/L | <1.2 | <1.2 | <1.2 | <1.5 | <3.0 | <1.2 | <1.2 | <3.0 | | | | | | | | | |
| 4-Chloro-3-Methylphenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| m/p-Cresol | ug/L | 99 | 8.6 | 13 | <2.5 | 26 | 8.5 | <2.0 | 100 | | | | | | | | | |
| o-Cresol | ug/L | 4.8 | <2.0 | 2.6 | <2.5 | <5.0 | 2.1 | <2.0 | 11 | | | | | | | | | |
| 1,2,3,4-Tetrachlorobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,3-Dichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,4-Dichlorophenol | ug/L | <1.2 | <1.2 | <1.2 | <1.5 | <3.0 | <1.2 | <1.2 | <3.0 | | | | | | | | | |
| 2,5-Dichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,6-Dichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 3,4-Dichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 3,5-Dichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,4-Dimethylphenol | ug/L | 15 | 5.2 | 2.4 | <2.5 | 6.0 | 4.1 | <2.0 | <5.0 | | | | | | | | | |
| 2,4-Dinitrophenol | ug/L | <8.0 | <8.0 | <8.0 | <10 | <20 | <8.0 | <8.0 | <20 | | | | | | | | | |
| 4,6-Dinitro-2-methylphenol | ug/L | <8.0 | <8.0 | <8.0 | <10 | <20 | <8.0 | <8.0 | <20 | | | | | | | | | |
| 2-Nitrophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 4-Nitrophenol | ug/L | <5.6 | <5.6 | <5.6 | <7.0 | <14 | <5.6 | <5.6 | <14 | | | | | | | | | |
| Pentachlorophenol | ug/L | <4.0 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| Phenol | ug/L | 7.4 | <2.0 | 2.5 | <2.5 | 9.1 | 2.8 | <2.0 | 100 | | | | | | | | | |
| 2,3,4,5-Tetrachlorophenol | ug/L | <1.6 | <1.6 | <1.6 | <2.0 | <4.0 | <1.6 | <1.6 | <4.0 | | | | | | | | | |
| 2,3,4,6-Tetrachlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,3,5,6-Tetrachlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,3,4-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,3,5-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,3,6-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,4,5-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 2,4,6-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| 3,4,5-Trichlorophenol | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Benzyl butyl phthalate | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Biphenyl | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Bis(2-chloroethyl)ether | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Bis(2-chloroethoxy)methane | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Bis(2-chloroisopropyl)ether | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Bis(2-ethylhexyl)phthalate | ug/L | <8.0 | <8.0 | <8.0 | <10 | <20 | <8.0 | <8.0 | <20 | | | | | | | | | |
| 4-Bromophenyl phenyl ether | ug/L | <1.2 | <1.2 | <1.2 | <1.5 | <3.0 | <1.2 | <1.2 | <3.0 | | | | | | | | | |
| p-Chloroaniline | ug/L | <4.0 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| 4-Chlorophenyl phenyl ether | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Di-N-butyl phthalate | ug/L | <8.0 | <8.0 | <8.0 | <10 | <20 | <8.0 | <8.0 | <20 | | | | | | | | | |
| Di-N-octyl phthalate | ug/L | <3.2 | <3.2 | <3.2 | <4.0 | <8.0 | <3.2 | <3.2 | <8.0 | | | | | | | | | |
| 2,4-Dinitrotoluene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Diethyl phthalate | ug/L | 4.2 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| 3,3'-Dichlorobenzidine | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Dimethyl phthalate | ug/L | <4.0 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| 2,6-Dinitrotoluene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Diphenyl Ether | ug/L | <1.2 | <1.2 | <1.2 | <1.5 | <3.0 | <1.2 | <1.2 | <3.0 | | | | | | | | | |
| Hexachlorobutadiene | ug/L | <1.6 | <1.6 | <1.6 | <2.0 | <4.0 | <1.6 | <1.6 | <4.0 | | | | | | | | | |
| Hexachlorocyclopentadiene | ug/L | <8.0 | <8.0 | <8.0 | <10 | <20 | <8.0 | <8.0 | <20 | | | | | | | | | |
| Hexachloroethane | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Isophorone | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <4.0 | <2.0 | <5.0 | | | | | | | | | |
| Nitrobenzene | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |
| Nitrosodiphenylamine/Diphenylamine | ug/L | <4.0 | <4.0 | <4.0 | <5.0 | <10 | <4.0 | <4.0 | <10 | | | | | | | | | |
| N-Nitroso-di-n-propylamine | ug/L | <2.0 | <2.0 | <2.0 | <2.5 | <5.0 | <2.0 | <2.0 | <5.0 | | | | | | | | | |

NOTES: 1) Blank denotes data not available.
2) < - denotes parameter concentration is below the estimated quantitation limit or method reporting limit.
3) µg/L denotes microgram per litre.

The page features several large, solid-colored rectangular blocks. A dark green block is on the left side, extending from the top to the bottom. A grey block is at the top right. A light grey block is at the bottom left. A black block is at the bottom right. The letter 'B' is positioned to the right of the green block.

B

Surface Water Chemical Results

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|-------------|-------------|-------------|-------------|-------------|-------------|-----------|-------------|-------------|
| | | | | | | 04-Apr-03 | 13-Jun-03 | 15-Oct-03 | 03-Nov-03 | 30-Dec-03 | 03-May-04 | 31-Jul-04 | 01-Dec-04 | 02-Apr-05 | 09-Nov-05 |
| | | | | | | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 71 | 138 | 134 | 112 | 109 | 170 | 222 | 184 | 125 | 182 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 14 | 35 | 168 | 15 | 10 | 7 | 24 | 17 | 12 | 24 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 74 | 53 | 23 | 109 | 94 | 107 | 151 | 122 | 43 | 156 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 6.82 | 0.61 | 0.28 | 2.94 | 1.75 | <0.10 | 23.60 | 2.02 | <0.10 | 1.94 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | 0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 0.09 | 0.07 | 0.07 | 0.03 | 0.03 | 0.09 | 0.07 | 0.03 | 0.06 | 0.13 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | | | | | | | | | | |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.08 | 0.12 | 0.03 | 0.16 | 0.18 | 0.19 | 0.28 | 0.12 | 0.11 | 0.24 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 52 | 59 | 44 | 63 | 58 | 71 | 116 | 99 | 51 | 120 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | <0.005 | 0.006 | 0.002 | 0.004 | <0.005 | <0.001 | 0.002 | 0.001 | <0.001 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 0.53 | 0.89 | 0.89 | 1.01 | 0.51 | 0.53 | 0.42 | 0.24 | 0.39 | 0.22 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 13 | 15 | 8 | 17 | 16 | 19 | 30 | 23 | 13 | 25 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 5 | 9 | 9 | 4 | 6 | 3 | 7 | 6 | 3 | 3.0 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 8 | 22 | 128 | 10 | 10 | 11 | 18 | 12 | 10 | 17.0 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.005 | <0.005 | 0.06 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 5.5 | 2.7 | 2.3 | 0.7 | 2.1 | 0.8 | 2.9 | 3.0 | 2.7 | 4.1 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|-------------|-------------|-------------|-------------|--------------|--------------|-------------|-------------|--------------|--|
| | | | | | | 18-Jan-06 | 09-Mar-06 | 05-Oct-06 | 17-Nov-06 | 02-Mar-07 | 09-Jan-08 | 19-Mar-08 | 11-Apr-08 | 12-May-08 | 14-Jun-08 | |
| | | | | | | Accutest | Accutest | Accutest | Accutest | Accutest | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Date | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 105 | 56 | 177 | 150 | 162 | | 90 | 180 | 256 | 254 | |
| Conductivity | umho/cm | | 225 | 1500 | 492 | | | | | | | 298 | | 661 | 700 | |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 18 | 15 | 35 | 25 | 18 | 26 | 13 | 22 | 18 | 22 | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | | | | | | <0.0002 | <0.0002 | <0.0002 | <0.0002 | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 102 | 40 | 122 | 78 | 64 | 98 | 41 | 84 | 75 | 95 | |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 3.09 | 2.79 | <0.10 | 1.31 | 1.76 | 6.70 | 1.50 | <-0.1 | 0.40 | <-0.1 | |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | | | | | | | 0.02 | <-0.01 | <-0.01 | <-0.01 | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | | | | | | | 8.1 | | 8.2 | 8.1 | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.003 | |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 0.04 | 0.28 | 0.03 | 0.05 | 0.69 | | 0.09 | <0.05 | <0.15 | <0.15 | |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | | | | | | | 0.002 | 0.001 | <0.001 | 0.003 | |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | | | | | | | 0.052 | 0.037 | 0.042 | 0.037 | |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | | | | | | | <2 | <2 | 3 | 3 | |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.18 | 0.05 | 0.21 | 0.26 | 0.11 | 0.19 | 0.10 | 0.23 | 0.23 | 0.36 | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | | | | | | | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 54 | 30 | 93 | 69 | 68 | 65 | 38 | 82 | 90 | 100 | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | | | | | | | 26 | | 41 | 45 | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | 0.002 | 0.002 | 0.002 | 0.001 | 0.001 | 0.009 | 0.010 | <0.005 | <0.005 | <0.005 | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | | | | | | | 0.006 | 0.002 | 0.003 | 0.002 | |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | | | | | | | 204 | 355 | 440 | 444 | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 0.36 | 0.78 | 0.23 | 0.38 | 0.38 | 3.60 | 5.00 | 1.00 | 1.00 | 0.4 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | | | | | | | 1.1 | 0.8 | 2.0 | <1 | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | | | | | | | 0.004 | 0.0007 | 0.0007 | <0.0005 | |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 15 | 8 | 22 | 19 | 18 | 17 | 10 | 21 | 25 | 24 | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.007 | 0.008 | 0.002 | 0.003 | 0.003 | |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | | | | | | | 0.13 | 0.08 | | 0.14 | |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 3.0 | 5.0 | 7.0 | 5.0 | 5.0 | 4.3 | 3.3 | 4.1 | 8.6 | 4.3 | |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 12.0 | 9.0 | 19.0 | 17.0 | 15.0 | 16.0 | 7.7 | 17.0 | 17.0 | 19.0 | |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | | | | | | | 67.0 | 14.0 | 34.0 | 4 | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 | 0.02 | 0.03 | <0.01 | <0.01 | <0.01 | |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 1.3 | 3.1 | 1.4 | 2.5 | 2.8 | 16.4 | 1.0 | 2.9 | 1.2 | 0.7 | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|-------------|-------------|--------------|------------|--------------|--------------|---------------|---------------|---------------|
| | | | | | | 17-Jun-08 | 28-Jun-08 | 23-Jul-08 | 04-Nov-08 | 05-Dec-08 | 12-Feb-09 | 08-Mar-09 | 06-Apr-09 | 26-Apr-09 | 09-May-09 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | | 242 | 196 | 68 | 170 | 88 | 83 | 75 | 168 | 97 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | | 629 | 469 | 268 | 424 | 229 | 225 | 254 | 367 | 274 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 30 | 24 | 15 | 4 | 5 | 7 | 6 | 5 | 6 | 4 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | <0.0002 | <0.0002 | <0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | 0.0002 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | | 72 | 30 | 50 | 44 | 27 | 27 | 45 | 27 | 44 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | | <0.1 | <0.1 | 1.7 | 0.3 | 0.7 | 0.8 | 0.7 | 0.3 | 0.9 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | | <0.01 | <0.01 | 0.02 | <0.01 | 0.01 | 0.02 | 0.01 | 0.02 | 0.03 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | | 8.2 | 8.2 | 8.0 | 8.0 | 7.7 | 7.1 | 7.5 | 8.0 | 6.8 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | 0.006 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | | <0.15 | <0.15 | 0.55 | <0.15 | 0.16 | <0.15 | <0.15 | <0.15 | 0.36 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | | 0.003 | 0.002 | 0.190 | 0.007 | 0.004 | 0.018 | 0.009 | 0.009 | 0.002 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | | 0.030 | 0.026 | 2.400 | 0.051 | 0.095 | 0.057 | 0.240 | 0.110 | 0.630 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | | <2 | 2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | | 0.28 | 0.2 | 0.4 | 0.07 | 0.07 | 0.06 | 0.06 | 0.06 | 0.09 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | | <0.0001 | <0.0001 | 0.003 | <0.0001 | 0.0001 | <0.0001 | 0.0003 | 0.0001 | 0.0011 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | | 82 | 59 | 970 | 61 | 45 | 34 | 120 | 76 | 380 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | | 41 | 37 | 300 | 16 | 16 | 16 | 40 | 35 | 130 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | | <0.005 | <0.005 | 0.67 | 0.008 | 0.023 | 0.012 | 0.071 | 0.028 | 0.061 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | | 0.002 | <0.002 | 0.550 | 0.003 | 0.020 | 0.010 | 0.047 | 0.022 | 0.086 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | | 415 | 310 | 180 | 280 | 142 | 150 | 165 | 230 | 180 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | | 0.9 | 0.9 | 690.0 | 4.0 | 23.0 | 13.0 | 70.0 | 27.0 | 140.0 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | | 1.3 | 1.3 | 14.0 | 0.5 | 1.8 | 1.3 | 3.0 | 1.8 | 8.0 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | | 0.001 | <0.0005 | 0.260 | 0.002 | 0.010 | 0.004 | 0.024 | 0.010 | 0.067 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | | 22 | 19 | 280 | 16 | 14 | 9.2 | 35 | 21 | 83 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | | 0.003 | 0.002 | 0.90 | 0.005 | 0.030 | 0.017 | 0.091 | 0.037 | 0.130 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | | 0.10 | 0.22 | 9.30 | <0.15 | 0.31 | 0.22 | 0.79 | 0.48 | 3.2 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | | 3.4 | 3.8 | 84.0 | 4.2 | 5.7 | 4.3 | 9.7 | 6.4 | 13.0 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | | 17.0 | 13.0 | 10.0 | 5.5 | 5.4 | 4.4 | 2.8 | 5.2 | 4.9 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | | 19 | 19 | 13000 | 45 | 330 | 300 | 1400 | 630 | 8400 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | | <0.02 | <0.02 | 0.03 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | | <0.01 | <0.01 | 1.60 | 0.01 | 0.06 | 0.03 | 0.15 | 0.60 | 0.26 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 50.0 | 1.2 | 1.1 | 48.3 | 1.5 | 10.8 | 3.8 | 29.5 | 9.9 | 40.9 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|-------------|-------------|-------------|--------------|--------------|-------------|-------------|-------------|-------------|
| | | | | | | 09-Aug-09 | 10-Oct-09 | 25-Jan-10 | 06-Apr-10 | 16-Jul-10 | 14-Oct-10 | 06-Nov-10 | 28-Feb-11 | 20-Apr-11 | 9-Aug-11 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 86 | 139 | 94 | 104 | 141 | 109 | 104 | 114 | 132 | 144 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 447 | 578 | 479 | 917 | 700 | 484 | 455 | 490 | 526 | 545 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 7 | 11 | 31 | 180 | 35 | 32 | 17 | 45 | 29 | 33 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 120 | 120 | 88 | 78 | 160 | 79 | 92 | 50 | 90 | 81 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 3.0 | 4.9 | 1.7 | 2.0 | 0.3 | <0.1 | <0.1 | 0.8 | <0.1 | <0.1 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | 0.10 | 0.01 | 0.03 | 0.02 | 0.04 | <0.01 | 0.02 | 0.01 | 0.01 | <0.01 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 7.8 | 7.8 | 7.9 | 7.9 | 7.9 | 8.0 | 7.9 | 8.1 | 8.1 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | <0.15 | <0.15 | 0.17 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.002 | <0.001 | 0.001 | 0.001 | 0.003 | 0.001 | 0.001 | <0.001 | 0.001 | 0.002 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.045 | 0.033 | 0.045 | 0.050 | 0.044 | 0.083 | 0.028 | 0.044 | 0.033 | 0.038 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.07 | 0.07 | 0.13 | 0.07 | 0.19 | 0.07 | 0.09 | 0.06 | 0.19 | 0.090 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 58 | 74 | 54 | 98 | 100 | 65 | 62 | 56 | 67 | 72 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 20 | 16 | 14 | 30 | 31 | 19 | 21 | 19 | 23 | 22 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | <0.005 | 0.006 | <0.005 | 0.006 | 0.013 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.005 | 0.004 | 0.004 | 0.003 | 0.006 | 0.006 | 0.003 | 0.002 | 0.003 | 0.005 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 290 | 370 | 315 | 600 | 450 | 300 | 282 | 284 | 306 | 382 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 4.1 | 1.7 | 3.8 | 2.0 | 0.7 | 7.3 | 2.2 | 1.4 | 1.8 | 1.9 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 1.0 | 1.0 | 1.1 | 1.1 | 0.9 | 0.8 | 0.9 | 0.9 | 1.1 | 0.9 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.001 | 0.001 | 0.002 | 0.001 | <0.0005 | 0.003 | 0.001 | 0.001 | 0.001 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 15 | 18 | 18 | 25 | 22 | 15 | 19 | 14 | 20 | 15 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.007 | 0.002 | 0.006 | 0.002 | 0.002 | 0.009 | 0.004 | 0.003 | 0.004 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.09 | 0.09 | 0.10 | 0.07 | 0.08 | 0.20 | 0.08 | 0.05 | 0.07 | 0.10 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 3.4 | 2.4 | 5.4 | 4.7 | 3.6 | 9.3 | 3.1 | 3.6 | 3.6 | 4.5 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 6.6 | 6.5 | 18.0 | 51.0 | 19.0 | 16.0 | 14.0 | 23.0 | 20.0 | 20 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 90 | 32 | 65 | 37 | 16 | 38 | 36 | 15 | 35 | 33 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.01 | <0.01 | 0.01 | 0.01 | <0.01 | 0.02 | 0.02 | <0.01 | 0.01 | <0.01 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 0.4 | 0.4 | 2.7 | 1.5 | 2.0 | 3.6 | 4.6 | 2.4 | 2.8 | 1.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|--------------|--------------|---------------|--------------|---------------|-------------|--------------|--------------|---------------|
| | | | | | | 20-Oct-11 | 23-Nov-11 | 6-Dec-11 | 13-Mar-12 | 22-Jun-12 | 30-Oct-12 | 21-Dec-12 | 13-Jan-13 | 30-Jan-13 | 10-Apr-13 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 149 | 116 | 121 | 120 | 150 | 110 | 140 | 93 | 95 | 94 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 408 | 423 | 406 | 490 | 590 | 470 | 660 | 380 | 330 | 360 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 17 | 17 | 12 | 20 | 29 | 18 | 25 | 13 | 14 | 17 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 37 | 68 | 61 | 99 | 100 | 87 | 160 | 75 | 55 | 60 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | <0.1 | 0.7 | 0.3 | 0.5 | <0.10 | 0.48 | 0.36 | 0.64 | 0.51 | 0.54 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | <0.01 | 0.01 | <0.01 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.075 | 0.026 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 8.0 | 8.0 | 7.9 | 8.0 | 8.0 | 7.4 | 7.8 | 7.7 | 7.5 | 7.9 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | 0.002 | <0.001 | 0.004 | 0.0013 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.004 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 0.29 | <0.15 | <0.15 | 0.29 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.002 | 0.003 | 0.004 | 0.002 | 0.002 | 0.026 | 0.002 | 0.003 | 0.003 | 0.004 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.032 | 0.057 | 0.110 | 0.053 | 0.041 | 0.320 | 0.047 | 0.059 | 0.048 | 0.058 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 2 | 3 | 5 | <2.0 | <2.0 | 2.0 | <2.0 | 4 | <2.0 | |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.040 | 0.160 | 0.220 | 0.190 | 0.170 | 0.170 | 0.180 | 0.140 | 0.120 | 0.080 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | 0.0004 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 53 | 60 | 55 | 63 | 75 | 310 | 90 | 56 | 57 | 58 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 28 | 32 | 25 | 27 | 39 | 90 | 22 | 28 | 22 | 34 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | 0.010 | 0.025 | 0.007 | <0.005 | 0.13 | 0.005 | 0.012 | 0.010 | 0.0130 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.005 | 0.009 | 0.008 | 0.007 | 0.006 | 0.091 | 0.005 | 0.009 | 0.011 | 0.013 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 298 | 258 | 286 | 378 | 398 | 296 | 348 | 332 | 256 | 288 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 2.6 | 9.6 | 12 | 7.0 | 1.3 | 120.0 | 4.3 | 11.0 | 9.5 | 13.0 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 1.0 | 2.0 | 2.0 | 1.3 | 0.9 | 2.3 | 1.2 | 1.9 | 1.6 | 1.9 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.001 | 0.004 | 0.004 | 0.003 | 0.001 | 0.047 | 0.002 | 0.005 | 0.004 | 0.006 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 12 | 16 | 18 | 19 | 18 | 77 | 29 | 17 | 16 | 14 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.004 | 0.013 | 0.015 | 0.009 | 0.003 | 0.18 | 0.007 | 0.014 | 0.014 | 0.021 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.20 | 0.30 | 0.30 | 0.19 | 0.05 | 2.20 | 0.10 | 0.24 | 0.29 | 0.45 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 6.0 | 8.0 | 11.0 | 4.9 | 4.7 | 17.0 | 5.3 | 5.5 | 7.1 | 7.9 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 12 | 11 | 11 | 15 | 21 | 15 | 20 | 11 | 9.8 | 7.2 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 39 | 120 | 100 | 75 | 20 | 2200 | 65 | 170 | 180 | 1900 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | 0.010 | 0.030 | 0.030 | 0.030 | 0.010 | 0.300 | 0.020 | 0.040 | 0.040 | 0.050 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 0.5 | 4.5 | 5.8 | 2.2 | 1.5 | 34.6 | 3.6 | 6.3 | 8.6 | 6.2 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|---------------|--------------|--------------|-------------|---------------|--------------|---------------|---------------|---------------|--|
| | | | | | | 29-May-13 | 5-Jul-13 | 12-Sep-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 6-Sep-14 | 25-Dec-14 | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Date | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 61 | 94 | 120 | 140 | 94 | 160 | 140 | 100 | 88 | 120 | |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 330 | 300 | 470 | 480 | 250 | 460 | 460 | 580 | 400 | 470 | |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 10 | 24 | 20 | 18 | 8 | 18 | 13 | 20 | 15 | 15 | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 81 | 40 | 81 | 77 | 19 | 48 | 76 | 170 | 81 | 91 | |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 0.18 | <0.10 | <0.10 | <0.10 | 0.64 | 0.14 | 0.84 | <0.10 | 0.79 | 1.35 | |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | <0.010 | <0.010 | <0.010 | <0.010 | 0.015 | 0.024 | 0.012 | <0.010 | 0.038 | 0.017 | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 7.9 | 8.2 | 8.0 | 8.0 | 8.1 | 8.2 | 8.1 | 7.7 | 7.8 | 7.9 | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0012 | 0.0032 | <0.0010 | 0.0016 | <0.0010 | <0.001 | |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | <0.15 | <0.15 | <0.15 | 0.26 | <0.15 | <0.15 | <0.15 | 0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.002 | 0.004 | 0.003 | 0.002 | <0.001 | 0.001 | 0.002 | 0.004 | 0.003 | | |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.024 | 0.062 | 0.033 | 0.041 | 0.014 | 0.027 | 0.038 | 0.048 | 0.064 | 0.100 | |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | <2.0 | 2.0 | <2.0 | 3.0 | 3.0 | <2.0 | <2.0 | <2.0 | 2.0 | 3.0 | |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.190 | 0.080 | 0.330 | 0.270 | <0.02 | 0.070 | 0.180 | 0.110 | 0.190 | 0.13 | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 40 | 55 | 54 | 58 | 32 | 63 | 67 | 74 | 60 | 61 | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 26 | 25 | 32 | 28 | 25 | 29 | 28 | 21 | 27 | 23 | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | 0.0140 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0050 | 0.0120 | 0.0190 | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.005 | 0.020 | 0.004 | 0.002 | <0.002 | 0.003 | 0.013 | 0.009 | 0.011 | 0.010 | |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 206 | 312 | 286 | 282 | 84 | 326 | 324 | 392 | 294 | 354 | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 2.50 | 14.0 | 1.70 | 1.40 | 0.38 | 2.00 | 3.40 | 5.20 | 12.0 | 11.0 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 0.8 | 1.6 | 2.0 | 1.2 | 1.1 | 1.5 | 1.2 | 1.2 | 1.3 | 1.20 | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.001 | 0.011 | 0.001 | 0.001 | <0.0005 | 0.001 | 0.002 | 0.002 | 0.004 | 0.004 | |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 16 | 13 | 21 | 18 | 9.5 | 16 | 18 | 16 | 19 | 20 | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.005 | 0.022 | 0.005 | 0.004 | <0.001 | 0.004 | 0.012 | 0.008 | 0.016 | 0.013 | |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.09 | 0.64 | 0.17 | 0.10 | 0.20 | 0.07 | 0.11 | 0.21 | 0.25 | 0.22 | |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 1.9 | 9.4 | 6.9 | 6.5 | 7.0 | 3.9 | 4.8 | 6.0 | 8.0 | 11.0 | |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 11.0 | 16.0 | 17.0 | 16.0 | 4.1 | 12.0 | 12.0 | 16.0 | 11.0 | 8.1 | |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 51 | 710 | 37 | 29 | 6 | 24 | 45 | 98 | 260 | 180 | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.02 | <0.0092 | <0.0053 | <0.0019 | 0.0044 | <0.0023 | <0.003 | <0.0051 | 0.0039 | <0.0034 | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.01 | 0.100 | <0.01 | <0.01 | <0.01 | 0.010 | 0.010 | 0.010 | 0.040 | 0.030 | |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 4.7 | 9.0 | 3.6 | 1.7 | 2.5 | 2.0 | 3.7 | 1.2 | 7.9 | 3.2 | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|------------------------------------|------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | | | | | 4-Jan-15 | 10-Apr-15 | 1-Jun-15 | 3-Aug-15 | 22-Dec-15 | 25-Feb-16 | 7-Apr-16 | 14-Jul-16 | 3-Nov-16 | 27-Dec-16 |
| | | | | | | Maxxam Routine | Maxxam Routine/ Verification | Maxxam Verification | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 130 | 100 | 95 | 100 | 170 | 110 | 130 | 110 | 160 | 120 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 460 | 310 | 480 | 510 | 840 | 450 | 400 | 600 | 560 | 440 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 12 | 9 | 12 | 21 | 36 | 9.6 | 6.1 | 13 | 12 | 11.0 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 86 | 45 | 120 | 130 | 220 | 95 | 69 | 170 | 100 | 83 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 0.84 | 1.02 | <0.10 | <0.10 | 1.33 | 1.20 | 0.59 | 0.018 | 0.34 | 0.87 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | 0.018 | 0.023 | <0.010 | <0.010 | 0.024 | <0.010 | <0.010 | 0.270 | 0.027 | 0.024 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 8.3 | 7.0 | 7.9 | 7.8 | 8.1 | 8.1 | 7.9 | 7.9 | 8.0 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | 0.0058 | 0.0012 | <0.0010 | <0.0010 | 0.0015 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.004 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 0.16 | <0.15 | 0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 3.21 | 1.42 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | <0.001 | 0.007 | 0.001 | 0.002 | <0.001 | 0.002 | 0.003 | 0.001 | 0.003 | 0.002 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.032 | 0.110 | 0.027 | 0.038 | 0.035 | 0.077 | 0.048 | 0.047 | 0.037 | 0.044 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 3.0 | 2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 2.0 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.06 | 0.11 | 0.10 | 0.07 | 0.05 | 0.13 | 0.10 | 0.10 | 1.2 | 0.500 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | 0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 61 | 54 | 60 | 69 | 100 | 60 | 63 | 79 | 60 | 44 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 21 | 24 | 22 | 13 | 25 | 22 | 34 | 22 | 31 | 26 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | 0.0250 | <0.005 | <0.005 | <0.005 | 0.0130 | 0.0090 | <0.005 | 0.0050 | 0.0070 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.003 | 0.017 | 0.005 | 0.007 | 0.004 | 0.006 | 0.008 | 0.006 | 0.007 | 0.005 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 292 | 240 | 342 | 360 | 510 | 262 | 272 | 418 | 404 | 296 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 0.95 | 24.0 | 1.40 | 3.00 | 0.90 | 7.30 | 7.80 | 2.40 | 4.80 | 4.10 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 0.83 | 1.30 | 0.86 | 0.34 | 0.68 | 0.48 | 0.49 | <0.7 | 3.60 | 2.1 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.001 | 0.010 | 0.001 | 0.001 | <0.0005 | 0.003 | 0.003 | 0.001 | 0.002 | 0.002 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 19 | 17 | 18 | 15 | 30 | 18 | 17 | 21 | 21 | 15 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.002 | 0.032 | 0.004 | 0.005 | 0.002 | 0.009 | 0.011 | 0.004 | 0.009 | 0.006 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.10 | 0.47 | 0.10 | 0.09 | 0.04 | 0.16 | 0.21 | 0.15 | 0.08 | 0.14 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 7.4 | 6.4 | 2.4 | 6.1 | 6.3 | 7.7 | 4.7 | 8.4 | 9.0 | 7.5 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 7.4 | 5.3 | 11.0 | 15.0 | 30.0 | 7.5 | 6.6 | 13.0 | 24.0 | 11.0 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 13 | 220 | 26 | 54 | 20 | 78 | 130 | 160 | 150 | 78 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | 0.004 | <0.0031 | 0.0049 | <0.0053 | <0.003 | <0.0013 | <0.0005 | <0.0052 | 0.082 | 0.0053 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.01 | 0.060 | <0.01 | <0.01 | <0.01 | 0.020 | 0.020 | <0.01 | 0.010 | 0.010 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 2.1 | 9.1 | 1.4 | 0.8 | 0.3 | 3.0 | 4.3 | 1.3 | 1.7 | 2.2 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------------|-------------------|
| | | | | | | 12-Jan-17 | 8-Feb-17 | 6-Apr-17 | 13-Jul-17 | 19-Nov-17 | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 | 26-Sep-18 | 2-Oct-18 |
| | | | | | | Maxxam Routine | Maxxam Verification | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Verification | Maxxam Routine |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 110 | 120 | 140 | 110 | 100 | 120 | 130 | 93 | 88 | 270 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 430 | 440 | 490 | 320 | 620 | 440 | 500 | 400 | 470 | 530 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 12.0 | 9.6 | 9.7 | 11.0 | 11.0 | 9.0 | 7.4 | 16.0 | 11.0 | 6.3 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 78 | 81 | 91 | 43 | 190 | 74 | 43 | 83 | 130 | 25 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 0.80 | 0.90 | 0.52 | <0.10 | 2.14 | 1.87 | 0.87 | <0.10 | <0.10 | <0.10 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | 0.046 | 0.018 | 0.015 | <0.010 | 0.011 | 0.022 | 0.013 | <0.010 | 0.011 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 7.9 | 7.7 | 8.1 | 7.8 | 8.0 | 7.9 | 8.1 | 7.8 | 8.1 | 8.2 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.0040 | <0.0040 | <0.0040 | <0.020 | 0.0023 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 1.12 | 0.37 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.006 | 0.002 | 0.002 | 0.003 | 0.001 | 0.003 | 0.003 | 0.026 | 0.003 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.140 | 0.040 | 0.046 | 0.049 | 0.035 | 0.046 | 0.053 | 0.300 | 0.027 | 0.027 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 5.0 | <2.0 | <2.0 | 5.0 | <2.0 | <2.0 | <2 | <2 | 3.0 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.400 | 0.160 | 0.150 | 0.080 | 0.120 | 0.100 | 0.130 | 0.130 | 0.170 | 0.030 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.0001 | 0.0002 | <0.0001 | <0.0001 | <0.0001 | 0.0003 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 58 | 52 | 75 | 55 | 86 | 66 | 70 | 180 | 46 | 78 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 36 | 15 | 25 | 40 | 10 | 17 | 13 | 17 | 21 | 29.0 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | 0.0300 | 0.0060 | 0.0060 | 0.0130 | <0.005 | 0.0110 | 0.0100 | 0.0900 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.014 | 0.004 | 0.007 | 0.039 | 0.006 | 0.010 | 0.009 | 0.076 | 0.004 | 0.003 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 290 | 294 | 316 | 280 | 285 | 225 | 270 | 345 | 275 | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 18.0 | 3.50 | 6.10 | 9.60 | 3.20 | 9.30 | 9.40 | 92.0 | 1.00 | 0.3 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 1.9 | 0.9 | 0.6 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.007 | 0.002 | 0.003 | 0.016 | 0.001 | 0.004 | 0.004 | 0.031 | 0.001 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 21 | 16 | 21 | 12 | 26 | 20 | 22 | 45 | 20 | 18 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.024 | 0.006 | 0.010 | 0.018 | 0.006 | 0.013 | 0.013 | 0.120 | 0.003 | 0.001 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.34 | 0.09 | 0.15 | 0.30 | 0.08 | 0.18 | 0.17 | 1.10 | 0.04 | 0.10 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 16.0 | 6.4 | 5.4 | 9.0 | 5.2 | 5.6 | 5.2 | 16.0 | 4.2 | 3.5 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 9.4 | 6.3 | 8.2 | 9.4 | 12.0 | 8.0 | 9.4 | 13.0 | 9.8 | 6.2 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 340 | 75 | 110 | 190 | 81 | 170 | 170 | 2100 | 26 | 6 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | 0.0027 | 0.0008 | <0.0012 | <0.0047 | <0.0029 | <0.0025 | <0.0005 | <0.0005 | <0.001 | <0.00073 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | 0.050 | 0.010 | 0.020 | 0.160 | 0.010 | 0.030 | 0.030 | 0.210 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 7.3 | 0.1 | 4.8 | 6.8 | 3.1 | 6.8 | 12.0 | 28.4 | 1.8 | 1.7 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|-------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|
| | | | | | | 24-Jan-19 | 17-Apr-19 | 2-Oct-19 | 27-Oct-19 | 11-Jan-20 | 29-Mar-20 | 18-May-20 | 15-Nov-20 | 26-Nov-20 | 26-Mar-21 |
| | | | | | | Maxxam Routine | Maxxam Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 100 | 130 | 69 | 120 | 120 | 180 | 140 | 110 | 120 | 65 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 430 | 610 | 520 | 550 | 570 | 610 | 510 | 440 | 890 | 640 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 17.0 | 19.0 | 8.5 | 15.0 | 24.0 | 20.0 | 22.0 | 28 | 24 | 22 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 73 | 140 | 160 | 130 | 140 | 170 | 93 | 72 | 300 | 230 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 0.74 | 0.54 | 0.34 | 0.23 | 0.65 | 0.54 | 0.17 | <0.10 | 1.09 | 0.86 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | 0.025 | <0.010 | <0.010 | <0.010 | 0.014 | 0.053 | <0.010 | <0.010 | 0.031 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 7.7 | 8.2 | 8.0 | 8.1 | 8.0 | 7.9 | 8.1 | 7.9 | 8.0 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.0010 | <0.0010 | 0.0012 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <i>0.0012</i> | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 0.50 | <0.15 | 0.19 | <0.15 | 0.15 | 0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | <0.001 | <0.001 | 0.040 | 0.002 | 0.003 | 0.037 | 0.002 | 0.005 | 0.003 | 0.28 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.022 | 0.026 | 0.560 | 0.022 | 0.062 | 0.390 | 0.0350 | 0.06 | 0.053 | 3.0 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 3.0 | <2 | <2 | <2 | <2 | <2 | 3.0 | 5 | <2 | 3 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.090 | 0.140 | 0.300 | 0.180 | 0.140 | 0.210 | 0.090 | 0.11 | 0.17 | 0.7 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.001 | <0.0001 | 0.0001 | 0.0006 | <0.0001 | 0.0001 | <0.0001 | 0.004 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 42 | 66 | 450 | 62 | 87 | 480 | 60 | 63 | 110 | 2900 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 18.0 | 21.0 | 5.6 | 18.0 | 10.0 | <4.0 | 38.0 | 38 | 14 | <4.0 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | <0.005 | 0.190 | <0.005 | 0.012 | 0.160 | <0.005 | 0.014 | 0.010 | 1.1 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.003 | 0.004 | 0.130 | 0.004 | 0.023 | 0.130 | 0.009 | 0.024 | 0.009 | 0.88 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 270 | 365 | 345 | 335 | 385 | 465 | 340 | 360 | 580 | 390 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 0.800 | 0.700 | 180 | 1.7 | 8.9 | 150 | 3.1 | 12.0 | 7.4 | 1200 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | 1.0 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | 0.8 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.0005 | <0.0005 | 0.066 | 0.0007 | 0.009 | 0.063 | 0.002 | 0.009 | 0.0031 | 0.42 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 14 | 26 | 120 | 26 | 32 | 110 | 19.0 | 21 | 46 | 650 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.002 | 0.003 | 0.260 | 0.005 | 0.015 | 0.240 | 0.0 | 0.019 | 0.012 | 1.6 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.09 | 0.05 | 2.80 | 0.07 | 0.29 | 2.90 | 0.11 | 0.53 | 0.16 | 16 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 6.9 | 4.2 | 44.0 | 5.2 | 8.4 | 18.0 | 4.9 | 15 | 8.6 | 110 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 8.9 | 13.0 | 13.0 | 15.0 | 17.0 | 16.0 | 15.0 | 12 | 23 | 27 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 20 | 18 | 3200 | 30 | 270 | 6000 | 150 | 230 | 220 | 32000 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.00061 | <0.0079 | 0.016 | <0.013 | <0.0052 | 0.007 | <0.0034 | <0.00061 | <0.00076 | <0.00089 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | <0.01 | <0.01 | 0.40 | <0.01 | 0.09 | 0.38 | 0.02 | 0.09 | 0.02 | 2.7 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 1.4 | 0.1 | 38.7 | 2.1 | 7.2 | 32.5 | 0.2 | 6.8 | 2.9 | 47.5 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|---------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|
| | | | | | | 9-Apr-21 | 3-Jun-21 | 9-Jul-21 | 30-Jul-21 | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 | 4-May-22 | 16-May-22 | 4-Aug-22 |
| | | | | | | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 200 | 110 | 87 | 75 | 70 | 110 | 90 | 160 | 110 | 110 |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 800 | 860 | 730 | 590 | 670 | 700 | 312 | 730 | 810 | 922 |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 46 | 35 | 40 | 31 | 20 | 34 | 19 | 29 | 30 | 18 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 150 | 310 | 220 | 180 | 250 | 200 | 58 | 180 | 340 | 390 |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | <0.10 | <0.010 | <0.10 | 0.21 | 0.44 | 0.45 | 0.58 | 0.45 | 0.46 | 1.07 |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | <0.010 | 0.24 | 0.012 | 0.02 | 0.026 | 0.023 | 0.045 | 0.012 | 0.035 | 0.043 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 8.1 | 8.0 | 8.1 | 7.9 | 7.8 | 7.9 | 8.0 | 8.3 | 7.4 | 8.1 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 1.17 | <0.15 | 0.26 | <0.15 | |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.002 | 0.001 | 0.003 | 0.003 | <0.001 | 0.002 | 0.002 | 0.002 | 0.007 | 0.002 |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.047 | 0.043 | 0.030 | 0.024 | 0.023 | 0.031 | 0.083 | 0.04 | 0.1 | 0.038 |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 5 | <2 | <2 | 2.0 | <2 | 2 | 3 | <2 | 3 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.25 | 0.1 | 0.26 | 0.26 | 0.22 | 0.47 | 0.08 | 0.36 | 0.19 | 0.11 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | 0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 90 | 110 | 63 | 50 | 64 | 72 | 75 | 80 | 140 | 140 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 46 | 8.1 | 26 | 28 | 10 | 29 | 27 | 23 | 29 | 11 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | <0.005 | 0.006 | <0.005 | <0.005 | <0.005 | <0.005 | 0.026 | <0.005 | 0.019 | <0.005 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.009 | 0.005 | 0.003 | 0.002 | 0.002 | 0.005 | 0.023 | 0.005 | 0.02 | 0.007 |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 530 | 645 | 485 | 385 | 420 | 360 | 230 | 370 | 695 | 715 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 3.5 | 3 | 1 | <0.1 | 0.2 | 2.1 | 26 | 4.4 | 21 | 3.1 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | 2.0 | <0.7 | <0.7 | <0.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.0018 | 0.0012 | <0.0005 | <0.0005 | <0.0005 | 0.0009 | 0.011 | 0.0017 | 0.0077 | 0.0012 |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 31 | 35 | 35 | 29 | 31 | 33 | 34 | 52 | 51 | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.008 | 0.006 | 0.005 | 0.003 | 0.002 | 0.006 | 0.039 | 0.009 | 0.032 | 0.006 |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.12 | 0.05 | 0.04 | 0.07 | 0.04 | 0.08 | 0.48 | 0.088 | 0.30 | 0.054 |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 5.7 | 4.9 | 3.4 | 4.0 | 4.7 | 7.6 | 9.6 | 5.1 | 8 | 5 |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 30 | 27 | 31 | 24 | 21 | 30 | 11 | 26 | 28 | 26 |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 74 | 73 | 35 | 39 | 16 | 49 | 660 | 95 | 1200 | 98 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | <0.0016 | <0.0023 | <0.0025 | <0.0061 | <0.0019 | <0.0084 | 0.0089 | <0.0047 | 0.0028 | <0.0074 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.07 | 0.01 | 0.05 | 0.01 |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 0.1 | 0.1 | 0.1 | 0.6 | 1.6 | 1.5 | 15.1 | 0.8 | 5.6 | 3.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Downstream of Landfill 60 m East of Lambton Rd. 79 - SS1 | | | | | | | | | | | | | | | | | |
|---------------------------------------|------------|---------|---------|--------|---------|--|--------------|----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | 18-Oct-22 | | 28-Nov-22 | | | | | | | | | | | | | | | |
| | | | | | | Bureau Veritas | | Bureau Veritas | | | | | | | | | | | | | | | |
| | | | | | | Routine | | Verification | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | | | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 55 | 270 | 118 | 55 | 110 | | | | | | | | | | | | | | | | |
| Conductivity | umho/cm | | 225 | 1500 | 492 | 700 | 1500 | | | | | | | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 4 | 180 | 17 | 23 | 29 | | | | | | | | | | | | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | | | | | | | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 660 | 90 | 290 | 660 | | | | | | | | | | | | | | | | |
| Nitrate (N) | mg/L | | 0.005 | 23.6 | 0.38 | 0.41 | 2.06 | | | | | | | | | | | | | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.27 | 0.0127 | 0.037 | 0.022 | | | | | | | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 8.3 | 7.9 | 7.9 | 7.9 | | | | | | | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.01 | 0.0007 | <0.0010 | <0.0010 | | | | | | | | | | | | | | | | |
| Total Ammonia-N | mg/L | | 0.01 | 3.21 | 0.099 | 0.47 | <0.15 | | | | | | | | | | | | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.0005 | 0.28 | 0.0025 | 0.016 | 0.001 | | | | | | | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.014 | 3 | 0.057 | 0.19 | 0.043 | | | | | | | | | | | | | | | | |
| Total BOD | mg/L | | 1.0 | 5.0 | 1.5 | 5 | 2 | | | | | | | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.010 | 1.2 | 0.135 | 0.13 | 0.08 | | | | | | | | | | | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0040 | 0.00007 | 0.0003 | <0.0001 | | | | | | | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 30 | 2900 | 78 | 270 | 160 | | | | | | | | | | | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 300 | 23 | 16 | 19 | | | | | | | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 1.10 | 0.0058 | 0.062 | <0.005 | | | | | | | | | | | | | | | | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.0010 | 0.880 | 0.0082 | 0.053 | 0.006 | | | | | | | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 84 | 715 | 320 | 390 | 1020 | | | | | | | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 1200 | 3.38 | 64 | 3.0 | | | | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.34 | 14 | 0.83 | <0.7 | <0.7 | | | | | | | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.420 | 0.002 | 0.026 | 0.0010 | | | | | | | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 8 | 650 | 23 | 61 | 85 | | | | | | | | | | | | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.00050 | 1.60 | 0.0076 | 0.092 | 0.005 | | | | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.04 | 16.0 | 0.18 | 0.94 | 0.048 | | | | | | | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 1.9 | 110 | 6.2 | 12 | 8.6 | | | | | | | | | | | | | | | | |
| Total Sodium (Na) | mg/L | | 2.8 | 128 | 13 | 15 | 39 | | | | | | | | | | | | | | | | |
| Total Suspended Solids | mg/L | | 4 | 32000 | 106 | 1400 | 70 | | | | | | | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.08 | 0.004 | 0.017 | <0.00051 | | | | | | | | | | | | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 2.7 | 0.016 | 0.17 | <0.01 | | | | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.001 | 47.5 | 3.0 | 21.7 | 0.0 | | | | | | | | | | | | | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------|---------------|
| | | | | | | 04-Apr-03 | 13-Jun-03 | 15-Oct-03 | 03-Nov-03 | 30-Dec-03 | 03-May-04 | 31-Jul-04 | 01-Dec-04 | 02-Apr-05 | 09-Nov-05 |
| | | | | | | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 33 | 105 | 83 | 74 | 40 | 76 | 86 | 41 | 55 | 57 |
| Conductivity | umho/cm | | 62 | 1200 | 229 | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 3 | 1 | 8 | 6 | 2 | 5 | 5 | 3 | 3 | 24 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 33 | 51 | 51 | 42 | 14 | 47 | 59 | 14 | 11 | 23 |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | 4.47 | 0.11 | 23.50 | 13.80 | 2.75 | 5.84 | 15.40 | 5.55 | 0.45 | 10.50 |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | 0.06 | 0.07 | <0.02 | 0.03 | 0.02 | 0.16 | 0.11 | 0.02 | 0.09 | 0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | | | | | | | | | | 0.080 |
| Total BOD | mg/L | | 1 | 4 | 1 | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | <0.05 | 0.12 | 0.19 | 0.17 | 0.08 | 0.15 | 0.39 | 0.06 | 0.070 | 0.160 |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | | | | | | | | | | <0.001 |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 22 | 32 | 84 | 46 | 17 | 38 | 60 | 29 | 22 | 52 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | <0.005 | <0.005 | 0.004 | 0.002 | 0.003 | <0.005 | <0.001 | 0.002 | 0.0010 | 0.0170 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | | | | | | | | | | 0.009 |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 0.79 | 0.74 | 1.53 | 1.05 | 1.07 | 0.81 | 0.48 | 0.88 | 0.700 | 12.400 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | | | | | | | | | | <0.01 |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 6 | 7 | 13 | 8 | 4 | 7 | 10 | 5 | 5.0 | 8.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.015 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 2 | 3 | 5 | 2 | 1 | 2 | 3 | 2 | 1.0 | 4.0 |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 3 | <2 | 6 | 3 | 2 | 3 | 4 | 4 | 2.0 | <2 |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | <0.005 | <0.005 | 0.010 | <0.01 | <0.01 | <0.01 | <0.01 | 0.020 | <0.01 | 0.04 |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 7.6 | 4.8 | 18.3 | 8.4 | 6.6 | 3.1 | 9.6 | 16.8 | 7.6 | 12.2 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|---------------|--------------|-----------|---------------|--------------|--------------|-----------------|--------------|
| | | | | | | 18-Jan-06 | 09-Mar-06 | 05-Oct-06 | 17-Nov-06 | 02-Mar-07 | 09-Jan-08 | 19-Mar-08 | 11-Apr-08 | 14-Jun-08 | 23-Jul-08 |
| | | | | | | Accutest | Accutest | Accutest | Accutest | Accutest | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 41 | 34 | 124 | 68 | 31 | 203 | 34 | 97 | 90 | 31 |
| Conductivity | umho/cm | | 62 | 1200 | 229 | | | | | | | 89 | | 194 | 89 |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 4 | 3 | 40 | 9 | 5 | 24 | 4 | 4 | 2 | 4 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | | | | | | | <0.0002 | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 13 | 8 | 41 | 16 | 9 | 203 | 10 | 11 | 3 | 2 |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | 0.58 | 1.14 | 45.60 | 1.34 | 2.24 | 0.50 | 0.40 | <0.1 | 0.1 | 0.4 |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | | | | | | | <0.01 | <0.01 | <0.01 | 0.02 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | | | | | | | 7.6 | 7.0 | 8.0 | 7.5 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | 0.04 | 0.17 | 0.08 | 0.02 | 0.22 | | 0.08 | 0.06 | <0.15 | 0.17 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | | | | | | <0.001 | | 0.001 | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | 0.020 | 0.020 | 0.360 | 0.030 | 0.010 | 0.083 | 0.023 | | 0.017 | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | | | | | | | 4 | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.050 | 0.030 | 0.210 | 0.090 | 0.030 | 0.480 | 0.040 | 0.120 | 0.150 | 0.060 |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | <0.0001 | <0.0001 | 0.0014 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | 0.0003 | |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 15 | 14 | 120 | 27 | 16 | 110 | 13 | 36 | 29.0 | 9.8 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | | | | | | | | 48 | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.0010 | <0.001 | 0.0050 | <0.001 | <0.001 | 0.0110 | <0.005 | 0.0080 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | 0.002 | 0.002 | 0.014 | 0.003 | 0.002 | 0.006 | 0.002 | | 0.004 | |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | | | | | | | 59 | 151 | 134 | 60 |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 0.540 | 0.530 | 3.040 | 0.360 | 0.250 | 4.400 | 2.100 | 3.900 | 1.700 | 1.600 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | | | | | | | 0.8 | 1.1 | <4 | 1.9 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | <0.001 | 0.001 | 0.012 | 0.002 | <0.001 | 0.002 | 0.001 | | 0.0008 | |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 3.0 | 2.0 | 20.0 | 6.0 | 3.0 | 33.0 | 3.3 | 8.5 | 5.8 | 2.5 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | <0.005 | <0.005 | 0.028 | <0.005 | <0.005 | 0.008 | 0.003 | 0.005 | 0.003 | 0.002 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | | | | | | | <0.06 | 0.15 | <0.15 | 0.34 |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 2.0 | 3.0 | 5.0 | 3.0 | 2.0 | 6.0 | 2.3 | 5.7 | 3.7 | 7.7 |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | <2 | <2 | 11.0 | 3.0 | 3.0 | 20.0 | 0.9 | 2.3 | 2.0 | 0.8 |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | | | | | | | | 18 | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | <0.01 | <0.01 | 0.04 | <0.01 | 0.02 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 1.2 | 5.3 | 16.3 | 3.9 | 8.0 | 0.7 | 4.2 | 8.7 | 2.7 | 5.7 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------|---------------|--------------|---------------|--------------|---------------|---------------|--------------|---------------|
| | | | | | | 04-Nov-08 | 12-Feb-09 | 6-Apr-09 | 9-Aug-09 | 3-Dec-09 | 25-Jan-10 | 6-Apr-10 | 17-Nov-10 | 28-Feb-11 | 20-Apr-11 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 157 | 38 | 52 | 82 | 94 | 27 | 62 | 64 | 50 | 78 |
| Conductivity | umho/cm | | 62 | 1200 | 229 | 410 | 110 | 147 | 625 | 229 | 65 | 400 | 541 | 164 | 197 |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 21 | 5 | 5 | 23 | 2 | 1 | 46 | 4 | 9 | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | <0.0001 | | | <0.0001 | | | <0.0001 | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 21 | 12 | 7 | 220 | 10 | 3 | 9 | 27 | 10 | 8 |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | 0.9 | 1.2 | 3.0 | 0.6 | 0.3 | 0.5 | 29.0 | 24.0 | 3.6 | 2.4 |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | 1.3 | 0.05 | 0.04 | 0.04 | 0.03 | 0.02 | 0.40 | 0.06 | 0.020 | 0.020 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | 7.8 | 7.3 | 7.1 | 7.3 | 7.8 | 7.2 | 7.7 | 7.6 | 7.5 | 7.8 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | <0.001 | 0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | 0.21 | <0.15 | <0.15 | <0.15 | <0.15 | 0.18 | 18.40 | 0.17 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | 0.007 | | 0.005 | | | | 0.010 | | | 0.006 |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | 0.130 | | 0.085 | | | | 0.220 | | | 0.120 |
| Total BOD | mg/L | | 1 | 4 | 1 | | | <2 | | | | <2 | | | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.130 | 0.050 | 0.060 | 0.090 | 0.090 | 0.030 | 0.070 | 0.150 | 0.050 | 0.100 |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | 0.0002 | | 0.0001 | | | | 0.0004 | | | 0.0002 |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 67.0 | 17.0 | 25.0 | 70.0 | 34.0 | 8.3 | 41.0 | 75.0 | 25.0 | 35.0 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | 62 | | 37 | | | | 110.000 | | | 55 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.0250 | 0.0200 | 0.0200 | <0.005 | 0.0260 | <0.005 | 0.0560 | 0.0410 | 0.005 | 0.024 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | 0.019 | | 0.012 | | | | 0.029 | | | 0.039 |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | 270 | 68 | 90 | | 130 | 43 | 260 | 348 | 98 | 110 |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 27.000 | 19.000 | 20.000 | 3.900 | 26.000 | 3.000 | 55.000 | 20.000 | 5.500 | 23.000 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | 5 | 2 | <4 | 1 | 4 | 1.7 | 33 | 4 | 2.0 | 2.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | 0.008 | | 0.007 | | | | 0.024 | | | 0.009 |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 15.0 | 6.4 | 8.9 | 25.0 | 11.0 | 2.3 | 18.0 | 17.0 | 5.7 | 11.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | 0.029 | 0.021 | 0.024 | 0.007 | 0.030 | 0.004 | 0.067 | 0.021 | 0.007 | 0.027 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | 1.20 | 0.28 | 0.35 | 0.07 | 0.64 | 0.16 | 1.60 | 0.50 | 0.23 | 0.53 |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 9.8 | 5.2 | 4.9 | 4.6 | 7.4 | 3.7 | 9.2 | 17 | 3.2 | 6.6 |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 3.3 | 1.2 | 1.5 | 13 | 1.6 | 0.6 | 1.7 | 3.7 | 2.0 | 1.9 |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | 270 | | 240 | 410 | | | 980 | | | 240 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | 0.06 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | 0.07 | 0.04 | 0.06 | 0.01 | 0.06 | <0.01 | 0.15 | 0.05 | 0.02 | 0.06 |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 4.9 | 8.5 | 13.4 | 2.7 | 8.1 | 4.1 | 24.8 | 16.0 | 9.7 | 10.5 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------|---------------|--------------|--------------|--------------|-------------|--------------|--------------|---------------|--------|--|
| | | | | | | 20-Oct-11 | 30-Oct-12 | 13-Jan-13 | 10-Apr-13 | 5-Jul-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Date | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 88 | 69 | 45 | 40 | 70 | 78 | 22 | 69 | 66 | 64 | | |
| Conductivity | umho/cm | | 62 | 1200 | 229 | 190 | 230 | 120 | 110 | 350 | 190 | 62.0 | 170 | 150 | 400 | | |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 3 | 11 | 9 | 2 | 4 | 4 | 2 | 6 | 3 | 6 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | | <0.00010 | | | | <0.00010 | <0.00010 | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 6 | 13 | 12 | 2 | 82 | 9 | 1 | 9 | 1 | 120 | | |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | <0.1 | 6.1 | <0.10 | 0.74 | 2.2 | <0.10 | 0.55 | <0.10 | <0.10 | 1.33 | | |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | <0.01 | <0.010 | <0.010 | 0.035 | 0.051 | <0.010 | 0.016 | <0.010 | <0.010 | 0.109 | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | 7.8 | 6.9 | 7.3 | 7.3 | 7.6 | 7.7 | 7.9 | 8.2 | 7.7 | 7.8 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | 0.006 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.003 | <0.0010 | 0.007 | 0.002 | 0.002 | | |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | <0.15 | 0.25 | <0.15 | <0.15 | <0.15 | 0.15 | 0.61 | <0.15 | <0.15 | 2.31 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | | | 0.002 | | | | 0.001 | <0.001 | | | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | | | | 0.046 | | | | 0.013 | 0.02 | | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | | <2.0 | | | | 3.0 | 3.0 | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.090 | 0.180 | 0.060 | 0.070 | 0.130 | 0.090 | <0.02 | 0.070 | 0.060 | 0.300 | | |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | | | | <0.0001 | | | | <0.0001 | <0.0001 | | | |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 35.0 | 32.0 | 19.0 | 18.0 | 49.0 | 28.0 | 5.4 | 25.0 | 24 | 63 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | | | 44 | | | | 48 | 55 | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.020 | 0.067 | 0.012 | 0.008 | <0.005 | 0.013 | <0.005 | <0.005 | <0.005 | 0.016 | | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | | | | 0.007 | | | | 0.0029 | 0.003 | | | |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | 122 | 604 | 194 | 288 | 258 | 216 | 26.0 | 192 | 142 | 524 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 20.000 | 26.000 | 11.000 | 8.800 | 3.800 | 6.900 | 0.320 | 1.400 | 1.500 | 15.000 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | 3.0 | 2.7 | 1.8 | 2.1 | 1.5 | 2.2 | 1.6 | 1.6 | 1.60 | 3.10 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | | | | 0.004 | | | | 0.001 | 0.001 | | | |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 10.0 | 10.0 | 5.8 | 5.1 | 12.0 | 7.3 | 1.6 | 5.0 | 5.0 | 15.0 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | 0.025 | 0.048 | 0.014 | 0.011 | 0.006 | 0.008 | <0.001 | 0.002 | 0.003 | 0.020 | | |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | 0.50 | 0.85 | 0.27 | 0.27 | 0.12 | 0.36 | 0.36 | 0.14 | 0.12 | 0.33 | | |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 7.0 | 12.0 | 4.9 | 4.3 | 5.2 | 9.7 | 4.8 | 4.7 | 4.2 | 6.3 | | |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 1.3 | 1.7 | 1.1 | 1.3 | 5.1 | 1.2 | 0.5 | 1.5 | 1.4 | 7.2 | | |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | | | 55 | | | | 28 | 19 | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.0089 | 0.0021 | 0.0064 | <0.0021 | <0.00074 | 0.12 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | 0.05 | 0.10 | 0.03 | 0.02 | 0.01 | 0.02 | <0.01 | <0.01 | <0.01 | 0.04 | | |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 9.9 | 10.1 | 3.7 | 13.9 | 4.2 | 6.2 | 1.8 | 1.7 | 6.3 | 5.3 | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | | | | | 15-Oct-14 | 24-Nov-14 | 4-Jan-15 | 10-Apr-15 | 25-Oct-15 | 7-Apr-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 28-Oct-17 |
| | | | | | | Maxxam Routine | Maxxam Verification | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 79 | 43 | 30 | 51 | 79 | 49 | 120 | 160 | 48 | 71 |
| Conductivity | umho/cm | | 62 | 1200 | 229 | 250 | 120 | 98 | 130 | 229 | 110 | 360 | 340 | 370 | 470 |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 8 | 3 | 4 | 4 | 30 | 1.2 | 13 | 3.7 | 4.6 | 8.8 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | | <0.00010 | | <0.00010 | | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 34 | 11 | 12 | 15 | 150 | 1 | 35 | 19 | 80.0 | 130.0 |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | <0.10 | <0.10 | <0.10 | <0.10 | 0.59 | <0.10 | 0.48 | <0.10 | 12.90 | 3.78 |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | 0.016 | <0.010 | 0.029 | 0.011 | 0.049 | <0.010 | 0.021 | <0.010 | 0.017 | 0.015 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | 7.7 | 7.3 | 8.2 | 6.7 | 7.8 | 7.1 | 7.9 | 8.1 | 7.7 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | <0.001 | <0.001 | 0.005 | 0.002 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0080 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 0.25 | <0.15 | <0.15 | <0.050 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | | | <0.001 | | | | | | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | | | | 0.015 | | | | 0.027 | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | | <2.0 | | | | <2.0 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.070 | 0.060 | 0.030 | 0.060 | 0.100 | 0.040 | 0.040 | 0.040 | 0.080 | 0.050 |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | | | | <0.0001 | | <0.0001 | | | | |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 39 | 17 | 14 | 20 | 63 | 17 | 45 | 61 | 69 | 71 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | | | 40 | | 44 | | 34 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.011 | 0.012 | <0.005 | <0.005 | <0.005 | 0.007 | 0.005 | 0.008 | 0.0320 | 0.0060 |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | | | | 0.003 | | 0.004 | | | | |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | 288 | 296 | 96 | 128 | 382 | 156 | 194 | 222 | 294 | 420 |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 10.000 | 12.000 | 1.300 | 2.000 | 1.500 | 4.900 | 3.600 | 6.700 | 32.000 | 3.400 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | 4.10 | 2.20 | 0.75 | 0.57 | 0.60 | 0.41 | 0.90 | <0.7 | <0.7 | 0.8 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | | | | 0.001 | | 0.002 | | | | |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 11.0 | 5.7 | 2.8 | 4.7 | 15.0 | 4.5 | 12.0 | 15.0 | 18 | 14 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | 0.014 | 0.014 | 0.002 | 0.003 | 0.004 | 0.007 | 0.005 | 0.010 | 0.042 | 0.005 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | 0.91 | 0.37 | 0.18 | 0.12 | 0.066 | 0.15 | 0.32 | 0.16 | 0.51 | 0.10 |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 15.0 | 7.1 | 4.9 | 3.2 | 11.0 | 3.2 | 12.0 | 4.7 | 5.6 | 2.8 |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 1.5 | 0.9 | 0.6 | 1.5 | 16.0 | 1.1 | 4.1 | 4.0 | 3.2 | 3.6 |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | | | 13 | | 16 | | 160 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | <0.0036 | <0.024 | <0.0021 | <0.0096 | <0.0028 | <0.0005 | 0.0007 | <0.00051 | <0.013 | <0.00066 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | 0.03 | 0.03 | <0.01 | <0.01 | 0.01 | 0.01 | 0.02 | 0.02 | 0.070 | <0.01 |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 7.7 | 7.7 | 3.3 | 1.6 | 1.0 | 7.5 | 1.8 | 5.8 | 16.0 | 3.0 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------|--------------|--------------|--------------|--------------|----------------|----------------|----------------|----------------|---------|---------|---------|---------|
| | | | | | | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 | 2-Oct-18 | 24-Jan-19 | 17-Apr-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | |
| Date | | | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 42 | 150 | 64 | 190 | 50 | 200 | 80 | 55 | 84 | 96 | | | | |
| Conductivity | umho/cm | | 62 | 1200 | 229 | 130 | 300 | 1200 | 650 | 140 | 720 | 390 | 114 | 190 | 420 | | | | |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 5.5 | 3.0 | 25.0 | 26.0 | 3.8 | 22.0 | 10.0 | 1.6 | 2.1 | 29 | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | <0.00010 | | | | <0.00010 | | | <0.00010 | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 15.0 | 8.9 | 67.0 | 120.0 | 7.3 | 160.0 | 72.0 | 1.2 | 0.5 | 29 | | | | |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | 0.89 | <0.10 | 102.00 | 2.33 | 0.47 | <0.10 | 6.03 | 0.17 | 61 | 9.51 | | | | |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | 0.011 | <0.010 | 3.980 | 0.014 | 0.014 | 0.013 | 0.024 | 0.084 | 0.012 | 0.078 | | | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | 7.4 | 8.0 | 7.4 | 8.2 | 7.4 | 8.5 | 7.9 | 8.7 | 7.9 | 7.5 | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | 0.003 | <0.0070 | <0.0070 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.001 | | | | |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | 0.050 | 0.056 | 0.094 | <0.050 | 0.190 | <0.050 | 0.100 | 0.084 | 0.13 | 0.53 | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | 0.003 | | | | <0.001 | | | 0.002 | | | | | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | | 0.048 | | | | 0.028 | | | 0.03 | | | | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | <2 | | | | <2 | | | 4 | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.040 | 0.020 | 0.140 | 0.290 | <0.02 | 0.240 | 0.090 | 0.070 | 0.06 | 0.06 | | | | |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | | <0.0001 | | | | <0.0001 | | <0.0001 | | | | | | |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 19 | 54 | 170 | 87 | 15 | 95 | 60 | 39 | 29 | 51 | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | 18 | | | | 81 | | 38 | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.0090 | 0.0090 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0050 | 0.08 | 0.006 | 0.007 | | | | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | | 0.007 | | | | 0.003 | | | 0.005 | | | | | |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | 140 | 135 | 1010 | 450 | 115 | 460 | 275 | 630 | 185 | 300 | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 7.800 | 8.900 | 3.100 | 3.800 | 0.600 | 0.900 | 4.800 | 79 | 5.0 | 5.7 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | <0.7 | <0.7 | <5 | 0.7 | 0.8 | <0.7 | 0.9 | <0.7 | <0.7 | 1.6 | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | | 0.003 | | | | <0.0005 | | | 0.0022 | | | | | |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 5.2 | 13 | 29 | 27 | 3.6 | 33 | 11 | 21 | 6.8 | 13 | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | 0.010 | 0.012 | 0.006 | 0.007 | 0.001 | 0.003 | 0.007 | 0.097 | 0.007 | 0.009 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | 0.19 | 0.27 | 0.13 | 0.16 | 0.14 | 0.05 | 0.20 | 1.40 | 0.21 | 0.80 | | | | |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 3.2 | 4.6 | 5.0 | 7.0 | 5.0 | 4.5 | 2.8 | 11.0 | 2.9 | 13 | | | | |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 1.2 | 3.9 | 14.0 | 15.0 | 1.1 | 15.0 | 4.1 | 1.1 | 1.5 | 5.8 | | | | |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | 310 | | | | 14 | | | 95 | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | 0.0038 | <0.0005 | 0.0013 | <0.00061 | <0.00061 | <0.0008 | 0.0056 | 0.0056 | 0.014 | 0.014 | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | 0.020 | 0.030 | <0.01 | 0.010 | <0.01 | <0.01 | 0.010 | 0.2 | 0.02 | 0.04 | | | | |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 4.0 | 5.9 | 28.1 | 1.3 | 0.8 | 0.8 | 5.3 | 30.4 | 5.7 | 6.3 | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow Into East Ditch Line (Background Surface Water Quality) - S510 | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-------------|--------------|----------------|--|--|----------------|--|--|
| | | | | | | 26-Mar-21 | | | 9-Jul-21 | | | 4-May-22 | | |
| | | | | | | Bureau Veritas | | | Bureau Veritas | | | Bureau Veritas | | |
| | | | | | | Routine | | | Routine | | | Routine | | |
| Date | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 22 | 203 | 67 | 65 | 160 | 96 | | | | | | |
| Conductivity | umho/cm | | 62 | 1200 | 229 | 290 | 740 | 200 | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 1 | 46 | 6 | 8.9 | 16 | 2.5 | | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.0001 | 0.0001 | | | <0.00010 | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 16 | 41 | 180 | 0.5 | | | | | | |
| Nitrate (N) | mg/L | | 0.05 | 102 | 0.98 | 5.04 | 8.24 | 0.3 | | | | | | |
| Nitrite (N) | mg/L | | 0.005 | 3.98 | 0.0213 | 0.046 | 0.03 | 0.016 | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.7 | 7.8 | 8.0 | 8.3 | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.007 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | | | | | | |
| Total Ammonia-N | mg/L | | 0.02 | 18.4 | 0.099 | 0.097 | <0.15 | <0.15 | | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.01000 | 0.00176 | | | 0.003 | | | | | | |
| Total Barium (Ba) | mg/L | | 0.01 | 0.36 | 0.040 | | | 0.048 | | | | | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | <2 | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.480 | 0.0756 | 0.07 | 0.14 | 0.07 | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.000 | 0.00005 | 0.0014 | 0.00009 | | | 0.0001 | | | | | | |
| Total Calcium (Ca) | mg/L | | 5.4 | 170 | 34 | 42 | 110 | 33.0 | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 110 | 47 | | | 42 | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0005 | 0.0800 | 0.0054 | 0.019 | 0.008 | 0.010 | | | | | | |
| Total Copper (Cu) | mg/L | 0.0050 | 0.002 | 0.039 | 0.0054 | | | 0.007 | | | | | | |
| Total Dissolved Solids | mg/L | | 26 | 1010 | 192 | 160 | 535 | 140.0 | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.250 | 79 | 3.67 | 17 | 5.5 | 9.7 | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 33 | 1.25017 | <0.7 | 0.8 | <0.7 | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.024 | 0.002 | | | 0.0034 | | | | | | |
| Total Magnesium (Mg) | mg/L | | 1.6 | 33 | 8 | 12 | 25 | 8.3 | | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.097 | 0.0068 | 0.022 | 0.008 | 0.013 | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 1.60 | 0.25 | 0.34 | 0.25 | 0.22 | | | | | | |
| Total Potassium (K) | mg/L | | 1 | 17 | 4.5 | 4.7 | 3.8 | 3.6 | | | | | | |
| Total Sodium (Na) | mg/L | | 0.49 | 20 | 3 | 4.1 | 9.2 | 2.1 | | | | | | |
| Total Suspended Solids | mg/L | | 13 | 980 | 82 | | | 94 | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.12 | 0.005 | 0.00082 | <0.0027 | <0.031 | | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.200 | 0.0144 | 0.04 | 0.02 | 0.02 | | | | | | |
| Ion Percentage | % | | 0.67 | 30.37 | 5.47 | 9.0 | 2.1 | 6.4 | | | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" Denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow From Township Land to South (Background Surface Water Quality) - SS16 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|---|--------------|--------------|--------------|---------------|--------------|---------------|---------------|--------------|--------------|
| | | | | | | 19-Mar-08 | 11-Apr-08 | 12-May-08 | 23-Jul-08 | 04-Nov-08 | 12-Feb-09 | 06-Apr-09 | 10-Oct-09 | 25-Jan-10 | 06-Apr-10 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 40 | 228 | 116 | 50 | 152 | 228 | 50 | 118 | 77 | 102 | 138 | 65 | 181 |
| Conductivity | umho/cm | | 109 | 620 | 310 | 123 | 478 | 478 | 109 | 305 | 190 | 231 | 409 | 212 | 389 |
| Dissolved Chloride (Cl) | mg/L | | 1.2 | 20 | 5 | 3 | 7 | 9 | 2 | 6 | 4 | 6 | 4 | 11 | 7 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | | <0.0002 | | | | <0.0001 | | | <0.0001 |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 22 | 12 | 22 | 15 | 2 | 35 | 11 | 14 | 58 | 21 | 20 |
| Nitrate (N) | mg/L | | 0.05 | 1.5 | 0.14 | 0.3 | <0.1 | <0.1 | <0.1 | 1.0 | 0.6 | 0.8 | 1.5 | 1.0 | <0.1 |
| Nitrite (N) | mg/L | | 0.005 | 0.059 | 0.0078 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | 0.01 | <0.01 | 0.02 | 0.02 |
| pH | (pH units) | 6.5-8.5 | 7.4 | 8.4 | 7.9 | 7.7 | 8.3 | 8.1 | 7.8 | 8.0 | 7.7 | 7.6 | 7.9 | 7.8 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0078 | 0.0008 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.025 | 0.3 | 0.076 | 0.05 | 0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00500 | 0.00167 | | | 0.002 | | 0.005 | | 0.003 | | | 0.001 |
| Total Barium (Ba) | mg/L | | 0.027 | 0.072 | 0.040 | | | 0.04 | | 0.072 | | 0.059 | | | 0.038 |
| Total BOD | mg/L | | 1 | 4 | 1 | | | <2 | | | | <2 | | | 3 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.400 | 0.0374 | <0.02 | 0.040 | 0.050 | 0.030 | 0.030 | 0.020 | 0.030 | 0.040 | <0.02 | 0.040 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00013 | 0.00006 | | | 0.0001 | | 0.0001 | | 0.0001 | | | <0.0001 |
| Total Calcium (Ca) | mg/L | | 13 | 1300 | 55 | 17 | 53 | 82 | 15 | 44 | 27 | 38 | 64 | 28 | 62 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 51 | 33 | | | 36 | | 36 | | 33 | | | 45 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.5200 | 0.0057 | <0.005 | <0.005 | 0.006 | <0.005 | 0.0140 | 0.0080 | 0.0130 | 0.0120 | <0.005 | 0.0060 |
| Total Copper (Cu) | mg/L | 0.005 | 0.002 | 0.012 | 0.0049 | | | 0.004 | | 0.012 | | 0.009 | | | 0.003 |
| Total Dissolved Solids | mg/L | | 50 | 720 | 213 | 84 | 238 | 290 | 70 | 200 | 120 | 142 | 265 | 135 | 250 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 540 | 4.28 | 1.800 | 1.000 | 3.700 | 1.900 | 16.000 | 7.900 | 12.000 | 10.000 | 2.800 | 2.900 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.31 | 7.2 | 0.82549 | <0.7 | 0.7 | 1.0 | 1.7 | 2.0 | 1.0 | <4 | 2.2 | 0.7 | 1.0 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0007 | 0.006 | 0.002 | | | 0.003 | | 0.006 | | 0.004 | | | 0.001 |
| Total Magnesium (Mg) | mg/L | | 2.4 | 290 | 14 | 4.6 | 12.0 | 22.0 | 3.3 | 13.0 | 7.1 | 11.0 | 14.0 | 7.4 | 15.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.790 | 0.0067 | 0.002 | 0.001 | 0.006 | 0.003 | 0.019 | 0.009 | 0.016 | 0.013 | 0.004 | 0.004 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 13.00 | 0.18 | <0.06 | 0.06 | | 0.22 | 0.50 | <0.15 | <0.15 | 0.27 | 0.10 | 0.15 |
| Total Potassium (K) | mg/L | | 3.1 | 60 | 5.9 | 3.1 | 3.2 | 4.2 | 8.8 | 8.8 | 4.2 | 5.3 | 4.7 | 4.3 | 5.4 |
| Total Sodium (Na) | mg/L | | 1.1 | 18 | 5 | 2.3 | 8.6 | 14.0 | 2.6 | 3.2 | 4.2 | 4.6 | 4.6 | 6.1 | 6.4 |
| Total Suspended Solids | mg/L | | 21 | 2100 | 79 | | | 40 | | 200 | | 150 | | | 37 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.01 | 0.003 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 1.200 | 0.0155 | 0.010 | <0.01 | 0.020 | 0.010 | 0.040 | 0.020 | 0.030 | 0.030 | 0.010 | 0.010 |
| Ion Percentage | % | | 0.55 | 47.20 | 3.87 | 5.3 | 6.9 | 11.1 | 8.3 | 6.5 | 8.5 | 10.0 | 6.9 | 7.1 | 7.5 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 5) mg/L denotes milligrams per litre.
- 6) umho/cm denotes microsiemens per centimeter.
- 7) BOD denotes biological oxygen demand.
- 8) COD denotes chemical oxygen demand.
- 9) Blank denotes parameter not analyzed.
- 10) **Bolded** text and shading denotes concentration exceeds PWQO.
- 11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
- 12) "BV" denotes Bureau Veritas Laboratories
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow From Township Land to South (Background Surface Water Quality) - SS16 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|---|--------------|--------------|--------------|--------------|--------------|--------------|---------------|----------------|--------------|
| | | | | | | 17-Nov-10 | 28-Feb-11 | 20-Apr-11 | 20-Oct-11 | 13-Mar-12 | 04-May-12 | 13-Jan-13 | 10-Apr-13 | 05-Jul-13 | 12-Sep-13 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 40 | 228 | 116 | 82 | 100 | 140 | 123 | 140 | 200 | 84 | 87 | 99 | 130 |
| Conductivity | umho/cm | | 109 | 620 | 310 | 254 | 256 | 323 | 314 | 310 | 410 | 220 | 220 | 250 | 470 |
| Dissolved Chloride (Cl) | mg/L | | 1.2 | 20 | 5 | 6 | 5 | 7 | 7 | 6 | 4 | 3 | 5 | 8 | 20 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | | <0.0001 | | | <0.00010 | | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 22 | 36 | 21 | 21 | 30 | 20 | <1 | 23 | 19 | 31 | 80 |
| Nitrate (N) | mg/L | | 0.05 | 1.5 | 0.14 | <0.1 | 0.5 | <0.1 | <0.1 | <0.10 | <0.10 | 0.3 | 0.5 | 0.1 | <0.10 |
| Nitrite (N) | mg/L | | 0.005 | 0.059 | 0.0078 | <0.01 | 0.01 | <0.01 | <0.01 | <0.010 | <0.010 | <0.010 | 0.027 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.4 | 8.4 | 7.9 | 7.9 | 7.7 | 8.1 | 7.9 | 8.0 | 8.1 | 7.5 | 7.9 | 7.8 | 7.8 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0078 | 0.0008 | 0.001 | 0.001 | <0.001 | 0.005 | 0.002 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 0.3 | 0.076 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00500 | 0.00167 | | | 0.001 | | | 0.002 | | 0.003 | | |
| Total Barium (Ba) | mg/L | | 0.027 | 0.072 | 0.040 | | | 0.028 | | | 0.055 | | 0.054 | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | <2 | | | 3 | | <2.0 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.400 | 0.0374 | 0.040 | 0.020 | 0.020 | 0.030 | 0.030 | 0.050 | 0.020 | 0.040 | 0.170 | 0.320 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00013 | 0.00006 | | | <0.0001 | | | 0.0001 | | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 13 | 1300 | 55 | 34 | 38 | 52 | 46 | 47 | 61 | 31 | 39 | 320 | 55 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 51 | 33 | | | 32 | | | 51 | | 32 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.5200 | 0.0057 | 0.0140 | <0.005 | <0.005 | <0.005 | 0.0050 | 0.0080 | 0.0060 | 0.0090 | 0.2000 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.002 | 0.012 | 0.0049 | | | 0.002 | | | 0.0045 | | 0.010 | | |
| Total Dissolved Solids | mg/L | | 50 | 720 | 213 | 168 | 156 | 192 | 236 | 248 | 264 | 238 | 236 | 264 | 300 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 540 | 4.28 | 8.000 | 0.900 | 2.600 | 2.100 | 4.500 | 4.500 | 5.200 | 11.000 | 200.000 | 1.300 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.31 | 7.2 | 0.82549 | 1.00 | 0.80 | 0.80 | 1.00 | 3.50 | 1.40 | 1.00 | 1.50 | 7.20 | 1.40 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0007 | 0.006 | 0.002 | | | 0.001 | | | 0.003 | | 0.004 | | |
| Total Magnesium (Mg) | mg/L | | 2.4 | 290 | 14 | 9.1 | 9.0 | 12.0 | 9.9 | 11.0 | 16.0 | 7.5 | 9.2 | 85.0 | 20.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.790 | 0.0067 | 0.009 | 0.002 | 0.004 | 0.003 | 0.006 | 0.006 | 0.007 | 0.015 | 0.27 | 0.006 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 13.00 | 0.18 | 0.24 | 0.07 | 0.10 | 0.30 | 0.13 | 0.17 | 0.15 | <0.3 | 3.10 | 0.17 |
| Total Potassium (K) | mg/L | | 3.1 | 60 | 5.9 | 8.6 | 3.4 | 3.2 | 6.1 | 4.4 | 5.6 | 4.3 | 5.3 | 25.0 | 6.9 |
| Total Sodium (Na) | mg/L | | 1.1 | 18 | 5 | 3.8 | 4.0 | 5.8 | 4.4 | 4.6 | 5.1 | 3.1 | 3.5 | 5.0 | 17.0 |
| Total Suspended Solids | mg/L | | 21 | 2100 | 79 | | | 27 | | | 55 | | 81 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.01 | 0.003 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.0054 | <0.0037 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 1.200 | 0.0155 | 0.020 | <0.01 | 0.010 | 0.010 | 0.020 | 0.020 | 0.020 | 0.030 | 0.400 | <0.01 |
| Ion Percentage | % | | 0.55 | 47.20 | 3.87 | 2.7 | 3.1 | 3.6 | 1.4 | 1.4 | 3.7 | 1.9 | 7.3 | 39.9 | 2.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow From Township Land to South (Background Surface Water Quality) - SS16 | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|---|-------------|--------------|---------------|---------------|--------------|--------------|---------------|-------------|--------------|--|--|
| | | | | | | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 6-Sep-14 | 15-Oct-14 | 24-Nov-14 | 25-Dec-14 | 4-Jan-15 | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | |
| Date | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 40 | 228 | 116 | 160 | 74 | 120 | 170 | 100 | 160 | 140 | 120 | 170 | 100 | | |
| Conductivity | umho/cm | | 109 | 620 | 310 | 490 | 270 | 280 | 350 | 590 | 490 | 610 | 320 | 400 | 280 | | |
| Dissolved Chloride (Cl) | mg/L | | 1.2 | 20 | 5 | 5 | 15 | 5 | 4 | 20 | 9 | 5 | 10 | 7 | 7 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | | <0.00010 | <0.00010 | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 22 | 78 | 29 | 22 | 27 | 170 | 83 | 160 | 44 | 32 | 33 | | |
| Nitrate (N) | mg/L | | 0.05 | 1.5 | 0.14 | <0.10 | 1.30 | 0.22 | 0.12 | <0.10 | <0.10 | <0.10 | 0.15 | <0.50 | 0.12 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.059 | 0.0078 | <0.010 | 0.035 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.059 | 0.041 | | |
| pH | (pH units) | 6.5-8.5 | 7.4 | 8.4 | 7.9 | 8.0 | 8.0 | 7.4 | 8.1 | 8.0 | 8.0 | 7.8 | 7.8 | 7.9 | 7.9 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0078 | 0.0008 | 0.002 | 0.001 | 0.004 | <0.0010 | 0.001 | <0.0010 | <0.001 | <0.001 | <0.001 | 0.008 | | |
| Total Ammonia-N | mg/L | | 0.025 | 0.3 | 0.076 | <0.15 | 0.19 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00500 | 0.00167 | | | 0.001 | 0.002 | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.027 | 0.072 | 0.040 | | | 0.030 | 0.046 | | | | | | | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | | <2.0 | <2.0 | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.400 | 0.0374 | 0.040 | 0.030 | 0.020 | 0.030 | 0.140 | 0.050 | 0.050 | 0.090 | 0.020 | 0.030 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00013 | 0.00006 | | | <0.0001 | <0.0001 | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 13 | 1300 | 55 | 71 | 27 | 44 | 63 | 100 | 89 | 89 | 200 | 56 | 41 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 51 | 33 | | | 32 | 42 | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.5200 | 0.0057 | <0.005 | <0.005 | <0.005 | 0.0060 | 0.0140 | <0.005 | <0.005 | 0.0790 | <0.005 | <0.005 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.002 | 0.012 | 0.0049 | | | 0.004 | 0.0053 | | | | | | | | |
| Total Dissolved Solids | mg/L | | 50 | 720 | 213 | 320 | 134 | 284 | 304 | 410 | 316 | 442 | 166 | 354 | 178 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 540 | 4.28 | 2.900 | 0.300 | 4.300 | 6.200 | 13.000 | 4.900 | 3.000 | 76.000 | <0.10 | 1.800 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.31 | 7.2 | 0.82549 | 1.2 | 1.4 | 1.2 | 1.6 | 1.3 | 0.9 | 1.5 | 3.8 | 1.2 | 0.58 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0007 | 0.006 | 0.002 | | | 0.0016 | 0.003 | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 2.4 | 290 | 14 | 19.0 | 8.7 | 11.0 | 14.0 | 22.0 | 19.0 | 27.0 | 49.0 | 14.0 | 11.0 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.790 | 0.0067 | 0.004 | 0.001 | 0.005 | 0.01 | 0.018 | 0.008 | 0.004 | 0.110 | <0.001 | 0.003 | | |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 13.00 | 0.18 | 0.15 | 0.25 | 0.12 | 0.18 | 0.23 | 0.24 | 0.21 | 1.20 | 0.12 | 0.12 | | |
| Total Potassium (K) | mg/L | | 3.1 | 60 | 5.9 | 6.5 | 12.0 | 5.4 | 4.6 | 8.1 | 5.1 | 11.0 | 17.0 | 4.8 | 8.1 | | |
| Total Sodium (Na) | mg/L | | 1.1 | 18 | 5 | 7.1 | 6.1 | 3.5 | 5.1 | 18.0 | 9.0 | 8.3 | 5.0 | | 2.6 | | |
| Total Suspended Solids | mg/L | | 21 | 2100 | 79 | | | 33 | 120 | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.01 | 0.003 | <0.0038 | 0.0029 | <0.00072 | <0.0012 | <0.0038 | <0.0073 | <0.0061 | <0.027 | <0.0014 | <0.0011 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 1.200 | 0.0155 | <0.01 | <0.01 | 0.010 | 0.020 | 0.040 | 0.010 | 0.010 | 0.180 | <0.01 | 0.010 | | |
| Ion Percentage | % | | 0.55 | 47.20 | 3.87 | 3.1 | 1.3 | 3.3 | 3.5 | 6.1 | 6.0 | 3.9 | 31.1 | 1.3 | 3.4 | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow From Township Land to South (Background Surface Water Quality) - SS16 | | | | | | | | | |
|---|------------|---------|----------|---------|---------|---|------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | | | | | 10-Apr-15 | 1-Jun-15 | 25-Feb-16 | 7-Apr-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 19-Nov-17 | 23-Jan-18 | 4-Apr-18 |
| | | | | | | Maxxam Routine | Maxxam Verification | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine |
| Alkalinity (Total as CaCO₃) | mg/L | <25%*** | 40 | 228 | 116 | 160 | 220 | 140 | 170 | 91 | 170 | 45 | 150 | 80 | 150 |
| Conductivity | umho/cm | | 109 | 620 | 310 | 330 | 510 | 330 | 440 | 220 | 350 | 380 | 440 | 170 | 300 |
| Dissolved Chloride (Cl) | mg/L | | 1.2 | 20 | 5 | 4.0 | 5.0 | 4.0 | 4.2 | 4.3 | 3.1 | 1.2 | 4.2 | 2.9 | 4.1 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | | | <0.00010 | | <0.00010 | | | | <0.00010 |
| Dissolved Sulphate (SO₄) | mg/L | | 0.5 | 220 | 22 | 27 | 41 | 33 | 47 | 19 | 18 | 120 | 69 | 1.0 | 17 |
| Nitrate (N) | mg/L | | 0.05 | 1.5 | 0.14 | <0.10 | <0.10 | 0.15 | 0.38 | 0.27 | <0.10 | 0.74 | <0.10 | <0.10 | <0.10 |
| Nitrite (N) | mg/L | | 0.005 | 0.059 | 0.0078 | <0.010 | 0.015 | <0.010 | <0.010 | 0.012 | <0.010 | <0.010 | <0.010 | <0.010 | 0.014 |
| pH | (pH units) | 6.5-8.5 | 7.4 | 8.4 | 7.9 | 7.4 | 8.0 | 8.0 | 8.0 | 8.0 | 8.1 | 7.8 | 8.0 | 7.7 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0078 | 0.0008 | 0.002 | <0.0010 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | 0.002 | 0.002 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 0.3 | 0.076 | <0.15 | 0.17 | <0.15 | | <0.15 | <0.15 | <0.15 | <0.050 | 0.066 | 0.058 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00500 | 0.00167 | 0.001 | | | 0.002 | | | | | | 0.003 |
| Total Barium (Ba) | mg/L | | 0.027 | 0.072 | 0.040 | 0.032 | | | 0.039 | | | | | | 0.057 |
| Total BOD | mg/L | | 1 | 4 | 1 | <2.0 | | | | | <2.0 | | | | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.400 | 0.0374 | 0.040 | 0.050 | 0.030 | 0.120 | 0.060 | 0.040 | 0.400 | 0.030 | <0.02 | 0.030 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00013 | 0.00006 | <0.0001 | | | <0.0001 | | | | | | <0.0001 |
| Total Calcium (Ca) | mg/L | | 13 | 1300 | 55 | 56 | 77 | 50 | 62 | 150 | 61 | 1300 | 66 | 24 | 60 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 51 | 33 | 26 | | | 28 | | 36 | | | | 18 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.5200 | 0.0057 | <0.005 | <0.005 | 0.0070 | 0.0060 | 0.0470 | 0.0070 | 0.5200 | <0.005 | <0.005 | 0.0100 |
| Total Copper (Cu) | mg/L | 0.005 | 0.002 | 0.012 | 0.0049 | 0.0035 | | | 0.006 | | | | | | 0.012 |
| Total Dissolved Solids | mg/L | | 50 | 720 | 213 | 246 | 364 | 212 | 720 | 164 | 254 | 188 | 180 | 140 | 130 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 540 | 4.28 | 3.100 | 1.700 | 3.300 | 5.600 | 47.000 | 6.100 | 540.000 | 3.700 | 1.000 | 9.800 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.31 | 7.2 | 0.82549 | 0.55 | 0.97 | 0.31 | 0.39 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0007 | 0.006 | 0.002 | 0.002 | | | 0.002 | | | | | | 0.004 |
| Total Magnesium (Mg) | mg/L | | 2.4 | 290 | 14 | 12.0 | 20.0 | 12.0 | 20.0 | 33.0 | 15.0 | 290.0 | 16.0 | 4.8 | 14.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.790 | 0.0067 | 0.005 | 0.003 | 0.004 | 0.008 | 0.067 | 0.009 | 0.790 | 0.006 | 0.002 | 0.013 |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 13.00 | 0.18 | 0.12 | 0.09 | 0.09 | 0.15 | 1.00 | 0.20 | 13.00 | 0.11 | 0.09 | 0.19 |
| Total Potassium (K) | mg/L | | 3.1 | 60 | 5.9 | 4.2 | 4.5 | 5.0 | 10.0 | 4.2 | 4.6 | 60.0 | 5.1 | 3.8 | 4.7 |
| Total Sodium (Na) | mg/L | | 1.1 | 18 | 5 | 4.5 | 7.5 | 4.4 | 6.7 | 2.0 | 4.1 | 8.0 | 4.9 | 1.4 | 3.8 |
| Total Suspended Solids | mg/L | | 21 | 2100 | 79 | 45 | | | 94 | | 140 | | | | 2100 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.01 | 0.003 | <0.0013 | 0.0058 | <0.0017 | <0.0005 | <0.0005 | <0.0012 | <0.015 | <0.0005 | 0.0019 | <0.0005 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 1.200 | 0.0155 | 0.010 | <0.01 | 0.010 | 0.010 | 0.110 | 0.020 | 1.200 | 0.010 | <0.01 | 0.030 |
| Ion Percentage | % | | 0.55 | 47.20 | 3.87 | 1.4 | 2.5 | 1.5 | 4.4 | 33.8 | 4.7 | 47.2 | 2.2 | 0.9 | 6.7 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Off-Site Flow From Township Land to South (Background Surface Water Quality) - SS16 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|---|-------------|-------------|----------------|----------------|----------------|----------------|----------------|----------------|--|
| | | | | | | Date | 24-Jan-19 | 17-Apr-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 26-Mar-21 | 17-Feb-22 | 4-May-22 | |
| | | | | | | Laboratory | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | |
| | | | | | | Routine/Verification Event | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 40 | 228 | 116 | 96 | 200 | 91 | 74 | 170 | 120 | 40 | 190 | | |
| Conductivity | umho/cm | | 109 | 620 | 310 | 290 | 400 | 620 | 221 | 190 | 290 | 224 | 370 | | |
| Dissolved Chloride (Cl) | mg/L | | 1.2 | 20 | 5 | 9.2 | 3.9 | 2.1 | 2.7 | 3.4 | 7.0 | 3.0 | 3.3 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | | <0.00010 | | | <0.00010 | | | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 0.5 | 220 | 22 | 34 | 10 | 220 | 30 | 1.9 | 29 | 0.5 | 9.4 | | |
| Nitrate (N) | mg/L | | 0.05 | 1.5 | 0.14 | 0.53 | <0.10 | 0.30 | 0.15 | 0.23 | 0.21 | 0.29 | <0.10 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.059 | 0.0078 | 0.021 | <0.010 | 0.014 | 0.026 | <0.010 | <0.010 | 0.012 | <0.010 | | |
| pH | (pH units) | 6.5-8.5 | 7.4 | 8.4 | 7.9 | 7.7 | 8.2 | 7.9 | 8.4 | 7.9 | 7.8 | 7.6 | 8.2 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0078 | 0.0008 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | |
| Total Ammonia-N | mg/L | | 0.025 | 0.3 | 0.076 | 0.300 | <0.050 | 0.210 | <0.050 | <0.050 | 0.078 | 0.16 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00500 | 0.00167 | | <0.001 | | | 0.002 | | | 0.001 | | |
| Total Barium (Ba) | mg/L | | 0.027 | 0.072 | 0.040 | | 0.028 | | | 0.031 | | | 0.027 | | |
| Total BOD | mg/L | | 1 | 4 | 1 | | <2 | | | 4 | | | <2 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.400 | 0.0374 | 0.02 | 0.03 | 0.05 | 0.03 | 0.06 | 0.03 | <0.02 | 0.04 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00013 | 0.00006 | | <0.0001 | | | <0.0001 | | | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 13 | 1300 | 55 | 36 | 64 | 97 | 32 | 49 | 45 | 13 | 56 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 18 | 51 | 33 | | 25 | | | 39 | | | 31 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.5200 | 0.0057 | 0.0090 | <0.005 | 0.0060 | 0.006 | | <0.005 | <0.005 | <0.005 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.002 | 0.012 | 0.0049 | | 0.003 | | | 0.005 | | | 0.003 | | |
| Total Dissolved Solids | mg/L | | 50 | 720 | 213 | 255 | 240 | 425 | 190 | 200 | 195 | 50 | 190 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 540 | 4.28 | 7.0 | 1.5 | 5.8 | 5.3 | 5.0 | 2.9 | 0.5 | 2.7 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.31 | 7.2 | 0.82549 | 0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0007 | 0.006 | 0.002 | | 0.001 | | | 0.0022 | | | 0.0012 | | |
| Total Magnesium (Mg) | mg/L | | 2.4 | 290 | 14 | 10 | 14 | 25 | 8 | 12 | 10 | 2.4 | 12 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.790 | 0.0067 | 0.011 | 0.003 | 0.009 | 0.008 | 0.007 | 0.004 | 0.001 | 0.005 | | |
| Total Phosphorus | mg/L | 0.02* | 0.03 | 13.00 | 0.18 | 0.22 | 0.07 | 0.22 | 0.20 | 0.21 | 0.15 | 0.10 | 0.08 | | |
| Total Potassium (K) | mg/L | | 3.1 | 60 | 5.9 | 8.6 | 3.1 | 6.0 | 6.7 | 3.3 | 4.6 | 3.3 | 3.4 | | |
| Total Sodium (Na) | mg/L | | 1.1 | 18 | 5 | 4.5 | 4.2 | 7.3 | 1.6 | 2.4 | 3.4 | 1.1 | 3.1 | | |
| Total Suspended Solids | mg/L | | 21 | 2100 | 79 | | 21 | | | 95 | | | 40 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.01 | 0.003 | <0.00061 | <0.0018 | 0.0062 | <0.0023 | 0.014 | <0.00061 | <0.00061 | <0.0026 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 1.200 | 0.0155 | 0.02 | <0.01 | 0.02 | 0.02 | 0.01 | <0.01 | <0.01 | <0.01 | | |
| Ion Percentage | % | | 0.55 | 47.20 | 3.87 | 1.4 | 1.8 | 3.3 | 4.0 | 0.7 | 1.1 | 2.6 | 0.6 | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------|-------------|---------------|--------------|--------------|--------------|--------------|--------------|---------------|-------|--|
| | | | | | | 23-Nov-11 | 6-Dec-11 | 10-Jan-12 | 13-Mar-12 | 27-Mar-12 | 22-Jun-12 | 15-Aug-12 | 14-Oct-12 | 13-Jan-13 | 10-Apr-13 | | |
| | | | | | | Maxxam | Maxxam | Lambton Sci | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | |
| Date | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 106 | 116 | | 120 | 110 | 50 | 57 | 140 | 80 | 96 | | |
| Conductivity | umho/cm | | 180 | 930 | 474 | 408 | 396 | | 470 | 460 | 360 | 350 | 530 | 380 | 420 | | |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 16 | 11 | 11 | 14 | 13 | 11 | 11 | 11 | 10 | 13 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 71 | 61 | | 110 | 110 | 120 | 99 | 110 | 85 | 85 | | |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | 0.80 | 0.30 | | 0.75 | <0.10 | <0.10 | <0.10 | <0.10 | 0.91 | 0.78 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | 0.02 | <0.01 | | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.032 | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 8.0 | 8.0 | | 8.0 | 8.4 | 9.2 | 9.2 | 7.7 | 7.6 | 7.9 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | <0.001 | 0.004 | | 0.002 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | <0.15 | <0.15 | | <0.15 | <0.15 | <0.15 | 0.21 | <0.15 | <0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | 0.004 | 0.004 | | 0.003 | 0.003 | 0.003 | 0.003 | 0.004 | 0.001 | 0.003 | | |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.069 | 0.130 | | 0.066 | 0.034 | 0.024 | 0.013 | 0.038 | 0.033 | 0.063 | | |
| Total BOD | mg/L | | 1 | 4 | 2 | 4.00 | <2 | | 4.00 | 4.00 | <2.0 | <2.0 | 3.00 | <2.0 | <2.0 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.170 | 0.220 | 0.160 | 0.210 | 0.240 | 0.190 | 0.210 | 0.190 | 0.120 | 0.200 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | <0.0001 | <0.0001 | | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 61 | 52 | | 63 | 52 | 35 | 28 | 52 | 46 | 57 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 33 | 27 | | 27 | 32 | 34 | 25 | 35 | 20 | 37 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | 0.0130 | 0.0270 | <0.005 | 0.0110 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0060 | 0.0110 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | 0.010 | 0.009 | | 0.008 | 0.003 | 0.003 | 0.002 | <0.002 | 0.004 | 0.010 | | |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 262 | 296 | | 328 | 294 | 248 | 262 | 334 | 316 | 344 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 13.000 | 14.000 | | 11.000 | 1.300 | 1.200 | 1.300 | 2.700 | 4.400 | 12.000 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | 2.00 | 2.00 | | 1.70 | 1.10 | 0.93 | 0.59 | 1.30 | 1.20 | 2.00 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | 0.005 | 0.005 | | 0.005 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.002 | 0.005 | |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 17 | 17 | | 20 | 20 | 18 | 21 | 25 | 15 | 17 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.017 | 0.016 | <0.01 | 0.014 | 0.003 | 0.003 | 0.003 | 0.006 | 0.006 | 0.017 | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.40 | 0.30 | | 0.25 | 0.08 | 0.05 | 0.06 | 0.10 | 0.13 | 0.25 | | |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 8.2 | 11.0 | | 5.1 | 3.9 | 8.2 | 1.7 | 3.5 | 4.2 | 5.6 | | |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 10.0 | 9.7 | | 13.0 | 13.0 | 13.0 | 14.0 | 13.0 | 9.6 | 11.0 | | |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 200 | 120 | | 130 | 34 | 25 | 26 | 60 | 73 | 170 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | <0.02 | <0.02 | <0.003 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | 0.030 | 0.040 | 0.012 | 0.030 | <0.01 | <0.01 | <0.01 | <0.01 | 0.010 | 0.040 | | |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 5.9 | 4.9 | | 1.9 | 0.2 | 0.0 | 2.0 | 0.6 | 2.6 | 4.7 | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--------------|----------|--|--|--|
| | | | | | | 29-Apr-13 | 5-Jul-13 | 07-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 24-Nov-14 | 15-Dec-14 | 4-Jan-15 | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 120 | 50 | 130 | 190 | 130 | 130 | 65 | 110 | 110 | 130 | | | |
| Conductivity | umho/cm | | 180 | 930 | 474 | 430 | 260 | 460 | 720 | 470 | 480 | 260 | 430 | 420 | 560 | | | |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 9 | 5 | 18 | 25 | 16 | 14 | 7 | 16 | 13 | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 83 | 65 | 71 | 140 | 79 | 94 | 52 | 76 | 73 | | | | |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | <0.10 | <0.10 | 0.14 | 0.9 | 0.44 | 1.34 | <0.10 | 1.66 | 0.47 | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | <0.010 | <0.010 | 0.020 | 0.020 | <0.010 | 0.025 | <0.010 | 0.012 | 0.013 | | | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 8.3 | 8.5 | 8.0 | 8.1 | 8.1 | 8.1 | 9.6 | 7.8 | 8.1 | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.002 | <0.0010 | 0.0013 | <0.001 | <0.001 | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | <0.15 | <0.15 | <0.15 | 0.41 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | <0.001 | 0.003 | 0.003 | <0.001 | 0.002 | 0.005 | 0.003 | <0.001 | 0.001 | | | | |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.030 | 0.014 | 0.06 | 0.061 | 0.037 | 0.052 | 0.023 | 0.068 | 0.036 | | | | |
| Total BOD | mg/L | | 1 | 4 | 2 | <2.0 | <2.0 | 4.0 | 4.0 | 2.0 | <2.0 | <2.0 | 3.0 | <2.0 | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.220 | 0.180 | 0.320 | 0.290 | 0.170 | 0.260 | 0.230 | 0.140 | 0.100 | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | 0.0001 | <0.0001 | | | | |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 50 | 23 | 55 | 110 | 63 | 71 | 22 | 59 | 77 | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 37 | 18 | 34 | 32 | 30 | 30 | 40 | 33 | 10 | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0070 | <0.005 | 0.0100 | <0.005 | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | 0.003 | <0.002 | 0.002 | 0.003 | 0.004 | 0.006 | <0.002 | 0.009 | 0.003 | | | | |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 278 | 164 | 290 | 372 | 372 | 344 | 164 | 338 | 276 | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 0.670 | 0.380 | 3.000 | 0.270 | 3.400 | 6.300 | 0.590 | 9.900 | 0.970 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | 1.10 | 0.75 | 1.60 | 1.30 | 1.20 | 1.20 | 1.30 | 1.90 | 0.79 | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | <0.0005 | <0.0005 | 0.0015 | <0.0005 | 0.0013 | 0.0028 | <0.0005 | 0.004 | 0.0005 | | | | |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 18 | 14 | 17 | 32 | 18 | 21 | 14 | 19 | 26 | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.002 | <0.001 | 0.006 | 0.003 | 0.006 | 0.010 | 0.002 | 0.014 | 0.002 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.06 | 0.03 | 0.08 | 0.06 | 0.14 | 0.18 | 0.07 | 0.24 | 0.05 | | | | |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 3.7 | 0.8 | 7.1 | 10.0 | 4.3 | 5.8 | 2.0 | 8.5 | 5.1 | | | | |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 11.0 | 8.8 | 15.0 | 7.0 | 11.0 | 14.0 | 12.0 | 6.8 | 7.2 | | | | |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 21 | 9 | 85 | 7 | 68 | 82 | 15 | 150 | 21 | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | <0.02 | <0.097 | <0.0085 | 0.0073 | <0.0042 | <0.0028 | <0.022 | <0.012 | <0.012 | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | 0.02 | <0.01 | 0.03 | <0.01 | | | | |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 0.9 | 1.9 | 2.1 | 8.2 | 5.4 | 7.5 | 4.7 | 6.9 | 3.8 | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|---------------|
| | | | | | | 10-Apr-15 | 30-Apr-15 | 3-Aug-15 | 25-Feb-16 | 7-Apr-16 | 1-Aug-16 | 3-Nov-16 | 24-Nov-16 | 12-Dec-16 | 12-Jan-17 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| | | | | | | Routine | Verification | Routine | Routine | Routine | Routine | Assessment | Assessment | Assessment | Assessment |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 98 | 110 | 68 | 110 | 120 | 39 | 190 | | | 110 |
| Conductivity | umho/cm | | 180 | 930 | 474 | 310 | 410 | 330 | 420 | 420 | 460 | 620 | | | 410 |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 14 | 8 | 5.4 | 8.5 | 6 | 2.3 | 13 | 13 | 11 | 11 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 54 | 78 | 86 | 78 | 74 | 180 | 100 | | | 74 |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | 1.23 | <0.10 | <0.10 | 1.29 | 0.65 | 0.013 | 0.21 | | | 0.86 |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | 0.03 | <0.010 | <0.010 | 0.013 | <0.010 | 0.17 | 0.053 | | | 0.045 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 7.0 | 8.1 | 8.1 | 8.0 | 7.7 | 8.8 | 8.1 | | | 7.9 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | 0.001 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0010 | <0.0010 | <0.0040 |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | 0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 7.98 | 6.30 | 4.20 | 1.26 | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | 0.009 | <0.001 | 0.005 | 0.002 | 0.003 | 0.004 | | | 0.003 | |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.140 | 0.025 | 0.052 | 0.068 | 0.050 | 0.020 | 0.037 | | | 0.088 |
| Total BOD | mg/L | | 1 | 4 | 2 | <2.0 | <2.0 | 4.0 | <2.0 | <2.0 | 3.0 | | | 4.0 | |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.130 | 0.130 | 0.130 | 0.120 | 0.110 | 0.130 | 2.300 | 2.200 | 1.900 | 0.410 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | 0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | | <0.0001 |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 64 | 43 | 34 | 54 | 60 | 45 | 46 | | | 47 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 31 | 20 | 33 | 21 | 29 | 9.8 | 40 | | | 36 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | 0.0360 | <0.005 | 0.0070 | 0.0130 | 0.0090 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0160 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | 0.026 | 0.003 | 0.006 | 0.005 | 0.007 | <0.002 | 0.003 | | | 0.008 |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 262 | 238 | 284 | 292 | 282 | 390 | 432 | | | 300 |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 35.000 | 0.870 | 6.700 | 6.000 | 8.400 | 1.100 | 2.700 | | | 8.900 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | 0.87 | 0.50 | 0.57 | 0.50 | 0.52 | 0.45 | 9.90 | | | 2.00 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | 0.015 | <0.0005 | 0.0034 | 0.0023 | 0.0035 | 0.0005 | 0.0012 | | | 0.0034 |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 21 | 16 | 19 | 16 | 17 | 24 | 24 | | | 17 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.048 | 0.002 | 0.010 | 0.007 | 0.012 | <0.001 | 0.006 | 0.004 | 0.003 | 0.012 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.78 | 0.05 | 0.21 | 0.14 | 0.22 | 0.04 | 0.11 | | | 0.30 |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 7.3 | 3.4 | 2.9 | 7.4 | 4.5 | 2.7 | 9.0 | | | 12.0 |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 5.9 | 6.8 | 6.9 | 6.2 | 6.4 | 10.0 | 36.0 | | | 8.8 |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 530 | 32 | 170 | 18 | 98 | 31 | 59 | | | 140 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | 0.0059 | <0.0005 | <0.074 | <0.00098 | <0.0013 | <0.00063 | 0.610 | 0.290 | 0.009 | 0.007 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | 0.090 | <0.01 | 0.020 | 0.02 | 0.02 | <0.01 | <0.01 | <0.005 | 0.006 | 0.020 |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 13.4 | 1.5 | 4.4 | 2.5 | 4.0 | 0.5 | 0.9 | | | 2.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | |
|--|------------|---------|----------|---------|--------------|--|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|----------------|
| | | | | | | 24-Jan-17 | 6-Apr-17 | 13-Jul-17 | 23-Jan-18 | 4-Apr-18 | 27-Aug-18 | 2-Oct-18 | 24-Jan-19 | 19-Apr-19 | 27-Oct-19 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas |
| Routine/Verification Event | | | | | Verification | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 55 | 130 | 49 | 110 | 120 | 46 | 190 | 81 | 140 | 120 |
| Conductivity | umho/cm | | 180 | 930 | 474 | 180 | 490 | 360 | 450 | 480 | 460 | 650 | 320 | 610 | 560 |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 4.2 | 8.7 | 2.1 | 13 | 9.5 | 9.2 | 26 | 14 | 18 | 20 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 29 | 96 | 120 | 98 | 120 | 150 | 120 | 44 | 150 | 130 |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | 0.31 | 0.50 | <0.10 | 2.09 | 0.94 | 0.81 | 2.33 | 0.79 | 0.75 | 1.31 |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | 0.016 | 0.040 | <0.010 | 0.027 | 0.014 | 0.047 | 0.014 | 0.018 | 0.021 | 0.049 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 7.7 | 8.1 | 8.1 | 7.7 | 8.1 | 8.7 | 8.2 | 7.6 | 8.2 | 8.2 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | <0.0040 | <0.0040 | <0.0040 | 0.0025 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | 0.590 | <0.15 | <0.15 | 0.160 | 0.110 | 0.064 | <0.050 | 0.720 | <0.050 | <0.050 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | <0.001 | 0.002 | 0.004 | 0.004 | 0.004 | 0.002 | 0.003 | <0.001 | 0.001 | 0.002 |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.023 | 0.041 | 0.050 | 0.050 | 0.072 | 0.009 | 0.025 | 0.017 | 0.039 | 0.023 |
| Total BOD | mg/L | | 1 | 4 | 2 | <2.0 | 3.0 | 2.0 | <2 | <2 | <2 | <2 | 4.0 | 4.0 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.130 | 0.150 | 0.210 | 0.110 | 0.150 | 0.160 | 0.180 | 0.070 | 0.200 | 0.230 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 27 | 69 | 43 | 61 | 74 | 43 | 52 | 32 | 77 | 58 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 12 | 13 | 15 | 20 | 15 | 15 | 23 | 25 | 26 | 18 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | <0.005 | <0.005 | 0.0050 | 0.0100 | 0.0150 | <0.005 | <0.005 | <0.005 | 0.0050 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | 0.003 | 0.005 | 0.005 | 0.008 | 0.011 | 0.003 | 0.004 | 0.003 | 0.005 | <0.002 |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 116 | 296 | 236 | 225 | 200 | 235 | 450 | 195 | 440 | 325 |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 1.700 | 4.500 | 4.100 | 8.600 | 14.000 | 0.800 | 1.900 | 1.000 | 3.300 | 1.000 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | 1.10 | <0.70 | 0.49 | 0.35 | 0.35 | 0.40 | 0.70 | 1.40 | 0.57 | 0.50 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | 0.0007 | 0.0024 | 0.0017 | 0.0034 | 0.0057 | <0.0005 | 0.0009 | 0.0007 | 0.0013 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 8 | 20 | 20 | 19 | 25 | 25 | 23 | 11 | 28 | 27 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.002 | 0.007 | 0.007 | 0.012 | 0.018 | 0.003 | 0.005 | 0.002 | 0.006 | 0.004 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.10 | <0.15 | 0.20 | 0.26 | 0.31 | 0.04 | 0.16 | 0.17 | 0.08 | 0.05 |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 5.6 | 4.9 | 3.1 | 5.5 | 5.9 | 3.8 | 4.9 | 7.3 | 5.0 | 4.7 |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 3.6 | 7.6 | 8.6 | 7.5 | 8.9 | 12.0 | 11.0 | 6.9 | 12.0 | 17.0 |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 15 | 120 | 120 | 160 | 320 | 35 | 58 | 29 | 70 | 29 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | 0.004 | <0.0005 | <0.052 | 0.0015 | <0.0005 | 0.0014 | <0.00061 | 0.0013 | <0.0036 | <0.0069 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | <0.01 | 0.01 | 0.02 | 0.04 | 0.04 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 6.4 | 3.5 | 4.5 | 2.5 | 5.1 | 2.8 | 8.7 | 0.5 | 1.4 | 1.3 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 9-Jul-21 | 4-Oct-21 | 17-Feb-22 | 4-May-22 | 20-Jul-22 | 2-Aug-22 |
| | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Routine/Verification Event | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Verification |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 160 | 89 | 110 | 130 | 63 | 57 | 82 | 160 | 52 | 42 |
| Conductivity | umho/cm | | 180 | 930 | 474 | 762 | 600 | 930 | 750 | 700 | 660 | 320 | 730 | 760 | 850 |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 44 | 25 | 18 | 48 | 40 | 21 | 17 | 29 | 28 | 26 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 170 | 180 | 350 | 160 | 220 | 250 | 44 | 190 | 280 | 310 |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | 2.34 | 0.10 | 0.21 | 2.66 | <0.10 | 0.60 | 0.56 | 0.46 | <0.10 | 0.24 |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | 0.024 | <0.010 | <0.010 | 0.032 | <0.010 | 0.026 | 0.043 | 0.012 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 8.3 | 8.1 | 8.0 | 8.0 | 8.3 | 8.2 | 7.8 | 8.2 | 8.7 | 8.2 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0012 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | <0.050 | <0.050 | 0.083 | 0.096 | <0.15 | <0.15 | 1.3 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | 0.002 | 0.001 | 0.003 | 0.003 | 0.004 | 0.001 | 0.004 | 0.001 | 0.002 | 0.001 |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.053 | 0.016 | 0.043 | 0.061 | 0.037 | 0.020 | 0.05 | 0.037 | 0.026 | 0.022 |
| Total BOD | mg/L | | 1 | 4 | 2 | 3 | <2 | <2 | 4 | <2 | 2 | 3 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.32 | 0.25 | 0.23 | 0.39 | 0.27 | 0.25 | 0.08 | 0.37 | 0.43 | 0.35 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 99 | 46 | 110 | 84 | 53 | 64 | 41 | 76 | 53 | 67 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 19 | 37 | 11 | 27 | 29 | 14 | 30 | 22 | 20 | 19 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | 0.0060 | <0.005 | 0.009 | 0.010 | <0.005 | <0.005 | 0.013 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | 0.006 | 0.003 | 0.007 | 0.009 | 0.002 | 0.003 | 0.012 | 0.004 | <0.002 | <0.002 |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 530 | 395 | 585 | 465 | 470 | 450 | 195 | 375 | 510 | 545 |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 4.9 | 1.6 | 8.1 | 8.7 | 1.7 | 0.9 | 13 | 2.8 | 0.6 | 0.9 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | 0.45 | 0.61 | 0.4 | 0.5 | <0.7 | <0.7 | 2.2 | <0.7 | <0.7 | <0.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | 0.002 | 0.0007 | 0.0032 | 0.0035 | 0.0007 | <0.0005 | 0.0052 | 0.0011 | <0.0005 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 35 | 32 | 56 | 32 | 35 | 33 | 14 | 34 | 45 | 48 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.010 | 0.005 | 0.014 | 0.017 | 0.006 | 0.003 | 0.019 | 0.007 | 0.003 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.15 | 0.06 | 0.14 | 0.21 | 0.05 | 0.04 | 0.33 | 0.084 | 0.015 | 0.009 |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 7.5 | 3.6 | 6.5 | 7.7 | 3.1 | 5.2 | 8.7 | 4.9 | 3.4 | 3.8 |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 29 | 21 | 22 | 34 | 30 | 22 | 8.7 | 26 | 31 | 31 |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 150 | 42 | 250 | 220 | 46 | 39 | 250 | 19 | 13 | 81 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | <0.0015 | <0.0069 | 0.0022 | 0.00098 | <0.0068 | <0.013 | 0.0076 | <0.0015 | <0.082 | <0.075 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | 0.02 | <0.01 | 0.02 | 0.03 | <0.01 | <0.01 | 0.04 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 15.2 | 5.7 | 11.1 | 15.5 | 1.6 | 0.2 | 23.3 | 2.2 | 0.8 | 7.7 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | 18-Oct-22 | | | | | | | | | | | | | | |
| | | | | | | Bureau Veritas | | | | | | | | | | | | | | |
| | | | | | | Routine/Verification Event | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 39 | 190 | 95 | 65 | | | | | | | | | | | | | | |
| Conductivity | umho/cm | | 180 | 930 | 474 | 810 | | | | | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 2.1 | 48 | 13 | 24 | | | | | | | | | | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | | | | | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 29 | 350 | 107 | 320 | | | | | | | | | | | | | | |
| Nitrate (N) | mg/L | | 0.013 | 2.66 | 0.31 | <0.10 | | | | | | | | | | | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.17 | 0.0126 | <0.010 | | | | | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.6 | 8.1 | 8.1 | | | | | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.004 | 0.0007 | <0.0010 | | | | | | | | | | | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 7.98 | 0.117 | <0.15 | | | | | | | | | | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00900 | 0.00203 | <0.001 | | | | | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.009 | 0.14 | 0.037 | 0.022 | | | | | | | | | | | | | | |
| Total BOD | mg/L | | 1 | 4 | 2 | <2 | | | | | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0700 | 2.300 | 0.2190 | 0.33 | | | | | | | | | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0002 | 0.00005 | <0.0001 | | | | | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 22 | 110 | 53 | 65 | | | | | | | | | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 40 | 23 | 9.3 | | | | | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0360 | 0.0044 | <0.005 | | | | | | | | | | | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.026 | 0.0037 | <0.002 | | | | | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 116 | 585 | 315 | 510 | | | | | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.270 | 35 | 2.71 | 0.3 | | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 9.9 | 0.79615 | <0.7 | | | | | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.015 | 0.001 | <0.0005 | | | | | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 8 | 56 | 22 | 50 | | | | | | | | | | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.048 | 0.0054 | 0.002 | | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.78 | 0.10 | 0.006 | | | | | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 0.81 | 12 | 4.8 | 3.5 | | | | | | | | | | | | | | |
| Total Sodium (Na) | mg/L | | 3.6 | 36 | 12 | 30 | | | | | | | | | | | | | | |
| Total Suspended Solids | mg/L | | 7 | 530 | 57 | 9 | | | | | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.61 | 0.004 | <0.0067 | | | | | | | | | | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0025 | 0.090 | 0.0096 | <0.01 | | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.01 | 23.35 | 2.52 | 0.5 | | | | | | | | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|---------------|--------------|---------------|-----------|--------------|----------------|---------------|--------------|
| | | | | | | 14-Sep-08 | 17-Oct-08 | 04-Nov-08 | 05-Dec-08 | 12-Feb-09 | 19-Feb-09 | 08-Mar-09 | 06-Apr-09 | 26-Apr-09 | 07-May-09 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 87 | 112 | 79 | 115 | 69 | | 76 | 100 | 70 | 95 |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 339 | 436 | 282 | 422 | 223 | | 239 | 389 | 223 | 310 |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 14 | 11 | 10 | 14 | 7 | 14 | 7 | 22 | 9 | 11 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0002 | <0.0002 | <0.0002 | <0.0001 | <0.0001 | | <0.0001 | 0.0001 | <0.0001 | <0.0001 |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 54 | 98 | 41 | 76 | 27 | | 37 | 66 | 30 | 51 |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | 0.6 | <0.1 | 1.6 | 1.0 | 1.1 | | 1.2 | 1.2 | 1.1 | 0.7 |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | 0.03 | <0.01 | 0.01 | 0.01 | 0.02 | | 0.01 | 0.01 | 0.03 | 0.03 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 7.9 | 7.7 | 8.0 | 8.0 | 7.8 | | 7.1 | 8.0 | 7.5 | 7.6 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | <0.15 | <0.15 | 0.21 | <0.15 | <0.15 | | <0.15 | <0.15 | 0.19 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.006 | 0.002 | 0.015 | 0.001 | 0.008 | | 0.002 | 0.026 | 0.011 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.075 | 0.042 | 0.200 | 0.038 | 0.110 | | 0.032 | 0.360 | 0.140 | 0.022 |
| Total BOD | mg/L | | 1 | 29 | 2 | <2 | 2 | <2 | <2 | <2 | | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.120 | 0.110 | 0.060 | 0.150 | 0.080 | | 0.030 | 0.190 | 0.100 | 0.130 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | 0.0003 | <0.0001 | <0.0001 | | <0.0001 | 0.0005 | 0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 48 | 43 | 60 | 51 | 46 | | 42 | 320 | 49 | 39 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 30 | 12 | 26 | 16 | 12 | | 20 | 99 | 28 | 18 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | 0.0160 | 0.0060 | 0.0530 | 0.0070 | 0.0250 | | <0.005 | 0.1000 | 0.0370 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.014 | 0.006 | 0.041 | 0.004 | 0.021 | | 0.005 | 0.086 | 0.029 | 0.003 |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 246 | 275 | 185 | 272 | 140 | | 155 | 250 | 142 | 200 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 16.000 | 5.100 | 54.000 | 2.800 | 26.000 | | 3.800 | 110.000 | 36.000 | 0.400 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 1.6 | 1.2 | 4.0 | 0.6 | 1.9 | | 1.3 | 5.0 | 2.4 | 0.8 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.006 | 0.002 | 0.021 | 0.002 | 0.010 | | 0.002 | 0.047 | 0.013 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 15 | 23 | 21 | 16 | 14 | | 13 | 87 | 18 | 11 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.022 | 0.008 | 0.067 | 0.004 | 0.034 | | 0.006 | 0.140 | 0.050 | 0.002 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.32 | 0.26 | 1.30 | <0.15 | 0.32 | | <0.15 | 2.00 | 0.57 | <0.03 |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 6.1 | 2.9 | 10.0 | 4.2 | 5.9 | | 2.0 | 11.0 | 6.5 | 2.5 |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 9.2 | 14.0 | 4.5 | 11.0 | 5.2 | | 5.3 | 12.0 | 5.6 | 7.2 |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 140 | 190 | 1100 | <10 | 450 | | 45 | 5300 | 380 | 15 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | 0.039 | 0.018 | 0.140 | 0.013 | 0.060 | | <0.01 | 0.240 | 0.080 | <0.01 |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 8.9 | 3.1 | 18.3 | 3.7 | 17.2 | | 11.2 | 36.9 | 18.4 | 2.7 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas Laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|-------------|--------------|--------------|--------------|
| | | | | | | 24-Oct-09 | 25-Jan-10 | 06-Apr-10 | 14-Oct-10 | 28-Feb-11 | 20-Apr-11 | 08-Aug-11 | 20-Oct-11 | 13-Mar-12 | 27-Mar-12 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 75 | 84 | 82 | 91 | 105 | 98 | 52 | 75 | 110 | 84 |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 574 | 543 | 487 | 509 | 510 | 472 | 428 | 417 | 620 | 640 |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 28 | 34 | 35 | 22 | 32 | 35 | 25 | 18 | 60 | 61 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 160 | 120 | 100 | 120 | 87 | 76 | 110 | 95 | 120 | 130 |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | 2.00 | 1.60 | 0.20 | <0.1 | 1.10 | 0.50 | <0.1 | 0.30 | 0.91 | <0.10 |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | 0.05 | 0.04 | 0.01 | <0.01 | 0.03 | 0.01 | <0.01 | 0.01 | 0.015 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 7.0 | 8.1 | 7.9 | 7.9 | 8.0 | 8.1 | 9.3 | 8.0 | 8.1 | 8.2 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | 0.001 | 0.002 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | <0.15 | <0.15 | <0.15 | <0.15 | 0.34 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.004 | 0.003 | 0.003 | 0.001 | 0.001 |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.032 | 0.025 | 0.026 | 0.040 | 0.027 | 0.037 | 0.008 | 0.046 | 0.037 | 0.034 |
| Total BOD | mg/L | | 1 | 29 | 2 | 6.0 | <2 | <2 | 4.0 | <2 | <2 | 2.0 | 3.0 | 3.0 | 4.0 |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.060 | 0.060 | 0.070 | 0.090 | 0.150 | 0.100 | 0.130 | 0.060 | 0.070 | 0.100 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 57 | 64 | 48 | 52 | 54 | 53 | 26 | 51 | 65 | 56 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 19 | 19 | 29 | 31 | 18 | 11 | 23 | 22 | 20 | 26 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0060 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.003 | 0.003 | 0.003 | <0.002 | 0.003 | 0.003 | <0.002 | 0.008 | 0.006 | 0.004 |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 370 | 365 | 312 | 322 | 306 | 282 | 300 | 292 | 410 | 402 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 1.300 | 1.000 | 1.000 | 0.800 | 0.900 | 2.300 | 0.300 | 6.200 | 3.600 | 1.300 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 1.4 | 1.2 | 1.0 | 1.2 | 1.1 | 1.0 | 0.6 | 1.0 | 1.3 | 1.1 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.001 | <0.0005 | 0.001 | 0.001 | <0.0005 | 0.001 | <0.0005 | 0.003 | 0.002 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 24 | 22 | 18 | 23 | 19 | 17 | 23 | 17 | 22 | 26 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.003 | 0.003 | 0.002 | 0.002 | 0.006 | 0.004 | 0.002 | 0.010 | 0.006 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.09 | 0.05 | 0.05 | 0.08 | 0.03 | 0.06 | 0.04 | 0.19 | 0.06 | 0.07 |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 3.8 | 4.1 | 3.5 | 3.4 | 4.1 | 3.7 | 2.4 | 4.9 | 4.0 | 4.0 |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 14 | 23 | 24 | 17 | 24 | 24 | 23 | 13 | 39 | 43 |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 30 | 18 | 18 | 19 | 8 | 27 | 9 | 150 | 69 | 30 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.02 | 0.010 | <0.01 |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 0.8 | 5.9 | 3.2 | 3.6 | 2.9 | 3.4 | 1.2 | 3.8 | 1.7 | 3.0 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--|--|--|--|
| | | | | | | 30-Oct-12 | 15-Nov-12 | 13-Jan-13 | 10-Apr-13 | 05-Jul-13 | 07-Oct-13 | 11-Jan-14 | 28-Jan-14 | 8-Apr-14 | 30-Apr-14 | | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | | | |
| Date | | | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 110 | 110 | 77 | 97 | 55 | 100 | 71 | 190 | 100 | 100 | | | | |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 620 | 650 | 410 | 590 | 350 | 520 | 310 | 960 | 410 | 530 | | | | |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 35 | 31 | 21 | 61 | 23 | 18 | 32 | 93 | 24 | 31 | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 140 | 150 | 79 | 88 | 81 | 120 | 29 | 170 | 55 | 100 | | | | |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | 0.79 | 2.00 | 1.90 | 0.78 | <0.10 | <0.10 | 0.92 | 0.27 | 0.34 | 0.86 | | | | |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | <0.010 | 0.078 | <0.010 | 0.030 | <0.010 | <0.010 | 0.014 | <0.010 | <0.010 | 0.015 | | | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 7.2 | 7.8 | 7.7 | 7.9 | 8.4 | 7.9 | 8.0 | 7.3 | 8.0 | 8.0 | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0013 | <0.0010 | 0.002 | <0.0010 | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | 0.36 | 0.25 | <0.15 | 0.21 | <0.15 | 0.18 | 0.45 | 0.52 | 0.17 | 0.17 | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.021 | <0.001 | 0.001 | 0.001 | 0.004 | 0.004 | 0.004 | <0.001 | 0.001 | 0.002 | | | | |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.280 | 0.041 | 0.027 | 0.035 | 0.018 | 0.062 | 0.050 | 0.053 | 0.030 | 0.037 | | | | |
| Total BOD | mg/L | | 1 | 29 | 2 | 4.0 | 5.0 | <2.0 | <2.0 | <2.0 | 4.0 | 3.0 | 3.0 | 2.0 | <2.0 | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.130 | 0.080 | 0.060 | 0.080 | 0.070 | 0.110 | 0.050 | 0.090 | 0.050 | 0.100 | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | 0.0003 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | | | |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 200 | 73 | 48 | 60 | 34 | 63 | 37 | 100 | 50 | 61 | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 74 | 22 | 17 | 10 | 11 | 32 | 13 | 20 | 18 | 18 | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | 0.0800 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0050 | 0.0170 | <0.005 | <0.005 | <0.005 | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.066 | 0.002 | 0.005 | 0.006 | 0.003 | 0.004 | 0.014 | 0.004 | 0.004 | 0.006 | | | | |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 410 | 402 | 274 | 374 | 196 | 316 | 234 | 578 | 282 | 338 | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 83.000 | 0.580 | 2.700 | 3.000 | 1.100 | 5.200 | 13.000 | 0.640 | 2.800 | 2.700 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 6.3 | 1.0 | 1.2 | 1.5 | 1.0 | 2.0 | <2.0 | 2.1 | 1.2 | 1.3 | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.033 | <0.0005 | 0.0013 | 0.0014 | 0.0006 | 0.0024 | 0.0056 | <0.0005 | 0.0013 | 0.0013 | | | | |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 56 | 23 | 14 | 17 | 16 | 23 | 11 | 31 | 13 | 20 | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.110 | 0.002 | 0.005 | 0.006 | 0.002 | 0.009 | 0.019 | 0.004 | 0.006 | 0.006 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 1.40 | 0.04 | 0.07 | 0.07 | 0.07 | 0.18 | 0.28 | 0.05 | 0.09 | 0.09 | | | | |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 12.0 | 3.8 | 3.0 | 3.4 | 0.8 | 5.2 | 6.6 | 5.8 | 3.4 | 3.9 | | | | |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 30 | 25 | 15 | 35 | 20 | 16 | 21 | 62 | 15 | 25 | | | | |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 1600 | 18 | 38 | 61 | 24 | 150 | 52 | 13 | 47 | 44 | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.022 | 0.011 | 0.0056 | 0.0014 | 0.003 | 0.002 | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | 0.210 | <0.01 | 0.010 | 0.010 | <0.01 | 0.010 | 0.050 | 0.020 | <0.01 | 0.010 | | | | |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 24.0 | 3.7 | 5.1 | 4.0 | 4.7 | 5.9 | 9.2 | 2.9 | 5.6 | 6.2 | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|---------------|---------------|--------------|--------------|--------------|--------------|
| | | | | | | 07-Jul-14 | 24-Jul-14 | 24-Nov-14 | 15-Dec-14 | 4-Jan-15 | 10-Apr-15 | 30-Apr-15 | 3-Aug-15 | 25-Oct-15 | 25-Feb-16 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | Routine | Verification | Routine | Verification | Routine | Routine | Verification | Routine | Maxxam | Maxxam |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 61 | 52 | 89 | 82 | 100 | 96 | 78 | 72 | 69 | 94 |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 360 | 520 | 630 | 630 | 660 | 470 | 520 | 570 | 760 | 580 |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 29 | 20 | 34 | 20 | 29 | 30 | 36 | 22 | 36 | 21 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 69 | 170 | 160 | 200 | 190 | 100 | 110 | 180 | 270 | 150 |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | <0.10 | <0.10 | 0.90 | 0.59 | 1.31 | 1.24 | <0.10 | <0.10 | <0.10 | 1.49 |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | <0.010 | <0.010 | 0.026 | 0.022 | 0.047 | 0.104 | <0.010 | <0.010 | <0.010 | 0.023 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 9.1 | 8.9 | 7.8 | 8.2 | 7.7 | 7.0 | 7.8 | 7.9 | 7.5 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | 0.002 | <0.0010 | <0.001 | <0.001 | 0.004 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | <0.15 | 0.35 | <0.15 | 0.26 | 0.24 | 0.58 | <0.15 | <0.15 | <0.15 | 0.27 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.006 | 0.005 | 0.002 | <0.001 | 0.001 | 0.004 | <0.001 | 0.003 | 0.002 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.028 | 0.020 | 0.040 | 0.029 | 0.038 | 0.051 | 0.031 | 0.059 | 0.075 | 0.026 |
| Total BOD | mg/L | | 1 | 29 | 2 | <2.0 | <2.0 | 3.0 | 5.0 | 3.0 | <2.0 | <2.0 | <2.0 | 10 | <2.0 |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.080 | 0.090 | 0.080 | 0.080 | 0.080 | 0.060 | 0.070 | 0.110 | 0.140 | 0.050 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 28 | 44 | 65 | 52 | 67 | 60 | 39 | 54 | 67 | 62 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 37 | 15 | 22 | 11 | 18 | 15 | 12 | 16 | 63 | 17 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0110 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.004 | <0.002 | 0.008 | 0.003 | 0.004 | 0.011 | 0.002 | 0.002 | 0.002 | 0.003 |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 270 | 388 | 410 | 416 | 420 | 290 | 318 | 428 | 550 | 342 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 2.500 | 0.440 | 2.900 | 0.290 | 0.980 | 11.000 | 0.640 | 1.700 | 0.500 | 1.200 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 1.20 | 0.88 | 1.30 | 1.20 | 1.00 | 1.60 | 0.43 | 0.46 | 1.30 | 0.81 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.001 | <0.0005 | 0.001 | <0.0005 | 0.001 | 0.004 | <0.0005 | 0.001 | <0.0005 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 17 | 28 | 27 | 30 | 29 | 20 | 27 | 38 | 21 | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.004 | 0.001 | 0.006 | 0.002 | 0.003 | 0.016 | 0.002 | 0.005 | 0.003 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.07 | 0.02 | 0.13 | 0.03 | 0.07 | 0.28 | 0.28 | 0.08 | 0.29 | 0.04 |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 1.9 | 2.4 | 8.3 | 5.7 | 7.5 | 4.7 | 3.2 | 3.6 | 4.9 | 3.8 |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 23 | 21 | 25 | 19 | 22 | 19 | 24 | 20 | 30 | 16 |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 42 | 9 | 100 | 6 | 14 | 180 | 24 | 50 | 38 | 21 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | <0.0027 | 0.060 | <0.01 | 0.061 | 0.001 | 0.027 | <0.0019 | <0.039 | <0.0012 | 0.002 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | <0.01 | <0.01 | 0.010 | <0.01 | <0.01 | 0.030 | <0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 4.2 | 2.4 | 4.1 | 0.2 | 1.8 | 5.5 | 0.8 | 1.4 | 0.6 | 0.0 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------|---------|---------|---------|---------|
| | | | | | | 07-Apr-16 | 1-Aug-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 12-Oct-17 | 23-Jan-18 | 4-Apr-18 | 2-Oct-18 | | | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | | | | |
| Date | | | | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 110 | 47 | 60 | 86 | 110 | 55 | 110 | 110 | 120 | 120 | 77 | | | | |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 540 | 710 | 800 | 470 | 670 | 580 | 800 | 680 | 670 | 680 | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 22 | 27 | 26 | 21 | 23 | 17 | 27 | 47 | 33 | 21 | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 130 | 260 | 320 | 100 | 190 | 190 | 270 | 130 | 100 | 250 | | | | | |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | 1.03 | 0.03 | <0.10 | 0.86 | 0.95 | <0.10 | <0.10 | 1.35 | 0.68 | 0.89 | | | | | |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | 0.028 | 0.340 | <0.010 | 0.054 | 0.046 | <0.010 | <0.010 | 0.030 | 0.017 | 0.050 | | | | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 7.7 | 7.8 | 7.9 | 7.8 | 7.9 | 8.6 | 8.0 | 7.8 | 8.1 | 8.1 | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0010 | 0.0023 | <0.0010 | <0.0010 | | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | 0.18 | <0.15 | <0.15 | 0.54 | 0.22 | <0.15 | <0.050 | 0.44 | 0.27 | 0.11 | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.002 | 0.002 | 0.002 | 0.003 | 0.002 | 0.004 | 0.003 | <0.001 | 0.002 | 0.001 | | | | | |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.047 | 0.040 | 0.063 | 0.050 | 0.045 | 0.029 | 0.030 | 0.029 | 0.042 | 0.019 | | | | | |
| Total BOD | mg/L | | 1 | 29 | 2 | <2.0 | <2.0 | 3.0 | 4.0 | 3.0 | <2.0 | <2.0 | <2 | <2 | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.060 | 0.100 | 0.130 | 0.040 | 0.090 | 0.080 | 0.170 | 0.070 | 0.080 | 0.140 | | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | | | | |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 70 | 72 | 76 | 53 | 83 | 54 | 68 | 67 | 79 | 70 | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 24 | 17 | 21 | 22 | 13 | 15 | 19 | 23 | 13 | 11 | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | 0.0080 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.008 | 0.003 | <0.002 | 0.005 | 0.005 | 0.002 | <0.002 | 0.010 | 0.007 | 0.003 | | | | | |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 298 | 606 | 562 | 236 | 414 | 380 | 570 | 335 | 305 | 405 | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 7.400 | 0.600 | 1.100 | 3.400 | 2.100 | 0.500 | 0.500 | 0.700 | 4.100 | 0.600 | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 0.69 | 0.65 | 0.64 | 1.30 | 0.80 | 0.41 | 0.41 | 0.95 | 0.71 | 0.36 | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.003 | <0.0005 | 0.001 | 0.002 | 0.001 | <0.0005 | <0.0005 | 0.001 | 0.002 | <0.0005 | | | | | |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 23 | 31 | 38 | 14 | 27 | 26 | 42 | 20 | 26 | 29 | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.012 | 0.001 | 0.003 | 0.005 | 0.006 | 0.002 | 0.003 | 0.003 | 0.007 | 0.003 | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.18 | 0.04 | 0.05 | 0.19 | 0.05 | 0.04 | 0.04 | 0.07 | 0.12 | 0.03 | | | | | |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 4.0 | 4.3 | 4.9 | 7.1 | 5.1 | 1.3 | 6.5 | 5.4 | 4.7 | 4.8 | | | | | |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 17 | 24 | 23 | 22 | 19 | 19 | 26 | 35 | 30 | 19 | | | | | |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 120 | 18 | 37 | 98 | 62 | 13 | 17 | 6.0 | 130 | 25 | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | 0.0018 | <0.0005 | <0.002 | 0.0009 | 0.0014 | <0.061 | <0.0005 | 0.0019 | 0.0017 | 0.002 | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | 0.020 | <0.01 | <0.01 | 0.020 | <0.01 | <0.01 | <0.01 | <0.01 | 0.020 | <0.01 | | | | | |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 3.0 | 0.5 | 1.9 | 3.0 | 1.8 | 0.5 | 1.5 | 1.6 | 8.4 | 2.0 | | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|--|------------|----------------------------|----------|---------|---------|--|--------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | | 07-Feb-19 | 17-Apr-19 | 31-Oct-19 | 11-Jan-20 | 18-May-20 | 4-Jun-20 | 15-Nov-20 | 26-Nov-20 | 26-Mar-21 | 9-Apr-21 |
| | | | | | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Date | Laboratory | Routine/Verification Event | | | | Routine | Routine | Routine | Routine | Routine | Verification | Routine | Verification | Routine | Verification |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 120 | 95 | 86 | 130 | 95 | 48 | 60 | 63 | 100 | 73 |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 530 | 600 | 740 | 865 | 910 | 880 | 1100 | 1100 | 870 | 980 |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 32 | 24 | 37 | 60 | 81 | 86 | 37 | 36 | 62 | 89 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 82 | 150 | 210 | 270 | 230 | 260 | 420 | 400 | 250 | 280 |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | 0.54 | 0.57 | 1.92 | 0.77 | <0.10 | <0.10 | 0.33 | 0.61 | 0.79 | 0.65 |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | 0.056 | 0.020 | 0.136 | 0.024 | <0.010 | <0.010 | <0.010 | 0.024 | 0.025 | 0.031 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 7.7 | 8.1 | 7.9 | 7.9 | 8.1 | 9.5 | 7.7 | 7.9 | 8.0 | 7.9 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | 0.003 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | 1.2 | 0.2 | 0.2 | 0.3 | <0.050 | <0.050 | 0.051 | <0.050 | 0.12 | <0.050 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | <0.001 | 0.001 | 0.001 | 0.002 | 0.001 | 0.003 | <0.001 | 0.003 | <0.001 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.024 | 0.030 | 0.050 | 0.049 | 0.016 | 0.022 | 0.029 | 0.028 | 0.053 | 0.027 |
| Total BOD | mg/L | | 1 | 29 | 2 | 29 | <2 | <2 | 2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.08 | 0.09 | 0.16 | 0.17 | 0.24 | 0.43 | 0.22 | 0.22 | 0.21 | 0.33 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 54 | 59 | 72 | 93 | 49 | 51 | 110 | 110 | 91 | 69 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 55.0 | 8.7 | 16.0 | 11.0 | 30 | 32 | 12 | 13 | 10 | 19 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.011 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.006 | 0.003 | 0.003 | 0.006 | 0.002 | <0.002 | <0.002 | <0.002 | 0.010 | 0.003 |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 360 | 350 | 440 | 590 | 620 | 545 | 765 | 500 | 615 | 615 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 0.700 | 0.700 | 0.900 | 3.600 | 0.500 | 0.400 | 0.2 | 0.1 | 9.7 | 0.5 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 1.9 | 0.8 | 0.7 | 0.7 | 0.63 | 0.77 | 0.46 | 0.36 | 0.41 | 0.59 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.0005 | 0.0007 | <0.0005 | 0.002 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | 0.0041 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 18 | 26 | 25 | 41 | 39 | 39 | 53 | 52 | 37 | 36 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.005 | 0.004 | 0.005 | 0.009 | 0.005 | 0.005 | 0.003 | 0.003 | 0.018 | 0.006 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.05 | 0.04 | 0.04 | 0.10 | 0.03 | 0.04 | 0.018 | 0.02 | 0.19 | 0.04 |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 5.6 | 3.8 | 6.1 | 6.7 | 4.6 | 4.6 | 6.8 | 7.3 | 7 | 5.4 |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 23 | 21 | 25 | 39 | 52 | 60 | 34 | 35 | 45 | 56 |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 17 | 23 | 24 | 83 | 16 | 13 | 7 | 5 | 290 | 13 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | 0.007 | 0.130 | 0.001 | 0.003 | <0.0068 | <0.058 | 0.0014 | <0.00061 | 0.0012 | <0.0017 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.03 | <0.01 |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 1.5 | 1.6 | 1.0 | 0.2 | 3.0 | 1.1 | 1.0 | 1.8 | 2.0 | 2.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|---|------------|---------|----------|---------|---------|--|--------------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|--------------------------------|
| | | | | | | 26-Jun-21 | 9-Jul-21 | 30-Jul-21 | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 | 4-May-22 | 16-May-22 | 20-Jul-22 | 2-Aug-22 |
| | | | | | | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Verification |
| Alkalinity (Total as CaCO₃) | mg/L | <25%*** | 43 | 190 | 82 | 43 | 47 | 46 | 65 | 53 | 81 | 99 | 100 | 53 | 59 |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 1096 | 1000 | 870 | 710 | 890 | 570 | 1000 | 952 | 1000 | 1000 |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 85 | 48 | 23 | 24 | 28 | 34 | 84 | 70 | 71 | 70 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO₄) | mg/L | | 27 | 420 | 142 | 410 | 360 | 390 | 280 | 310 | 140 | 280 | 330 | 330 | 330 |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | <0.010 | <0.10 | 0.93 | 1.03 | 0.72 | 0.55 | 0.12 | <0.10 | <0.10 | <0.10 |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | <0.10 | <0.010 | 0.060 | 0.017 | 0.027 | 0.035 | <0.010 | <0.010 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 8.1 | 7.8 | 7.8 | 8.0 | 7.6 | 7.9 | 8.1 | 7.9 | 8.0 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0011 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 1.04 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.002 | 0.002 | 0.002 | 0.001 | 0.003 | 0.002 | <0.001 | 0.001 | 0.002 | 0.003 |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.043 | 0.034 | 0.038 | 0.026 | 0.044 | 0.043 | 0.032 | 0.033 | 0.028 | 0.025 |
| Total BOD | mg/L | | 1 | 29 | 2 | <2 | <2 | <2 | <2 | <2 | 2 | <2 | <2 | <2 | 6 |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.31 | 0.20 | 0.18 | 0.26 | 0.30 | 0.09 | 0.39 | 0.50 | 0.40 | 0.39 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 100 | 92 | 100 | 80 | 94 | 69 | 79 | 90 | 80 | 94 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 23 | 17 | 10 | 14 | 15 | 19 | 15 | 25 | 25 | 25 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | <0.005 | <0.005 | <0.005 | <0.005 | 0.005 | 0.013 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.002 | <0.002 | 0.006 | 0.004 | 0.004 | 0.015 | 0.004 | 0.004 | <0.002 | <0.002 |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 795 | 700 | 590 | 500 | 595 | 280 | 465 | 720 | 725 | 630 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 0.5 | <0.1 | 3.7 | 1.3 | 3.1 | 12 | 0.3 | 0.4 | <0.1 | <0.1 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | <0.7 | <0.7 | <0.7 | <0.7 | <0.7 | 1.9 | <0.7 | <0.7 | <0.7 | <0.7 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | <0.0005 | <0.0005 | 0.0016 | 0.001 | 0.0014 | 0.0049 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 51 | 46 | 44 | 30 | 45 | 27 | 43 | 48 | 51 | 49 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.004 | 0.002 | 0.007 | 0.004 | 0.007 | 0.021 | 0.005 | 0.005 | 0.003 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.04 | 0.04 | 0.10 | 0.05 | 0.015 | 0.20 | 0.029 | 0.052 | 0.016 | 0.028 |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 4.7 | 4.8 | 6.6 | 6 | 7.5 | 7.2 | 5.4 | 6 | 2.5 | 2 |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 61 | 45 | 26 | 22 | 28 | 25 | 60 | 59 | 56 | 56 |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 18 | 4 | 200 | 42 | 100 | 380 | 12 | 23 | 7 | 4 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | <0.0074 | <0.0068 | <0.0017 | <0.054 | <0.016 | 0.0058 | <0.0078 | <0.0076 | <0.013 | <0.085 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | 0.04 | <0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 0.2 | 1.5 | 0.4 | 1.0 | 4.0 | 5.9 | 0.03 | 0.6 | 1.7 | 2.6 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|----------------|--|----------------|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | Date | 18-Oct-22 | | 13-Jan-22 | | | | | | | | | | | | |
| | | | | | | Laboratory | Bureau Veritas | | Bureau Veritas | | | | | | | | | | | | |
| | | | | | | Routine/Verification Event | Routine | | Verification | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 190 | 82 | 140 | 120 | | | | | | | | | | | | | | |
| Conductivity | umho/cm | | 223 | 1100 | 591 | 740 | 980 | | | | | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 7 | 93 | 30 | 34 | 56 | | | | | | | | | | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | | | | | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 27 | 420 | 142 | 210 | 320 | | | | | | | | | | | | | | |
| Nitrate (N) | mg/L | | 0.005 | 3.65 | 0.32 | <0.10 | 3.65 | | | | | | | | | | | | | | |
| Nitrite (N) | mg/L | | 0.01 | 0.34 | 0.0150 | 0.012 | 0.052 | | | | | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.5 | 7.9 | 8.1 | 8.0 | | | | | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0043 | 0.0007 | <0.0010 | <0.0010 | | | | | | | | | | | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.2 | 0.120 | 0.84 | <0.15 | | | | | | | | | | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02600 | 0.00173 | 0.005 | 0.002 | | | | | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.008 | 0.36 | 0.040 | 0.14 | 0.049 | | | | | | | | | | | | | | |
| Total BOD | mg/L | | 1 | 29 | 2 | 2 | <2 | | | | | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0300 | 0.500 | 0.1158 | 0.18 | 0.28 | | | | | | | | | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00005 | <0.0001 | <0.0001 | | | | | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 26 | 320 | 65 | 99 | 120 | | | | | | | | | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 9 | 99 | 19 | 11 | 20 | | | | | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.1000 | 0.0039 | 0.016 | <0.005 | | | | | | | | | | | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.086 | 0.0042 | 0.013 | 0.008 | | | | | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 140 | 795 | 379 | 375 | 620 | | | | | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 110 | 1.63 | 15 | 3.3 | | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 6.3 | 0.87575 | 1.2 | <0.7 | | | | | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.047 | 0.001 | 0.0063 | 0.0018 | | | | | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 11 | 87 | 26 | 43 | 38 | | | | | | | | | | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.001 | 0.140 | 0.0055 | 0.025 | 0.008 | | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 2.00 | 0.08 | 0.27 | 0.081 | | | | | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 0.8 | 12 | 4.6 | 8.4 | 6.6 | | | | | | | | | | | | | | |
| Total Sodium (Na) | mg/L | | 4.5 | 62 | 23 | 30 | 44 | | | | | | | | | | | | | | |
| Total Suspended Solids | mg/L | | 4 | 5300 | 40 | 440 | 160 | | | | | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.13 | 0.005 | 0.035 | <0.0057 | | | | | | | | | | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.240 | 0.0093 | 0.04 | 0.01 | | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.03 | 36.92 | 2.21 | 5.3 | 1.2 | | | | | | | | | | | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------|--------------|--------------|--------------|-------------|-------------|------------|--------------|------------|
| | | | | | | 04-Nov-08 | 12-Feb-09 | 08-Mar-09 | 06-Apr-09 | 26-Apr-09 | 07-May-09 | 24-Oct-09 | 25-Jan-10 | 08-Apr-10 | 16-Jul-10 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 61 | 48 | 54 | 83 | 94 | 97 | 117 | 101 | 90 | 43 |
| Conductivity | umho/cm | | 137 | 900 | 416 | 389 | 137 | 144 | 233 | 206 | 209 | 396 | 338 | 364 | 221 |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 11 | 6 | 5 | 6 | 2 | 2 | 7 | 12 | 41 | 22 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0002 | <0.0015 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 106 | 13 | 16 | 27 | 24 | 25 | 67 | 48 | 36 | 27 |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | 2.8 | 1.4 | 1.2 | 1.6 | 1.5 | 1.0 | 1.8 | 1.1 | 0.4 | <0.1 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | 0.02 | 0.02 | 0.02 | 0.02 | 0.04 | 0.05 | 0.03 | 0.03 | 0.04 | 0.02 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 7.9 | 7.9 | 7.0 | 7.4 | 6.8 | 7.7 | 7.5 | 8.1 | 8.0 | 9.7 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | <0.15 | 0.37 | <0.15 | <0.15 | 0.19 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.001 | 0.021 | 0.005 | 0.006 | 0.011 | <0.001 | 0.001 | <0.001 | 0.002 | 0.003 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.037 | 0.260 | 0.073 | 0.092 | 0.15 | 0.015 | 0.035 | 0.018 | 0.042 | 0.018 |
| Total BOD | mg/L | | 1 | 8 | 1 | <2 | <2 | <2 | <2 | <2 | <2 | 8 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.02 | 0.05 | <0.02 | 0.03 | 0.04 | <0.02 | 0.02 | <0.02 | 0.02 | 0.04 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | 0.0003 | <0.0001 | 0.0001 | 0.0002 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 45 | 63 | 23 | 42 | 45 | 31 | 50 | 51 | 46 | 19 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 25 | 50 | 18 | 35 | 39 | 14 | 36 | 33 | 19 | 39 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | 0.076 | 0.015 | 0.024 | 0.042 | <0.005 | <0.005 | <0.005 | 0.008 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | 0.004 | 0.051 | 0.012 | 0.016 | 0.028 | 0.002 | 0.003 | 0.003 | 0.007 | 0.002 |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 250 | 87 | 94 | 155 | 118 | 30 | 255 | 220 | 250 | 140 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 3.0 | 75.0 | 16.0 | 24.0 | 39.0 | 0.6 | 0.7 | 1.1 | 7.5 | 1.8 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 1.5 | 4.0 | 1.6 | 2.4 | 2.4 | 0.8 | 2.0 | 1.1 | 1.4 | 1.2 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | 0.001 | 0.028 | 0.006 | 0.008 | 0.014 | <0.0005 | <0.0005 | 0.001 | 0.003 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 14.0 | 24.0 | 6.7 | 13.0 | 15.0 | 6.2 | 16.0 | 14.0 | 13.0 | 9.2 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.004 | 0.096 | 0.021 | 0.030 | 0.052 | 0.001 | 0.002 | 0.002 | 0.010 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.18 | 0.99 | 0.17 | 0.42 | <0.15 | 0.04 | 0.10 | <0.06 | 0.15 | <0.15 |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 3.6 | 9.3 | 3.8 | 4.9 | 6.7 | 1.9 | 2.5 | 2.4 | 3.6 | 1.3 |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 5.3 | 2.2 | 1.4 | 2.3 | 2.0 | 1.9 | 5.7 | 7.3 | 21.0 | 14.0 |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 57 | 720 | 140 | 560 | 410 | 30 | 23 | 13 | 150 | 37 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | 0.010 | 0.170 | 0.040 | 0.060 | 0.090 | <0.01 | <0.01 | <0.01 | 0.020 | <0.01 |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 1.4 | 31.9 | 8.1 | 12.2 | 14.4 | 0.7 | 4.3 | 7.9 | 6.6 | 5.6 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas Laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|-------------|-------------|--------------|-------------|---------------|-------------|-------------|-------------|
| | | | | | | 06-Nov-10 | 28-Feb-11 | 20-Apr-11 | 29-Jul-11 | 20-Oct-11 | 09-Nov-11 | 13-Mar-12 | 27-Mar-12 | 21-Dec-12 | 13-Jan-13 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 129 | 69 | 115 | 66 | 136 | 136 | 120 | 120 | 140 | 78 |
| Conductivity | umho/cm | | 137 | 900 | 416 | 454 | 236 | 380 | 211 | 372 | 362 | 350 | 360 | 500 | 280 |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 33 | 13 | 23 | 21 | 21 | 18 | 14 | 14 | 22 | 11 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 44 | 26 | 40 | 9 | 21 | 23 | 47 | 40 | 78 | 40 |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | 0.30 | 0.40 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | 0.45 | 0.33 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.010 | <0.010 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 7.9 | 7.7 | 8.1 | 9.5 | 8.1 | 8.3 | 8.2 | 8.2 | 7.8 | 7.7 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | 0.003 | <0.001 | 0.0020 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | 0.18 | 0.17 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.002 | <0.001 | 0.005 | <0.001 | 0.002 | 0.001 | 0.002 | 0.001 | 0.001 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.044 | 0.018 | 0.023 | <0.005 | 0.017 | 0.005 | 0.009 | 0.007 | 0.032 | 0.019 |
| Total BOD | mg/L | | 1 | 8 | 1 | 4.0 | <2 | 3.0 | 2.0 | <2 | <2 | 3.0 | 3.0 | <2.0 | <2.0 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.03 | <0.02 | <0.02 | 0.02 | 0.03 | 0.05 | <0.02 | 0.03 | 0.03 | <0.02 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 55 | 31 | 55 | 24 | 50 | 50 | 49 | 49 | 65 | 37 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 43 | 15 | 17 | 39 | 31 | 27 | 26 | 30 | 25 | 19 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | 0.006 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | 0.005 | 0.007 | <0.002 | <0.002 | <0.002 | <0.002 | 0.002 | <0.002 | 0.002 | 0.004 |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 282 | 138 | 234 | 186 | 274 | 216 | 240 | 256 | 296 | 178 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 5.80 | 1.20 | 1.10 | 0.20 | 0.80 | 0.30 | 1.00 | 0.72 | 0.48 | 1.60 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 2.3 | 0.8 | 0.9 | 1.5 | 1.0 | 0.8 | 0.83 | 0.9 | 1.1 | 1.0 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | 0.002 | <0.0005 | 0.001 | <0.0005 | 0.001 | <0.0005 | 0.001 | <0.0005 | <0.0005 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 18.0 | 6.7 | 12.0 | 8.1 | 12.0 | 11.0 | 11.0 | 12.0 | 17.0 | 9.3 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.008 | 0.002 | 0.002 | <0.001 | 0.002 | 0.001 | 0.002 | 0.001 | 0.002 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.22 | 0.08 | 0.06 | 0.18 | 0.11 | 0.03 | 0.05 | 0.05 | 0.05 | 0.08 |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 3.5 | 2.9 | 2.3 | 0.3 | 4.3 | 4.2 | 3.2 | 3.4 | 4.6 | 2.9 |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 19.0 | 7.9 | 12.0 | 12.0 | 14.0 | 12.0 | 8.8 | 8.5 | 16.0 | 7.5 |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 150 | 3 | 32 | 14 | 9 | 4 | 15 | 11 | 11 | 19 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 6.8 | 2.5 | 3.5 | 3.5 | 3.0 | 2.2 | 0.3 | 1.8 | 2.0 | 2.8 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|-------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--------|--|--|--|
| | | | | | | 10-Apr-13 | 05-Jul-13 | 07-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 15-Oct-14 | 4-Nov-14 | 4-Jan-15 | | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 110 | 55 | 130 | 110 | 82 | 85 | 92 | 160 | 150 | 160 | | | | |
| Conductivity | umho/cm | | 137 | 900 | 416 | 370 | 350 | 360 | 330 | 280 | 370 | 350 | 440 | 450 | 520 | | | | |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 29 | 23 | 21 | 22 | 24 | 38 | 40 | 23 | 24 | 26 | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 29 | 81 | 19 | 24 | 24 | 36 | 20 | 31 | 39 | 69 | | | | |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | <0.10 | <0.10 | <0.10 | 0.68 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | 1.17 | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | 0.027 | <0.010 | <0.010 | 0.017 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.028 | | | | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 7.9 | 8.8 | 8.1 | 8.1 | 8.2 | 7.8 | 8.1 | 8.1 | 8.1 | 8.6 | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.003 | <0.0010 | 0.0011 | <0.001 | <0.001 | 0.003 | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | <0.15 | <0.15 | <0.15 | 0.17 | <0.15 | <0.15 | <0.15 | 0.17 | 0.35 | <0.15 | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.001 | 0.004 | 0.002 | <0.001 | 0.001 | 0.002 | 0.007 | 0.002 | 0.001 | 0.001 | | | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.029 | 0.018 | 0.015 | 0.018 | 0.009 | 0.040 | 0.026 | 0.030 | 0.033 | 0.039 | | | | |
| Total BOD | mg/L | | 1 | 8 | 1 | <2.0 | <2.0 | 3.0 | 4.0 | 2.0 | <2.0 | <2.0 | 3.0 | <2.0 | 3.0 | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.020 | 0.070 | 0.030 | 0.020 | <0.02 | <0.02 | 0.020 | 0.040 | 0.050 | 0.040 | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | | | |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 45 | 34 | 42 | 45 | 34 | 39 | 30 | 60 | 53 | 71 | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 16 | 11 | 24 | 27 | 21 | 34 | 36 | 21 | 20 | 27 | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | 0.003 | 0.003 | <0.002 | 0.002 | <0.002 | 0.003 | <0.002 | <0.002 | <0.002 | 0.004 | | | | |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 244 | 196 | 198 | 124 | 210 | 250 | 228 | 252 | 268 | 326 | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 1.700 | 1.100 | 0.200 | 0.310 | 0.850 | 2.200 | 1.400 | 0.380 | 0.390 | 0.750 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 1.10 | 0.98 | 1.20 | 1.30 | 1.00 | 1.20 | 1.10 | 0.91 | 0.94 | 1.10 | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | 0.001 | 0.001 | <0.0005 | <0.0005 | <0.0005 | 0.001 | 0.001 | <0.0005 | <0.0005 | 0.001 | | | | |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 9.9 | 16.0 | 12.0 | 12.0 | 7.9 | 12.0 | 14.0 | 15.0 | 13.0 | 17.0 | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.002 | 0.002 | <0.001 | 0.001 | 0.002 | 0.004 | 0.003 | 0.002 | 0.002 | 0.004 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.05 | 0.07 | 0.04 | 0.11 | 0.05 | 0.09 | 0.07 | 0.04 | 0.03 | 0.06 | | | | |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 3.7 | 0.8 | 4.9 | 7.1 | 3.6 | 4.4 | 2.3 | 8.0 | 5.9 | 7.6 | | | | |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 16 | 20 | 13 | 13 | 14 | 22 | 25 | 16 | 15 | 17 | | | | |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 20 | 24 | 6 | 7 | 20 | 44 | 34 | 7 | 7 | 13 | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.02 | <0.022 | <0.006 | 0.0029 | <0.0045 | <0.0005 | <0.0019 | 0.011 | 0.021 | <0.0057 | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | 0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | | | | |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 1.6 | 3.2 | 1.4 | 8.0 | 5.0 | 5.7 | 5.7 | 7.1 | 3.7 | 5.4 | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|---------|---------|---------|---------|
| | | | | | | 10-Apr-15 | 20-Aug-15 | 25-Oct-15 | 25-Feb-16 | 7-Apr-16 | 1-Aug-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | | | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | | | |
| Date | | | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 120 | 82 | 160 | 120 | 130 | 100 | 110 | 160 | 130 | 74 | | | | |
| Conductivity | umho/cm | | 137 | 900 | 416 | 330 | 240 | 450 | 530 | 380 | 350 | 340 | 510 | 420 | 220 | | | | |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 26 | 23 | 29 | 41 | 21 | 38 | 35 | 36 | 22 | 17 | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 31 | 7 | 27 | 61 | 40 | 13 | 12 | 35 | 42 | 14 | | | | |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | 0.29 | <0.10 | <0.10 | 1.21 | 0.59 | 0.015 | <0.10 | 0.37 | 0.33 | <0.10 | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | 0.016 | <0.010 | 0.011 | 0.020 | 0.015 | <0.10 | <0.010 | 0.036 | 0.022 | <0.010 | | | | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 7.1 | 8.1 | 8.0 | 8.1 | 7.9 | 8.1 | 8.6 | 7.9 | 8.2 | 8.7 | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | <0.15 | <0.15 | 0.60 | 0.27 | 0.48 | <0.15 | 0.31 | <0.15 | <0.15 | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.001 | 0.004 | 0.004 | <0.001 | 0.002 | 0.005 | 0.004 | 0.002 | 0.001 | 0.007 | | | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.026 | 0.008 | 0.045 | 0.029 | 0.035 | 0.023 | 0.017 | 0.048 | 0.027 | 0.007 | | | | |
| Total BOD | mg/L | | 1 | 8 | 1 | <2.0 | <2.0 | 5.0 | <2.0 | <2.0 | 2.0 | 5.0 | 3.0 | <2.0 | 3.0 | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.020 | 0.020 | 0.060 | 0.020 | 0.020 | 0.030 | 0.050 | 0.040 | 0.020 | <0.02 | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | | | |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 43 | 18 | 49 | 56 | 51 | 26 | 29 | 44 | 53 | 17 | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 20 | 23 | 31 | 23 | 24 | 46 | 40 | 32 | 19 | 23 | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.006 | <0.005 | <0.005 | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | 0.003 | <0.002 | 0.003 | 0.002 | 0.005 | <0.002 | 0.003 | 0.005 | 0.003 | <0.002 | | | | |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 214 | 146 | 244 | 292 | 224 | 240 | 216 | 242 | 226 | 132 | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 2.200 | 0.300 | 1.900 | 0.800 | 4.500 | 1.200 | 3.300 | 3.700 | 1.500 | 0.400 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 0.71 | 0.68 | 1.50 | 0.67 | 0.70 | 1.70 | 0.81 | 0.98 | <0.7 | 0.66 | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | 0.001 | <0.005 | 0.001 | <0.0005 | 0.002 | 0.001 | 0.002 | 0.002 | 0.001 | <0.0005 | | | | |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 11.0 | 9.5 | 15.0 | 14.0 | 12.0 | 13.0 | 12.0 | 12.0 | 9.0 | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.004 | 0.001 | 0.004 | 0.002 | 0.007 | <0.001 | 0.006 | 0.006 | 0.003 | 0.001 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.08 | 0.04 | 0.10 | 0.06 | 0.13 | 0.11 | 0.10 | 0.16 | 0.05 | 0.06 | | | | |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 4.2 | 3.3 | 7.2 | 4.8 | 3.7 | 4.3 | 3.4 | 12.0 | 4.0 | 1.0 | | | | |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 15.0 | 14.0 | 18.0 | 26.0 | 14.0 | 26.0 | 24.0 | 4.1 | 15.0 | 15.0 | | | | |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 32 | 3 | 49 | 12 | 52 | 22 | 88 | 39 | 40 | 10 | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.0048 | <0.042 | 0.02 | <0.0015 | 0.0026 | 0.0031 | <0.0005 | 0.001 | <0.0012 | <0.012 | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | | | | |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 3.6 | 3.0 | 0.4 | 1.9 | 1.4 | 1.4 | 1.6 | 8.3 | 8.3 | 0.1 | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------------|--------------------------------|---------------------------|
| | | | | | | 12-Oct-17 | 23-Jan-18 | 04-Apr-18 | 08-Aug-18 | 2-Oct-18 | 24-Jan-19 | 17-Apr-19 | 27-Oct-19 | 3-Dec-19 | 11-Jan-20 |
| | | | | | | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 160 | 130 | 140 | 84 | 110 | 130 | 97 | 80 | 110 | 93 |
| Conductivity | umho/cm | | 137 | 900 | 416 | 420 | 420 | 470 | 300 | 460 | 690 | 540 | 830 | 880 | 881 |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 26 | 31 | 36 | 37 | 16 | 42 | 49 | 19 | 25 | 26 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 24.0 | 35.0 | 41.0 | 7.1 | 98.0 | 140.0 | 70.0 | 310.0 | 310.0 | 320.0 |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | <0.10 | 0.50 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | 0.12 | 0.18 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | 0.017 | 0.020 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 8.1 | 7.9 | 8.1 | 8.4 | 8.2 | 8.1 | 8.5 | 8.2 | 8.1 | 8.4 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.0010 | 0.0036 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0013 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | 0.280 | 0.290 | 0.087 | <0.050 | <0.050 | 0.057 | 0.052 | 0.280 | <0.050 | <0.050 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.003 | 0.002 | 0.002 | 0.009 | 0.002 | <0.001 | <0.001 | 0.001 | <0.001 | <0.001 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.042 | 0.043 | 0.046 | 0.010 | 0.024 | 0.025 | 0.022 | 0.035 | 0.031 | 0.032 |
| Total BOD | mg/L | | 1 | 8 | 1 | <2 | 4.0 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.050 | 0.030 | 0.030 | 0.030 | 0.070 | 0.030 | 0.030 | 0.100 | 0.090 | 0.090 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 43 | 51 | 59 | 19 | 44 | 59 | 46 | 81 | 90 | 87 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 30.0 | 30.0 | 13.0 | 40.0 | 7.7 | 14.0 | 15.0 | 8.5 | <4.0 | <4.0 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | 0.0070 | 0.0060 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | <0.002 | 0.013 | 0.006 | <0.002 | <0.002 | 0.003 | <0.002 | <0.002 | <0.002 | 0.002 |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 290 | 195 | 165 | 180 | 230 | 375 | 305 | 545 | 640 | 695 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 0.400 | 5.900 | 4.600 | 0.100 | 0.100 | 0.100 | 0.300 | 0.200 | 0.200 | 0.900 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 1.00 | 0.68 | 0.31 | 1.10 | 0.27 | 0.37 | 0.35 | 0.29 | 0.44 | 0.31 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | <0.0005 | 0.005 | 0.0021 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 14 | 12 | 14 | 10 | 18 | 24 | 16 | 41 | 48 | 54 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.002 | 0.010 | 0.006 | <0.001 | <0.001 | 0.001 | 0.001 | 0.001 | 0.002 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.07 | 0.26 | 0.10 | 0.04 | 0.02 | 0.01 | 0.02 | 0.02 | 0.01 | 0.03 |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 5.3 | 6.1 | 5.5 | 3.6 | 3.6 | 4.1 | 2.3 | 4 | 4 | 4 |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 21 | 21 | 23 | 25 | 17 | 30 | 35 | 25 | 27 | 30 |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 7 | 130 | 80 | 3 | 4 | 5 | 8 | 5 | 6 | 30 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | 0.001 | 0.0065 | <0.0005 | <0.0005 | <0.0014 | <0.00061 | 0.015 | 0.021 | <0.0034 | <0.0019 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | <0.01 | 0.04 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 0.6 | 2.4 | 3.1 | 0.6 | 1.2 | 1.6 | 2.1 | 0.1 | 0.8 | 2.3 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|--------------------------------|---------------------------|---------------------------|---------------------------|
| | | | | | | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 03-Jun-21 | 9-Jul-21 | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 | 4-May-22 | 2-Aug-22 |
| | | | | | | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Verification | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 53 | 99 | 100 | 54 | 61 | 68 | 82 | 100 | 71 | 120 |
| Conductivity | umho/cm | | 137 | 900 | 416 | 760 | 880 | 690 | 740 | 890 | 710 | 700 | 680 | 740 | 900 |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 29 | 36 | 32 | 31 | 43 | 21 | 16 | 71 | 37 | 60 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 270 | 290 | 190 | 310 | 320 | 260 | 250 | 130 | 250 | 250 |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | <0.10 | <0.10 | 0.13 | <0.10 | <0.10 | <0.10 | <0.10 | 0.28 | <0.10 | <0.10 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.02 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 8.2 | 8.0 | 8.1 | 9.9 | 9.1 | 8.1 | 7.9 | 8.0 | 8.2 | 8.3 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | <0.050 | 0.056 | <0.050 | <0.050 | <0.15 | <0.15 | <0.15 | 0.46 | <0.15 | <0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.002 | 0.001 | 0.002 | 0.004 | 0.004 | 0.002 | 0.002 | 0.001 | 0.008 | 0.008 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.016 | 0.054 | 0.04 | 0.028 | 0.03 | 0.02 | 0.03 | 0.041 | 0.021 | 0.041 |
| Total BOD | mg/L | | 1 | 8 | 1 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.11 | 0.1 | 0.07 | 0.13 | 0.14 | 0.22 | 0.20 | 0.06 | 0.11 | 0.18 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 44 | 86 | 60 | 48 | 58 | 74 | 77 | 64 | 58 | 61 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 22 | 11 | 14 | 18 | 22 | 18 | 15 | 20 | 8.8 | 37 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.007 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | <0.002 | <0.002 | 0.003 | <0.002 | <0.002 | <0.002 | <0.002 | 0.009 | <0.002 | <0.002 |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 560 | 515 | 395 | 490 | 635 | 480 | 435 | 325 | 420 | 560 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 0.300 | 0.6 | 1.9 | <0.1 | <0.1 | 0.20 | 6.6 | 0.3 | 0.3 | 0.2 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | 0.48 | 0.33 | 0.35 | 0.47 | <0.7 | <0.7 | <0.7 | 0.9 | <0.7 | 0.8 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | <0.0005 | <0.0005 | 0.0009 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | 0.0050 | <0.0005 | <0.0005 |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 46 | 41 | 29 | 42 | 48 | 33 | 33 | 24 | 36 | 46 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.002 | 0.002 | 0.004 | 0.002 | 0.001 | 0.001 | 0.002 | 0.012 | 0.002 | 0.002 |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.02 | 0.03 | 0.06 | 0.02 | <0.030 | 0.02 | 0.02 | 0.17 | 0.02 | 0.027 |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 2 | 5.1 | 3.3 | 2.1 | 3.9 | 4.3 | 4.0 | 4.8 | 2.7 | 12 |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 36 | 33 | 27 | 38 | 45 | 25 | 23 | 45 | 36 | 43 |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 8 | 19 | 60 | 11 | 2 | 3 | 8 | 95 | 12 | 10 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.026 | 0.002 | <0.00065 | <0.055 | <0.097 | <0.031 | <0.0068 | 0.003 | <0.033 | <0.045 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | 0.03 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 0.1 | 0.4 | 1.0 | 2.9 | 0.77 | 0.6 | 1.1 | 1.9 | 0.8 | 1.0 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-----------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | Date | | | | | | | | | | | | | | |
| | | | | | | Laboratory | | | | | | | | | | | | | | |
| | | | | | | Routine/Verification Event | 18-Oct-22 | | | | | | | | | | | | | |
| | | | | | | Bureau Veritas | | | | | | | | | | | | | | |
| | | | | | | Routine | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 43 | 160 | 96 | 44 | | | | | | | | | | | | | | |
| Conductivity | umho/cm | | 137 | 900 | 416 | 840 | | | | | | | | | | | | | | |
| Dissolved Chloride (Cl) | mg/L | | 2 | 71 | 22 | 33 | | | | | | | | | | | | | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | | | | | | | | | | | | | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 7 | 340 | 51 | 340 | | | | | | | | | | | | | | |
| Nitrate (N) | mg/L | | 0.015 | 2.8 | 0.13 | <0.10 | | | | | | | | | | | | | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0092 | <0.010 | | | | | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.8 | 9.9 | 8.1 | 8.8 | | | | | | | | | | | | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.0036 | 0.0007 | <0.0010 | | | | | | | | | | | | | | |
| Total Ammonia-N | mg/L | | 0.025 | 0.6 | 0.090 | <0.15 | | | | | | | | | | | | | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.02100 | 0.00178 | 0.001 | | | | | | | | | | | | | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.26 | 0.026 | 0.023 | | | | | | | | | | | | | | |
| Total BOD | mg/L | | 1 | 8 | 1 | <2 | | | | | | | | | | | | | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.220 | 0.0351 | 0.15 | | | | | | | | | | | | | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.00006 | <0.0001 | | | | | | | | | | | | | | |
| Total Calcium (Ca) | mg/L | | 17 | 90 | 46 | 73 | | | | | | | | | | | | | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 2 | 50 | 21 | 16 | | | | | | | | | | | | | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0760 | 0.0033 | <0.005 | | | | | | | | | | | | | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.051 | 0.0022 | <0.002 | | | | | | | | | | | | | | |
| Total Dissolved Solids | mg/L | | 30 | 695 | 249 | 525 | | | | | | | | | | | | | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 75 | 0.90 | 0.1 | | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.27 | 4 | 0.81 | <0.7 | | | | | | | | | | | | | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.028 | 0.001 | <0.0005 | | | | | | | | | | | | | | |
| Total Magnesium (Mg) | mg/L | | 6.2 | 54 | 16 | 46 | | | | | | | | | | | | | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.096 | 0.0025 | 0.001 | | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.01 | 0.99 | 0.06 | 0.008 | | | | | | | | | | | | | | |
| Total Potassium (K) | mg/L | | 0.3 | 12 | 3.7 | 4.9 | | | | | | | | | | | | | | |
| Total Sodium (Na) | mg/L | | 1.4 | 45 | 15 | 33 | | | | | | | | | | | | | | |
| Total Suspended Solids | mg/L | | 2 | 720 | 19 | 2 | | | | | | | | | | | | | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.05 | 0.005 | <0.06 | | | | | | | | | | | | | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.170 | 0.0073 | <0.01 | | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.07 | 31.86 | 1.96 | 0.1 | | | | | | | | | | | | | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) *BV* denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | | | | 6-May-10 | 16-Jul-10 | 01-Dec-10 | 28-Feb-11 | 20-Apr-11 | 09-Aug-11 | 13-Oct-11 | 13-Mar-12 | 27-Mar-12 | 21-Dec-12 |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Routine/Verification Event | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 46 | 160 | 109 | 107 | 142 | 99 | 72 | 82 | 46 | 82 | 92 | 85 | 160 |
| Conductivity | umho/cm | | 240 | 730 | 451 | 475 | 489 | 402 | 381 | 446 | 301 | 342 | 360 | 350 | 570 |
| Dissolved Chloride (Cl) | mg/L | | 11 | 95 | 30 | 30 | 31 | 24 | 39 | 46 | 42 | 38 | 26 | 27 | 39 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 150 | 57 | 85 | 62 | 62 | 42 | 55 | 23 | 19 | 54 | 45 | 62 |
| Nitrate (N) | mg/L | | 0.005 | 0.61 | 0.12 | 0.2 | <0.1 | 0.2 | 0.4 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | 0.22 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0078 | 0.02 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.010 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.7 | 8.1 | 7.9 | 8.0 | 7.8 | 7.9 | 9.7 | 8.3 | 8.1 | 8.2 | 8.0 | 8.0 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.005 | 0.0007 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | 0.001 | 0.001 | 0.0017 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.05 | 0.078 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 0.15 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00700 | 0.00159 | 0.002 | 0.002 | <0.001 | <0.001 | 0.004 | 0.002 | <0.001 | 0.001 | 0.001 | 0.001 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.086 | 0.033 | 0.031 | 0.030 | 0.033 | 0.020 | 0.028 | <0.005 | 0.005 | 0.019 | 0.015 | 0.048 |
| Total BOD | mg/L | | 1 | 10 | 2 | <2 | <2 | 3 | <2 | <2 | <2 | <2 | <2.0 | <2.0 | 5.0 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.110 | 0.0411 | 0.040 | 0.060 | 0.030 | <0.02 | 0.020 | 0.020 | 0.040 | 0.020 | 0.030 | 0.050 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 18 | 77 | 50 | 56 | 48 | 50 | 38 | 42 | 18 | 26 | 38 | 34 | 63 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 5 | 48 | 22 | 25 | 31 | 22 | 15 | 20 | 20 | 26 | 14 | 17 | 16 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0120 | 0.0031 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.015 | 0.0028 | 0.004 | 0.003 | 0.003 | <0.002 | <0.002 | <0.002 | <0.002 | <0.002 | 0.002 | 0.002 |
| Total Dissolved Solids | mg/L | | 126 | 456 | 272 | 300 | 310 | 274 | 234 | 262 | 220 | 224 | 222 | 234 | 294 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 12 | 1.84 | 3.000 | 2.100 | 1.400 | 0.700 | 0.700 | <0.1 | 0.300 | 0.370 | 0.390 | 1.100 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.32 | 2.5 | 0.66641 | 0.9 | 1.1 | 0.7 | 0.6 | 0.7 | 0.6 | 0.6 | 0.5 | 0.48 | 1.6 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.006 | 0.001 | 0.001 | 0.001 | 0.001 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | <0.0005 | 0.001 |
| Total Magnesium (Mg) | mg/L | | 5 | 26 | 15 | 18.0 | 23.0 | 14.0 | 8.1 | 12.0 | 7.9 | 9.6 | 12.0 | 12.0 | 18.0 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.020 | 0.0038 | 0.005 | 0.004 | 0.003 | 0.002 | 0.002 | <0.001 | 0.001 | <0.001 | 0.001 | 0.003 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 0.32 | 0.08 | 0.13 | 0.09 | 0.06 | <0.03 | 0.03 | 0.03 | 0.02 | 0.02 | 0.02 | 0.07 |
| Total Potassium (K) | mg/L | | 0.6 | 8.5 | 3.4 | 2.60 | 3.20 | 2.50 | 2.10 | 1.90 | 0.60 | 1.30 | 1.50 | 0.87 | 4.40 |
| Total Sodium (Na) | mg/L | | 4.7 | 56 | 20 | 19 | 22 | 15 | 25 | 30 | 27 | 24 | 19 | 22 | 29 |
| Total Suspended Solids | mg/L | | 2 | 360 | 42 | 50 | 60 | 30 | 3 | 16 | 2 | 5 | 9 | 3 | 32 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.25 | 0.003 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.040 | 0.0083 | 0.02 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.09 | 9.80 | 1.64 | 4.3 | 4.5 | 5.1 | 2.1 | 2.1 | 1.4 | 0.4 | 0.3 | 1.9 | 1.8 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|--------------|--|--|
| | | | | | | 13-Jan-13 | 10-Apr-13 | 05-Jul-13 | 07-Oct-13 | 11-Jan-14 | 8-Apr-14 | 7-Jul-14 | 24-Nov-14 | 15-Dec-14 | 4-Jan-15 | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | |
| Date | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | | | | | | | | | | | | |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 46 | 160 | 109 | 69 | 130 | 110 | 100 | 120 | 87 | 130 | 110 | 64 | 98 | | |
| Conductivity | umho/cm | | 240 | 730 | 451 | 240 | 450 | 360 | 430 | 470 | 330 | 590 | 730 | 360 | 600 | | |
| Dissolved Chloride (Cl) | mg/L | | 11 | 95 | 30 | 12 | 33 | 33 | 25 | 26 | 19 | 72 | 95 | 36 | 68 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | 0.00012 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 150 | 57 | 28 | 41 | 19 | 60 | 61 | 45 | 52 | 110 | 44 | 92 | | |
| Nitrate (N) | mg/L | | 0.005 | 0.61 | 0.12 | 0.38 | 0.17 | <0.10 | 0.44 | 0.61 | 0.45 | <0.10 | 0.36 | 0.19 | 0.35 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0078 | <0.010 | <0.010 | <0.010 | 0.01 | 0.022 | <0.010 | <0.010 | <0.010 | 0.013 | 0.012 | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.7 | 8.1 | 7.6 | 7.9 | 8.9 | 8.0 | 7.9 | 8.0 | 7.9 | 7.6 | 8.1 | | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.005 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.001 | <0.0010 | <0.001 | <0.001 | 0.005 | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.05 | 0.078 | <0.15 | <0.15 | <0.15 | 0.45 | 0.19 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00700 | 0.00159 | <0.001 | 0.001 | 0.005 | 0.004 | 0.002 | 0.007 | 0.002 | 0.002 | <0.001 | <0.001 | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.086 | 0.033 | 0.013 | 0.044 | 0.043 | 0.068 | 0.038 | 0.032 | 0.086 | 0.052 | 0.027 | 0.032 | | |
| Total BOD | mg/L | | 1 | 10 | 2 | <2.0 | <2.0 | <2.0 | 5.0 | 6.0 | 4.0 | 10.0 | <2.0 | <2.0 | 5.0 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.110 | 0.0411 | <0.02 | 0.030 | 0.060 | 0.050 | 0.030 | 0.020 | 0.070 | 0.040 | 0.030 | 0.040 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 18 | 77 | 50 | 23 | 58 | 37 | 57 | 59 | 47 | 64 | 74 | 46 | 59 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 5 | 48 | 22 | 42 | 20 | 35 | 30 | 24 | 20 | 44 | 21 | 8.7 | 24 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0120 | 0.0031 | <0.005 | <0.005 | <0.005 | 0.0060 | <0.005 | <0.005 | 0.0100 | 0.0050 | <0.005 | <0.005 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.015 | 0.0028 | <0.002 | 0.004 | 0.002 | 0.005 | 0.002 | 0.004 | 0.007 | 0.008 | 0.002 | 0.003 | | |
| Total Dissolved Solids | mg/L | | 126 | 456 | 272 | 126 | 276 | 204 | 258 | 210 | 248 | 382 | 456 | 220 | 378 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 12 | 1.84 | 0.450 | 2.400 | 3.100 | 6.600 | 1.800 | 4.100 | 10.000 | 4.900 | 0.460 | 0.610 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.32 | 2.5 | 0.66641 | 0.72 | 1.40 | 1.50 | 2.00 | 1.60 | 1.50 | 2.50 | 1.10 | 0.58 | 0.87 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.006 | 0.001 | 0.001 | 0.002 | 0.002 | 0.004 | 0.001 | 0.002 | 0.006 | 0.002 | <0.0005 | <0.0005 | | |
| Total Magnesium (Mg) | mg/L | | 5 | 26 | 15 | 5 | 13 | 13 | 15 | 14 | 10 | 19 | 20 | 12 | 16 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.020 | 0.0038 | 0.001 | 0.004 | 0.004 | 0.009 | 0.003 | 0.006 | 0.014 | 0.009 | 0.001 | 0.002 | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 0.32 | 0.08 | 0.02 | 0.10 | 0.18 | 0.13 | 0.10 | 0.11 | 0.32 | 0.13 | 0.06 | 0.07 | | |
| Total Potassium (K) | mg/L | | 0.6 | 8.5 | 3.4 | 1.8 | 3.5 | 3.8 | 4.3 | 4.7 | 3.0 | 4.5 | 5.7 | 3.7 | 5.9 | | |
| Total Sodium (Na) | mg/L | | 4.7 | 56 | 20 | 6.5 | 23.0 | 27.0 | 16.0 | 4.7 | 12.0 | 45.0 | 56.0 | 31.0 | 41.0 | | |
| Total Suspended Solids | mg/L | | 2 | 360 | 42 | 4 | 68 | 52 | 150 | 39 | 73 | 260 | 99 | 61 | 21 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.25 | 0.003 | <0.02 | <0.02 | <0.49 | <0.011 | 0.0055 | 0.0035 | <0.0014 | <0.034 | <0.017 | <0.033 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.040 | 0.0083 | <0.01 | 0.01 | 0.03 | 0.02 | <0.01 | 0.01 | 0.03 | 0.02 | <0.01 | <0.01 | | |
| Ion Percentage | % | | 0.09 | 9.80 | 1.64 | 1.8 | 6.6 | 7.5 | 7.8 | 0.1 | 4.1 | 4.6 | 2.5 | 9.8 | 1.7 | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--------------|--------------|---------|---------|
| | | | | | | 10-Apr-15 | 3-Aug-15 | 25-Oct-15 | 25-Feb-16 | 7-Apr-16 | 14-Jul-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | | |
| | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | | |
| Date | | | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 46 | 160 | 109 | 100 | 130 | 150 | 93 | 120 | 120 | 140 | 110 | 120 | 130 | | |
| Conductivity | umho/cm | | 240 | 730 | 451 | 490 | 460 | 540 | 420 | 430 | 450 | 460 | 390 | 440 | 320 | | |
| Dissolved Chloride (Cl) | mg/L | | 11 | 95 | 30 | 47 | 39 | 49 | 20 | 15 | 28 | 31 | 26 | 16 | 15 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 150 | 57 | 62 | 40 | 42 | 75 | 74 | 53 | 45 | 41 | 69 | 23 | | |
| Nitrate (N) | mg/L | | 0.005 | 0.61 | 0.12 | 0.33 | <0.10 | <0.10 | 0.56 | 0.30 | <0.10 | <0.10 | 0.33 | 0.17 | <0.10 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0078 | 0.034 | <0.010 | 0.023 | 0.025 | <0.010 | <0.10 | <0.010 | 0.018 | 0.025 | <0.010 | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.7 | 8.1 | 7.0 | 7.9 | 8.2 | 8.1 | 7.9 | 8.0 | 8.0 | 7.9 | 8.1 | 7.9 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.005 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.05 | 0.078 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | <0.15 | 0.16 | <0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00700 | 0.00159 | 0.004 | 0.003 | 0.003 | <0.001 | 0.001 | 0.004 | 0.003 | 0.002 | 0.001 | 0.004 | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.086 | 0.033 | 0.058 | 0.064 | 0.057 | 0.022 | 0.034 | 0.056 | 0.054 | 0.055 | 0.035 | 0.045 | | |
| Total BOD | mg/L | | 1 | 10 | 2 | <2.0 | 3.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | 4.0 | <2.0 | 2.0 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.110 | 0.0411 | 0.040 | 0.060 | 0.060 | 0.020 | 0.040 | 0.060 | 0.050 | 0.040 | 0.030 | 0.050 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 18 | 77 | 50 | 58 | 55 | 54 | 49 | 60 | 50 | 54 | 45 | 59 | 41 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 5 | 48 | 22 | 20 | 28 | 29 | 13 | 21 | 48 | 23 | 29 | 20 | 30 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0120 | 0.0031 | 0.0120 | 0.0070 | 0.0050 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0090 | <0.005 | <0.005 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.015 | 0.0028 | 0.011 | 0.005 | 0.004 | 0.003 | 0.005 | 0.004 | 0.003 | 0.007 | 0.005 | 0.003 | | |
| Total Dissolved Solids | mg/L | | 126 | 456 | 272 | 292 | 332 | 256 | 222 | 264 | 328 | 272 | 210 | 272 | 188 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 12 | 1.84 | 11.000 | 6.200 | 4.100 | 1.600 | 3.700 | 4.500 | 3.700 | 4.700 | 2.900 | 3.400 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.32 | 2.5 | 0.66641 | 1.40 | 0.50 | 0.77 | 0.33 | 0.44 | <0.7 | 0.53 | 0.67 | <0.7 | 0.48 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.006 | 0.001 | 0.005 | 0.003 | 0.003 | 0.001 | 0.002 | 0.003 | 0.003 | 0.003 | 0.002 | 0.002 | | |
| Total Magnesium (Mg) | mg/L | | 5 | 26 | 15 | 16 | 14 | 17 | 13 | 16 | 17 | 16 | 11 | 16 | 13 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.020 | 0.0038 | 0.016 | 0.010 | 0.008 | 0.003 | 0.006 | 0.008 | 0.006 | 0.007 | 0.005 | 0.006 | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 0.32 | 0.08 | 0.24 | 0.20 | 0.15 | 0.05 | 0.10 | 0.20 | 0.13 | 0.18 | <0.060 | 0.16 | | |
| Total Potassium (K) | mg/L | | 0.6 | 8.5 | 3.4 | 4.8 | 3.8 | 4.1 | 3.1 | 3.3 | 3.5 | 3.2 | 8.5 | 3.9 | 3.4 | | |
| Total Sodium (Na) | mg/L | | 4.7 | 56 | 20 | 32 | 26 | 35 | 13 | 12 | 22 | 21 | 13 | 13 | 13 | | |
| Total Suspended Solids | mg/L | | 2 | 360 | 42 | 180 | 180 | 110 | 31 | 67 | 140 | 110 | 120 | 73 | 100 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.25 | 0.003 | <0.0057 | <0.011 | <0.0033 | <0.0024 | <0.0012 | <0.014 | <0.0025 | <0.0005 | <0.0005 | <0.015 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.040 | 0.0083 | 0.040 | 0.020 | <0.01 | <0.01 | 0.010 | 0.010 | <0.01 | 0.020 | 0.010 | 0.010 | | |
| Ion Percentage | % | | 0.09 | 9.80 | 1.64 | 5.5 | 3.2 | 2.2 | 1.1 | 3.1 | 3.7 | 2.2 | 1.0 | 1.0 | 2.0 | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) *** denotes change from background concentrations.
4) Unionized ammonia values are calculated based on field determined pH and temperature values.
5) mg/L denotes milligrams per litre.
6) umho/cm denotes microsiemens per centimeter.
7) BOD denotes biological oxygen demand.
8) COD denotes chemical oxygen demand.
9) Blank denotes parameter not analyzed.
10) **Bolded** text and shading denotes concentration exceeds PWQO.
11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
12) "BV" denotes Bureau Veritas Laboratories
13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | |
|---|------------|---------|----------|---------|---------|--|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------------------|---------------------------|---------------------------|
| | | | | | | 12-Oct-17 | 23-Jan-18 | 04-Apr-18 | 08-Aug-18 | 31-Oct-18 | 24-Jan-19 | 19-Apr-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 |
| | | | | | | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Maxxam Routine | Bureau Veritas Routine | Bureau Veritas Routine | Bureau Veritas Routine |
| Alkalinity (Total as CaCO₃) | mg/L | <25%*** | 46 | 160 | 109 | 160 | 87 | 120 | 130 | 150 | 97 | 150 | 160 | 130 | 150 |
| Conductivity | umho/cm | | 240 | 730 | 451 | 430 | 310 | 490 | 380 | 450 | 360 | 590 | 440 | 583 | 700 |
| Dissolved Chloride (Cl) | mg/L | | 11 | 95 | 30 | 23 | 11 | 20 | 20 | 17 | 17 | 25 | 21 | 27 | 34 |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 |
| Dissolved Sulphate (SO₄) | mg/L | | 19 | 150 | 57 | 34 | 46 | 96 | 37 | 54 | 50 | 110 | 39 | 140 | 150 |
| Nitrate (N) | mg/L | | 0.005 | 0.61 | 0.12 | <0.10 | 0.46 | 0.24 | <0.10 | <0.10 | 0.47 | 0.33 | <0.10 | <0.10 | <0.10 |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0078 | <0.010 | 0.015 | <0.010 | <0.010 | <0.010 | 0.014 | <0.010 | <0.010 | <0.010 | <0.010 |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.7 | 8.1 | 8.2 | 7.8 | 8.0 | 8.0 | 8.0 | 7.8 | 8.2 | 8.3 | 8.3 | 8.2 |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.005 | 0.0007 | <0.0010 | 0.0013 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Total Ammonia-N | mg/L | | 0.025 | 1.05 | 0.078 | <0.050 | 0.260 | 0.062 | <0.050 | 0.093 | 0.750 | <0.050 | 0.051 | <0.050 | <0.050 |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00700 | 0.00159 | 0.002 | <0.001 | 0.003 | 0.006 | 0.002 | 0.001 | <0.001 | 0.004 | <0.001 | 0.001 |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.086 | 0.033 | 0.053 | 0.025 | 0.058 | 0.063 | 0.045 | 0.027 | 0.034 | 0.045 | 0.042 | 0.047 |
| Total BOD | mg/L | | 1 | 10 | 2 | <2.0 | <2 | <2 | <2 | <2 | 5 | 8 | 4 | <2 | 3 |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.110 | 0.0411 | 0.070 | 0.020 | 0.040 | 0.070 | 0.050 | 0.030 | 0.050 | 0.110 | 0.040 | 0.050 |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 |
| Total Calcium (Ca) | mg/L | | 18 | 77 | 50 | 51 | 37 | 73 | 46 | 56 | 43 | 70 | 46 | 74 | 77 |
| Total Chemical Oxygen Demand (COD) | mg/L | | 5 | 48 | 22 | 24 | 20 | 14 | 28 | 21 | 28 | 22 | 29 | 15 | 30 |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0120 | 0.0031 | <0.005 | <0.005 | 0.0090 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.015 | 0.0028 | <0.002 | 0.006 | 0.013 | 0.003 | 0.003 | 0.007 | 0.004 | <0.002 | 0.004 | 0.003 |
| Total Dissolved Solids | mg/L | | 126 | 456 | 272 | 270 | 170 | 190 | 265 | 415 | 215 | 370 | 280 | 395 | 450 |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 12 | 1.84 | 1.800 | 2.300 | 8.800 | 3.900 | 2.000 | 2.400 | 0.900 | 2.300 | 1.300 | 2.200 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.32 | 2.5 | 0.66641 | 0.52 | 0.55 | 0.35 | 0.64 | 0.32 | 1.30 | 0.55 | 0.68 | 0.32 | 0.43 |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.006 | 0.001 | 0.001 | 0.002 | 0.005 | 0.003 | 0.002 | 0.002 | 0.001 | 0.003 | 0.001 | 0.0012 |
| Total Magnesium (Mg) | mg/L | | 5 | 26 | 15 | 16 | 10 | 21 | 16 | 13 | 12 | 22 | 18 | 24 | 25 |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.020 | 0.0038 | 0.004 | 0.004 | 0.012 | 0.006 | 0.004 | 0.005 | 0.003 | 0.004 | 0.003 | 0.004 |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 0.32 | 0.08 | 0.09 | 0.10 | 0.21 | 0.19 | 0.08 | 0.11 | 0.05 | 0.12 | 0.04 | 0.09 |
| Total Potassium (K) | mg/L | | 0.6 | 8.5 | 3.4 | 3.9 | 3.4 | 5.2 | 3.8 | 4.0 | 7.2 | 4.7 | 3.0 | 4.8 | 3.7 |
| Total Sodium (Na) | mg/L | | 4.7 | 56 | 20 | 17.0 | 7.2 | 14.0 | 16.0 | 10.0 | 9.1 | 16.0 | 18.0 | 17 | 23 |
| Total Suspended Solids | mg/L | | 2 | 360 | 42 | 49 | 36 | 230 | 97 | 33 | 41 | 26 | 61 | 35 | 69 |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.25 | 0.003 | <0.0005 | 0.01 | <0.0005 | <0.0005 | <0.00061 | <0.00061 | <0.0033 | 0.01 | <0.0015 | <0.0043 |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.040 | 0.0083 | <0.01 | 0.010 | 0.030 | <0.01 | <0.01 | 0.020 | <0.01 | <0.01 | <0.01 | <0.01 |
| Ion Percentage | % | | 0.09 | 9.80 | 1.64 | 0.8 | 0.5 | 5.4 | 3.0 | 1.2 | 1.9 | 0.5 | 0.1 | 0.9 | 0.4 |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-1
Precipitation Event Surface Water Quality - General Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | |
|--|------------|---------|----------|---------|---------|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|---------|---------|
| | | | | | | 15-Nov-20 | 26-Mar-21 | 03-Jun-21 | 09-Jul-21 | 04-Oct-21 | 17-Feb-22 | 04-May-22 | 18-Oct-22 | | |
| | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | |
| Date | | | | | | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | | |
| Routine/Verification Event | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| Alkalinity (Total as CaCO ₃) | mg/L | <25%*** | 46 | 160 | 109 | 160 | 120 | 47 | 99 | 140 | 82 | 150 | 140 | | |
| Conductivity | umho/cm | | 240 | 730 | 451 | 550 | 540 | 450 | 570 | 500 | 570 | 650 | 570 | | |
| Dissolved Chloride (Cl) | mg/L | | 11 | 95 | 30 | 26 | 32 | 37 | 79 | 45 | 34 | 37 | 29 | | |
| Dissolved Mercury (Hg) | mg/L | 0.0002 | 0.00005 | 0.05 | 0.0001 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | <0.00010 | | |
| Dissolved Sulphate (SO ₄) | mg/L | | 19 | 150 | 57 | 78 | 92 | 120 | 58 | 43 | 140 | 130 | 110 | | |
| Nitrate (N) | mg/L | | 0.005 | 0.61 | 0.12 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | 0.54 | 0.18 | <0.10 | | |
| Nitrite (N) | mg/L | | 0.005 | 0.05 | 0.0078 | <0.010 | <0.010 | <0.010 | <0.010 | <0.010 | 0.034 | <0.010 | <0.010 | | |
| pH | (pH units) | 6.5-8.5 | 7.0 | 9.7 | 8.1 | 8.1 | 8.1 | 9.6 | 8.5 | 8.1 | 8.0 | 8.2 | 8.1 | | |
| Phenols-4AAP | mg/L | 0.001 | 0.0005 | 0.005 | 0.0007 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | 0.0011 | <0.0010 | <0.0010 | | |
| Total Ammonia-N | mg/L | | 0.025 | 1.05 | 0.078 | 0.058 | <0.050 | <0.050 | <0.15 | <0.15 | 1.05 | <0.15 | <0.15 | | |
| Total Arsenic (As) | mg/L | 0.100* | 0.000500 | 0.00700 | 0.00159 | 0.002 | 0.001 | 0.005 | 0.002 | 0.002 | 0.003 | 0.001 | 0.003 | | |
| Total Barium (Ba) | mg/L | | 0.0025 | 0.086 | 0.033 | 0.037 | 0.039 | 0.019 | 0.008 | 0.032 | 0.042 | 0.037 | 0.041 | | |
| Total BOD | mg/L | | 1 | 10 | 2 | <2 | <2 | <2 | 3 | 6 | 2 | 2 | 3 | | |
| Total Boron (B) | mg/L | 0.200 | 0.0100 | 0.110 | 0.0411 | 0.07 | 0.04 | 0.06 | 0.07 | 0.07 | 0.09 | 0.07 | 0.07 | | |
| Total Cadmium (Cd) | mg/L | 0.0002 | 0.00005 | 0.00005 | 0.00005 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | |
| Total Calcium (Ca) | mg/L | | 18 | 77 | 50 | 68 | 65 | 32 | 35 | 52 | 67 | 74 | 65 | | |
| Total Chemical Oxygen Demand (COD) | mg/L | | 5 | 48 | 22 | 19 | 17 | 21 | 42 | 47 | 20 | 21 | 5.1 | | |
| Total Chromium (Cr) | mg/L | 0.0089 | 0.0025 | 0.0120 | 0.0031 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.012 | <0.005 | <0.005 | | |
| Total Copper (Cu) | mg/L | 0.005 | 0.001 | 0.015 | 0.0028 | <0.002 | 0.004 | <0.002 | <0.002 | <0.002 | 0.015 | 0.004 | <0.002 | | |
| Total Dissolved Solids | mg/L | | 126 | 456 | 272 | 300 | 310 | 280 | 355 | 275 | 315 | 350 | 305 | | |
| Total Iron (Fe) | mg/L | 0.300 | 0.050 | 12 | 1.84 | 1.2 | 2.0 | 0.6 | 0.5 | 1.4 | 12 | 2 | 1.8 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.32 | 2.5 | 0.66641 | 0.44 | 0.32 | 0.95 | <0.7 | <0.7 | 1.9 | <0.7 | <0.7 | | |
| Total Lead (Pb) | mg/L | 0.005 | 0.0003 | 0.006 | 0.001 | 0.0009 | 0.0013 | <0.0005 | <0.0005 | 0.00 | 0.0048 | 0.0011 | 0.0011 | | |
| Total Magnesium (Mg) | mg/L | | 5 | 26 | 15 | 17 | 17 | 19 | 19 | 13 | 26 | 26 | 20 | | |
| Total Nickel (Ni) | mg/L | 0.025 | 0.0005 | 0.020 | 0.0038 | 0.003 | 0.004 | 0.003 | 0.002 | 0.003 | 0.020 | 0.006 | 0.004 | | |
| Total Phosphorus | mg/L | 0.02* | 0.02 | 0.32 | 0.08 | 0.06 | 0.07 | 0.03 | 0.05 | 0.17 | 0.19 | 0.077 | 0.047 | | |
| Total Potassium (K) | mg/L | | 0.6 | 8.5 | 3.4 | 3.5 | 4.1 | 1.7 | 2.6 | 5.5 | 6.9 | 4.7 | 4.1 | | |
| Total Sodium (Na) | mg/L | | 4.7 | 56 | 20 | 18 | 22 | 26 | 51 | 33 | 25 | 25 | 20 | | |
| Total Suspended Solids | mg/L | | 2 | 360 | 42 | 38 | 64 | 16 | 11 | 45 | 360 | 41 | 32 | | |
| Total Un-ionized Ammonia | mg/L | 0.02 | 0.0003 | 0.25 | 0.003 | 0.002 | <0.00061 | <0.048 | <0.03 | <0.014 | 0.0019 | <0.0054 | <0.0034 | | |
| Total Zinc (Zn) | mg/L | 0.020 | 0.0050 | 0.040 | 0.0083 | <0.01 | 0.01 | <0.01 | <0.01 | <0.01 | 0.03 | <0.01 | <0.01 | | |
| Ion Percentage | % | | 0.09 | 9.80 | 1.64 | 0.5 | 2.3 | 1.0 | 0.76 | 1.4 | 5.1 | 1.0 | 0.3 | | |

NOTE: 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.

2) * denotes interim PWQO.

3) *** denotes change from background concentrations.

4) Unionized ammonia values are calculated based on field determined pH and temperature values.

5) mg/L denotes milligrams per litre.

6) umho/cm denotes microsiemens per centimeter.

7) BOD denotes biological oxygen demand.

8) COD denotes chemical oxygen demand.

9) Blank denotes parameter not analyzed.

10) **Bolded** text and shading denotes concentration exceeds PWQO.

11) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

12) "BV" denotes Bureau Veritas Laboratories

13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

**COMPLIANCE MONITORING PROGRAM
SURFACE WATER TIME-CONCENTRATION - CHLORIDE**




FIGURE B-1

**COMPLIANCE MONITORING PROGRAM
SURFACE WATER TIME-CONCENTRATION - BORON**




FIGURE B-2

**COMPLIANCE MONITORING PROGRAM
SURFACE WATER TIME-CONCENTRATION - AMMONIA UN-IONIZED**




FIGURE B-3

COMPLIANCE MONITORING PROGRAM SURFACE WATER TIME-CONCENTRATION - ZINC




FIGURE B-4

COMPLIANCE MONITORING PROGRAM SURFACE WATER TIME-CONCENTRATION - CHLORIDE




FIGURE B-5

COMPLIANCE MONITORING PROGRAM SURFACE WATER TIME-CONCENTRATION - BORON




FIGURE B-6

COMPLIANCE MONITORING PROGRAM SURFACE WATER TIME-CONCENTRATION - AMMONIA UN-IONIZED




FIGURE B-7

COMPLIANCE MONITORING PROGRAM SURFACE WATER TIME-CONCENTRATION - ZINC




FIGURE B-8

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|------------|-----------|-----------|----------|----------|-----------|----------|----------|
| | | | 19-Mar-08 | 11-Apr-08 | 12-May-08 | 14-Jun-08 | 29-Jun-08 | 23-Jul-08 | 4-Nov-08 | 5-Dec-08 | 12-Feb-09 | 8-Mar-09 | 6-Apr-09 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | 1.7 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | | <2 | | | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|----------|
| | | | 26-Apr-09 | 9-May-09 | 9-Aug-09 | 10-Oct-09 | 25-Jan-10 | 6-Apr-10 | 16-Jul-10 | 14-Oct-10 | 28-Feb-11 | 20-Apr-11 | 9-Aug-11 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.3 | <0.1 | <0.2 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.5 | <0.2 | <0.4 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.3 | <0.1 | <0.2 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <1 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.5 | <0.2 | <0.4 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.5 | <0.2 | <0.4 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.3 | <0.1 | <0.2 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.3 | <0.1 | <0.2 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.3 | <0.1 | <0.2 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | 20-Oct-11 | 23-Nov-11 | 6-Dec-11 | 13-Mar-12 | 22-Jun-12 | 30-Oct-12 | 21-Dec-12 | 13-Jan-13 | 30-Jan-13 | 10-Apr-13 | 29-May-13 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 6.1 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.5 | <0.10 | <0.20 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <1 | <0.20 | <0.40 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.5 | <0.10 | <0.20 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <3 | <0.50 | <1.0 | <0.50 | <0.50 | <1.3 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <1 | <0.20 | <0.40 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <1 | <0.20 | <0.40 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.5 | <0.10 | <0.20 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.5 | <0.10 | <0.20 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.5 | <0.10 | <0.20 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|-----------|----------|-----------|----------|----------|-----------|----------|-----------|
| | | | 5-Jul-13 | 12-Sep-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 6-Sep-14 | 25-Dec-14 | 4-Jan-15 | 10-Apr-15 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <1.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|-----------|----------|-----------|----------|-----------|-----------|----------|-----------|-----------|
| | | | 1-Jun-15 | 3-Aug-15 | 25-Feb-16 | 7-Apr-16 | 14-Jul-16 | 3-Nov-16 | 27-Dec-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 19-Nov-17 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 | <0.80 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | <8.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <1.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|----------|-----------|----------|------------|-----------|----------------|----------------|----------------|----------------|
| | | | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 | 26-Sep-18 | 2-Oct-18 | 24-Jan-19 | 17-Apr-19 | 2-Oct-19 | 27-Oct-19 | 11-Jan-20 | 29-Mar-20 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.80 | <0.20 | <0.80 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <1.2 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <8.0 | <2.0 | <8.0 | <2.0 | <2.0 | 4.4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 18-May-20 | 15-Nov-20 | 26-Nov-20 | 26-Mar-21 | 9-Apr-21 | 3-Jun-21 | 9-Jul-21 | 30-Jul-21 | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 | <0.80 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <2.0 | 0.63 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | <8.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Downstream of Landfill 60m East of Lambton Rd 79 - SS1 | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|----------------|--|--|--|--|--|
| | | | 4-May-22 | 16-May-22 | 4-Aug-22 | 18-Oct-22 | 28-Nov-22 | | | | | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | |
| Semivolatile Organics | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.80 | <0.80 | | | | | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <1.2 | <1.2 | | | | | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <8.0 | <8.0 | | | | | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Volatile Organics | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | | | | | |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|-----------|----------|----------|----------|-----------|-----------|----------|-----------|-----------|
| | | | Date | 25-Mar-09 | 26-Dec-09 | 25-Jan-10 | 6-Apr-10 | 5-Aug-10 | 6-Nov-10 | 28-Feb-11 | 20-Apr-11 | 9-May-11 | 16-May-11 | 23-Nov-11 |
| | | | Laboratory | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | 7 | <1 | <1 | <1 | <1 | <1 | <1 | |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | |
| Volatile Organics | | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.3 | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.5 | |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.3 | |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <1 | <0.5 | <0.5 | <0.5 | <1 | |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.5 | |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.5 | |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.3 | |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.3 | |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.3 | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|----------|
| | | | 6-Dec-11 | 13-Mar-12 | 27-Mar-12 | 22-Jun-12 | 15-Aug-12 | 14-Oct-12 | 13-Jan-13 | 10-Apr-13 | 29-Apr-13 | 5-Jul-13 | 7-Oct-13 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.6 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <1.3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|-----------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|
| | | | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 24-Nov-14 | 15-Dec-14 | 4-Jan-15 | 10-Apr-15 | 30-Apr-15 | 3-Aug-15 | 25-Feb-16 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.8 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <1 | <0.3 | <0.3 | <0.3 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <4 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <2 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <8 | <2 | <2 | <2 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <4 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <4 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|----------|-----------|----------|----------|-----------|-----------|----------|-----------|----------|
| | | | 7-Apr-16 | 1-Aug-16 | 3-Nov-16 | 12-Jan-17 | 8-Feb-17 | 6-Apr-17 | 13-Jul-17 | 23-Jan-18 | 4-Apr-18 | 27-Aug-18 | 2-Oct-18 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.80 | <0.80 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <1.2 | <1.2 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <8.0 | <8.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 | <0.50 | <0.50 | <0.50 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 24-Jan-19 | 19-Apr-19 | 27-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 9-Jul-21 | 4-Oct-21 | 17-Feb-22 | 4-May-22 |
| | | | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP1 | | | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|--|--|--|--|--|--|--|--|--|
| | | | 20-Jul-22 | 4-Aug-22 | 18-Oct-22 | | | | | | | | | |
| Date | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | |
| Semivolatile Organics | | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | | | | | | | | | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | | | | | | | | | |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | | | | | | | | | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | | | | | | | | | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | | | | | | | | | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | | | | | | | | | |
| Volatile Organics | | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | | | | | | | | | |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | | | | | | | | | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | | | | | | | | | |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | | | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|----------|-----------|----------|----------|-----------|----------|-----------|-----------|
| | | | 14-Sep-08 | 17-Oct-08 | 4-Nov-08 | 5-Dec-08 | 12-Feb-09 | 8-Mar-09 | 6-Apr-09 | 26-Apr-09 | 7-May-09 | 24-Oct-09 | 25-Jan-10 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | 0.5 | 0.5 | 0.5 | 0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|
| | | | 6-Apr-10 | 14-Oct-10 | 28-Feb-11 | 20-Apr-11 | 8-Aug-11 | 20-Oct-11 | 13-Mar-12 | 27-Mar-12 | 30-Oct-12 | 15-Nov-12 | 13-Jan-13 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | |
|------------------------------|-------|--------|--|------------|----------|-------------|-----------|-------------|-----------|----------|-----------|-----------|-----------|
| | | | 10-Apr-13 | 5-Jul-13 | 7-Oct-13 | 11-Jan-14 | 28-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 24-Jul-14 | 24-Nov-14 | 15-Dec-14 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.5 | 0.6 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <0.20 | <0.20 | 0.48 | <0.20 | 0.29 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.10 | <0.10 | 0.12 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.10 | <0.10 | 0.12 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|-----------|-----------|----------|------------|-----------|----------|----------|-----------|-----------|----------|
| | | | Date | 4-Jan-15 | 10-Apr-15 | 30-Apr-15 | 3-Aug-15 | 25-Oct-15 | 25-Feb-16 | 7-Apr-16 | 1-Aug-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 |
| | | | Laboratory | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <1.0 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <1.5 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <5.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <10 | 3.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <5.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <5.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | |
| Volatile Organics | | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|----------|----------|----------|------------|----------------|----------------|----------------|----------------|
| | | | 13-Jul-17 | 12-Oct-17 | 23-Jan-18 | 4-Apr-18 | 2-Oct-18 | 7-Feb-19 | 17-Apr-19 | 31-Oct-19 | 11-Jan-20 | 18-May-20 | 4-Jun-20 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 0.51 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.1 | <2.0 | 4.9 | <2.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.20 | <0.20 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------|
| | | | 15-Nov-20 | 26-Nov-20 | 26-Mar-21 | 9-Apr-21 | 26-Jun-21 | 9-Jul-21 | 30-Jul-21 | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 | 4-May-22 | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | |
| Semivolatile Organics | | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP2 | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|----------------|--|--|--|--|--|
| | | | 16-May-22 | 20-Jul-22 | 4-Aug-22 | 18-Oct-22 | 13-Jan-23 | | | | | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | |
| Semivolatile Organics | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.80 | <0.80 | | | | | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <1.2 | <1.2 | | | | | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <2.0 | <2.0 | | | | | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <8.0 | <8.0 | | | | | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <4.0 | <4.0 | | | | | |
| Volatile Organics | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | | | | | |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|----------|-----------|-----------|----------|-----------|-----------|----------|-----------|
| | | | 4-Nov-08 | 12-Feb-09 | 8-Mar-09 | 6-Apr-09 | 17-Apr-09 | 26-Apr-09 | 7-May-09 | 24-Oct-09 | 25-Jan-10 | 8-Apr-10 | 16-Jul-10 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|
| | | | 6-Nov-10 | 28-Feb-11 | 20-Apr-11 | 29-Jul-11 | 20-Oct-11 | 9-Nov-11 | 13-Mar-12 | 27-Mar-12 | 21-Dec-12 | 13-Jan-13 | 10-Apr-13 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <1 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.2 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|-----------|----------|-----------|----------|-----------|----------|----------|-----------|-----------|
| | | | 5-Jul-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 30-Apr-14 | 7-Jul-14 | 15-Oct-14 | 4-Nov-14 | 4-Jan-15 | 10-Apr-15 | 20-Aug-15 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.8 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <1 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <4 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <2 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <8 | <2 | <2 | <2 | <2 | <2 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <4 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <4 | <1 | <1 | <1 | <1 | <1 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|----------|-----------|-----------|----------|-----------|-----------|-----------|----------|
| | | | 25-Oct-15 | 25-Feb-16 | 7-Apr-16 | 1-Aug-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 12-Oct-17 | 23-Jan-18 | 4-Apr-18 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 | <0.50 | <0.50 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <1.3 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | | |
|------------------------------|-------|--------|--|----------|-----------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 8-Aug-18 | 2-Oct-18 | 24-Jan-19 | 17-Apr-19 | 27-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 3-Jun-21 | 9-Jul-21 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.80 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <1.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <8.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | Oct- | Sedimentation Pond Surface Water Quality - SP3 | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|----------------|----------------|--|--|--|--|
| | | | 4-Oct-21 | 15-Oct-21 | 17-Feb-22 | 4-May-22 | 4-Aug-22 | 18-Oct-22 | | | | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | |
| Semivolatile Organics | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.80 | <0.20 | <0.20 | <0.20 | | | | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <1.2 | <0.30 | <0.30 | <0.30 | | | | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | | | | |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <2.0 | <0.50 | <0.50 | <0.50 | | | | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <8.0 | <2.0 | <2.0 | <2.0 | | | | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | | | | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <4.0 | <1.0 | <1.0 | <1.0 | | | | |
| Volatile Organics | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 | | | | |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | | | | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|----------|-----------|-----------|----------|-----------|-----------|-----------|-----------|-----------|
| | | | 6-May-10 | 16-Jul-10 | 1-Dec-10 | 28-Feb-11 | 20-Apr-11 | 9-Aug-11 | 13-Oct-11 | 13-Mar-12 | 27-Mar-12 | 21-Dec-12 | 13-Jan-13 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Phenol | µg/L | 5* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 | <2 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | |
|------------------------------|-------|--------|--|------------|----------|-----------|-------------|----------|-----------|-----------|----------|-----------|----------|
| | | | 10-Apr-13 | 5-Jul-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 7-Jul-14 | 24-Nov-14 | 15-Dec-14 | 4-Jan-15 | 10-Apr-15 | 3-Aug-15 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.2 | <0.2 | <0.2 | <0.8 | <0.2 | <1 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.3 | <0.3 | <0.3 | <1 | <0.3 | <2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1 | <1 | <1 | <4 | <1 | <5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Phenol | µg/L | 5* | <0.5 | 0.6 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.5 | <0.5 | <0.5 | <2 | <0.5 | <3 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2 | <2 | <2 | <8 | <2 | <10 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <4 | <1 | <5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1 | <1 | <1 | <4 | <1 | <5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 |
| Ethylbenzene | µg/L | 8* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <1.0 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.2 | <0.20 | <0.20 | <0.20 | 0.21 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.2 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.40 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.1 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.
7) VOC's sampled on December 17, 2014 for SP4.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | |
|------------------------------|-------|--------|--|------------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|------------|
| | | | 25-Oct-15 | 25-Feb-16 | 7-Apr-16 | 14-Jul-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 12-Oct-17 | 23-Jan-18 | 4-Apr-18 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 | <0.80 | <0.20 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 | <1.2 | <0.30 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 | <8.0 | <2.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | 1.2 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 | <4.0 | <1.0 | <4.0 | 1.3 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <2.0 | <0.20 | <0.20 | <0.50 |
| Ethylbenzene | µg/L | 8* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Dichloromethane | µg/L | 100* | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| o-Xylene | µg/L | 40* | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |
| Xylene (Total) | µg/L | | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | |
|------------------------------|-------|--------|--|-----------|-----------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | 8-Aug-18 | 31-Oct-18 | 24-Jan-19 | 19-Apr-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 3-Jun-21 | 9-Jul-21 |
| | | | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Semivolatile Organics | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.80 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.80 | <0.20 |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,4-Dichlorobenzene | µg/L | 4 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Hexachlorobenzene | µg/L | 0.0065 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| 2,4-Dichlorophenol | µg/L | 0.2 | <1.2 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <0.30 | <1.2 | <0.30 |
| Pentachlorophenol | µg/L | 0.5 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Phenol | µg/L | 5* | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | 3.7 | <0.50 |
| 2,4,6-Trichlorophenol | µg/L | 18 | <2.0 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <2.0 | <0.50 |
| Di-N-butyl phthalate | µg/L | 4 | <8.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <8.0 | <2.0 |
| Diethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Dimethyl phthalate | µg/L | 0.2 | <4.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <4.0 | <1.0 |
| Volatile Organics | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.50 | <0.40 | <0.40 | <0.40 | <0.40 | <0.40 |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 | <2.0 |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-2
Precipitation Event Surface Water Quality - Organic Analytical Results - Compliance Monitoring
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Sedimentation Pond Surface Water Quality - SP4 | | | | | | | | | | | |
|------------------------------|-------|--------|--|----------------|----------------|----------------|--|--|--|--|--|--|--|--|
| | | | 4-Oct-21 | 17-Feb-22 | 4-May-22 | 18-Oct-22 | | | | | | | | |
| Date | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | |
| Semivolatile Organics | | | | | | | | | | | | | | |
| Benzo(a)pyrene | µg/L | | <0.20 | <0.80 | <0.20 | <0.80 | | | | | | | | |
| 1,2-Dichlorobenzene | µg/L | 2.5 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| 1,3-Dichlorobenzene | µg/L | 2.5 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| Hexachlorobenzene | µg/L | 0.0065 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| 1,2,4-Trichlorobenzene | µg/L | 0.5 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| 2,4-Dichlorophenol | µg/L | 0.2 | <0.30 | <1.2 | <0.30 | <1.2 | | | | | | | | |
| Pentachlorophenol | µg/L | 0.5 | <1.0 | <4.0 | <1.0 | <4.0 | | | | | | | | |
| Phenol | µg/L | 5* | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| 2,4,6-Trichlorophenol | µg/L | 18 | <0.50 | <2.0 | <0.50 | <2.0 | | | | | | | | |
| Di-N-butyl phthalate | µg/L | 4 | <2.0 | <8.0 | <2.0 | <8.0 | | | | | | | | |
| Diethyl phthalate | µg/L | 0.2 | <1.0 | <4.0 | <1.0 | <4.0 | | | | | | | | |
| Dimethyl phthalate | µg/L | 0.2 | <1.0 | <4.0 | <1.0 | <4.0 | | | | | | | | |
| Volatile Organics | | | | | | | | | | | | | | |
| Benzene | µg/L | 100* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| 1,4-Dichlorobenzene | µg/L | 4 | <0.40 | <0.40 | <0.40 | <0.40 | | | | | | | | |
| Ethylbenzene | µg/L | 8* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| Dichloromethane | µg/L | 100* | <2.0 | <2.0 | <2.0 | <2.0 | | | | | | | | |
| Toluene | µg/L | 0.8* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| Vinyl Chloride | µg/L | 600* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| p+m-Xylene | µg/L | 32* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| o-Xylene | µg/L | 40* | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |
| Xylene (Total) | µg/L | | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) µg/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** indicates select parameter was detected at concentration greater than the laboratory reportable detection limit (RDL).
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14 / SS14A | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|-------------|--|-------------|-------------|-------------|-------------|--------------|-------------|-------------|---------------|----------|
| | | | | | | | 4-Apr-03 | 13-Jun-03 | 15-Sep-03 | 3-May-04 | 31-Jul-04 | 23-Sep-05 | 9-Nov-05 | 18-Jan-06 | 9-Mar-06 | 3-Aug-06 |
| | | | | | | | Routine/Storm Monitoring | Routine | Routine | Routine | Routine | Storm | Routine | Routine | Routine | Storm |
| | | | | | | | Laboratory | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 42 | 290 | 125 | 91 | 42 | 66 | 74 | 82 | 129 | 69 | 227 | 105 | 98 | |
| Chloride | mg/L | | 3 | 210 | 13 | 11 | 8 | 18 | 8 | 9 | 51 | 25 | 21 | 14 | 22 | |
| Sulphate | mg/L | | 14 | 443 | 126 | 193 | 443 | 340 | 426 | 178 | 244 | 103 | 163 | 78 | 318 | |
| Ammonia (as N) | mg/L | | 0.01 | 2.1 | 0.093 | 0.08 | 0.04 | 0 | 0.17 | 0.11 | 0.06 | 0.35 | 1.94 | 0.61 | 0.09 | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Nitrate | mg/L | | 0.02 | 53.2 | 0.38 | 1.70 | 1.37 | 0.15 | 0.77 | 0.81 | 6.02 | 7.85 | 0.54 | 0.74 | 0.37 | |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.021 | | | | | | 0.18 | | | | <0.10 | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.12 | 0.08 | 0.22 | 0.14 | 0.17 | 0.32 | 0.16 | 0.38 | 0.14 | 0.24 | |
| Calcium | mg/L | | 25 | 670 | 82 | 74 | 119 | 116 | 112 | 65 | 102 | 66 | 94 | 46 | 106 | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | <0.005 | <0.005 | <0.005 | <0.005 | 0.003 | 0.002 | 0.026 | 0.003 | 0.002 | 0.005 | |
| Iron | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 1.24 | 0.93 | 0.22 | 1.97 | 1.21 | 0.64 | 19.4 | 0.66 | 0.83 | 3.08 | |
| Magnesium | mg/L | | 6.9 | 160 | 25 | 27 | 58 | 33 | 53 | 22 | 32 | 21 | 32 | 15 | 38 | |
| Potassium | mg/L | | 0.004 | 41 | 5.25 | 3 | 3 | 6 | 3 | 5 | 6 | 4 | 5 | 4 | 5 | |
| Sodium | mg/L | | 1.8 | 120 | 11 | 12 | 21 | 21 | 20 | 13 | 17 | 9 | 19 | 10 | 21 | |
| Nickel | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | <0.005 | <0.005 | <0.005 | 0.006 | 0.004 | 0.007 | 0.024 | 0.006 | 0.005 | 0.013 | |
| Zinc | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.008 | <0.005 | <0.005 | <0.01 | <0.01 | 0.01 | 0.06 | 0.01 | <0.01 | 0.02 | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | | | | | | 7.42 | 7.84 | 7.73 | 7.48 | 7.49 | |
| Total Organic Carbon | mg/L | | 5.80 | 33.30 | 10.79 | | | | | | 13.3 | | 9.4 | | 11.2 | |
| Aluminum | mg/L | 0.075* | 0.23 | 40 | 2.93 | | | | | | 0.73 | | | | 2.56 | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | | | | | 0.001 | | | | 0.003 | |
| Barium | mg/L | | 0.03 | 0.23 | 0.057 | | | | | | 0.03 | | | | 0.04 | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | | | | <0.001 | | | | <0.001 | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00069 | | | | | | <0.005 | | | | <0.005 | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | | | | | <0.0001 | | | | 0.0002 | |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | | | | | | 0.0009 | | | | 0.0034 | |
| Copper | mg/L | | 0.003 | 0.055 | 0.0077 | | | | | | | | | | | |
| Lead | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | | | | | <0.001 | | | | 0.001 | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | | | | | 0.013 | | | | 0.012 | |
| Selenium | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | | | | | 0.003 | | | | 0.004 | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | | | | | <0.0001 | | | | <0.0001 | |
| Strontium | mg/L | | 0.086 | 0.627 | 0.34 | | | | | | 0.491 | | | | 0.627 | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0012 | | | | | | <0.01 | | | | <0.01 | |
| Titanium | mg/L | | 0.005 | 0.75 | 0.056 | | | | | | 0.03 | | | | <0.01 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 11 | 1.18 | | | | | | 1.35 | | | | 0.74 | |
| Total Phosphorus | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | | | | | | 0.20 | | | | 2.68 | |
| Vanadium | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | | | | | 0.004 | | | | 0.006 | |
| Ion Percentage | % | | 0.015 | 47.39 | 2.46 | 2.8 | 3.4 | 35.8 | 1.1 | 2.0 | 0.0 | 8.2 | 2.0 | 2.3 | 1.6 | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.088 | | | | | | | | | | | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | | | | | | | | | | | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.090 | | | | | | | | | | | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.11 | | | | | | | | | | | |
| p+m-Xylene | ug/L | | 0.05 | 0.3 | 0.16 | | | | | | | | | | | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.11 | | | | | | | | | | | |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14 / SS14A | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|--|-------------|----------|--------------|--------------|---------------|---------------|-----------------|---------------|-----------|
| | | | | | | | 5-Oct-06 | 17-Nov-06 | 2-Mar-07 | 9-Jan-08 | 19-Mar-08 | 14-Jun-08 | 17-Jul-08 | 9-Sep-08 | 4-Nov-08 | 12-Feb-09 |
| | | | | | | | Routine/ Storm Monitoring | Storm | Routine | Routine | Routine | Storm | Storm | Storm | Storm | Routine |
| | | | | | | | Laboratory | Accutest | Accutest | Accutest | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 42 | 290 | 125 | 117 | 56 | 121 | 239 | 129 | 78 | 98 | 145 | 139 | |
| Chloride | | mg/L | | 3 | 210 | 13 | 52 | 19 | 9 | 26 | 10 | 23 | 27 | 17 | 24 | |
| Sulphate | | mg/L | | 14 | 443 | 126 | 108 | 25 | 72 | 242 | 70 | 257 | 216 | 251 | 69 | |
| Ammonia (as N) | | mg/L | | 0.01 | 2.1 | 0.093 | 0.02 | 0.07 | 0.66 | 0.41 | 0.075 | 0.075 | 0.075 | 0.17 | 0.11 | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.02 | <0.02 | 0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Nitrate | | mg/L | | 0.02 | 53.2 | 0.38 | 53.2 | 7.24 | 1.72 | 0.05 | 0.6 | 0.05 | 0.1 | 0.2 | 1.8 | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.021 | <0.10 | <0.10 | | 0.02 | <0.01 | 0.04 | 0.02 | 0.03 | 0.03 | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron | | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.23 | 0.09 | 0.11 | 0.51 | 0.23 | 0.25 | 0.15 | 0.16 | 0.24 | |
| Calcium | | mg/L | | 25 | 670 | 82 | 130 | 32 | 56 | 130 | 58 | 130 | 100 | 100 | 98 | |
| Chromium | | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | 0.002 | <0.001 | <0.001 | 0.010 | 0.010 | 0.020 | 0.008 | 0.015 | 0.009 | |
| Iron | | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 0.16 | 0.47 | 0.27 | 4.6 | 5.6 | 20 | 7.8 | 10 | 4.7 | |
| Magnesium | | mg/L | | 6.9 | 160 | 25 | 38 | 10 | 17 | 39 | 19 | 45 | 37 | 36 | 35 | |
| Potassium | | mg/L | | 0.004 | 41 | 5.25 | 7 | 4 | 4 | 5 | 5.2 | 6.9 | 5 | 8.5 | 8.4 | |
| Sodium | | mg/L | | 1.8 | 120 | 11 | 20 | 7 | 10 | 20 | 11 | 22 | 21 | 16 | 15 | |
| Nickel | | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | <0.005 | <0.005 | <0.005 | 0.008 | 0.008 | 0.032 | 0.012 | 0.015 | 0.006 | |
| Zinc | | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | <0.01 | <0.01 | <0.01 | 0.02 | 0.02 | 0.07 | 0.025 | 0.03 | 0.02 | |
| pH | | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 7.89 | 7.33 | 7.79 | 7.83 | 6.87 | 8.32 | 7.82 | 7.32 | 7.98 | |
| Total Organic Carbon | | mg/L | | 5.80 | 33.30 | 10.79 | 8.9 | 7.7 | 7.1 | 10.0 | 7.4 | 13.5 | 9.7 | 6.1 | 12.5 | |
| Aluminum | | mg/L | 0.075* | 0.23 | 40 | 2.93 | | 1.77 | | | | 11 | 4.5 | 9.4 | 7.9 | |
| Arsenic | | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | <0.001 | | | | 0.007 | 0.004 | 0.004 | 0.002 | |
| Barium | | mg/L | | 0.03 | 0.23 | 0.057 | | 0.05 | | | | 0.098 | 0.05 | 0.085 | 0.063 | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | <0.001 | | | | 0.0007 | <0.0006 | <0.0006 | <0.0006 | |
| Bismuth | | mg/L | | 0.0005 | 0.0025 | 0.00069 | | <0.005 | | | | | <0.001 | <0.001 | <0.001 | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | <0.0001 | | | | 0.0002 | <0.0001 | <0.0001 | <0.0001 | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | | 0.0008 | | | | 0.0088 | 0.0033 | 0.0044 | 0.0019 | |
| Copper | | mg/L | | 0.003 | 0.055 | 0.0077 | | 0.004 | | | | 0.020 | 0.009 | 0.009 | 0.006 | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | 0.002 | | | | 0.011 | 0.0038 | 0.0044 | 0.0018 | |
| Molybdenum | | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | <0.005 | | | | 0.025 | 0.027 | 0.023 | 0.011 | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | <0.001 | | | | <0.002 | <0.005 | <0.005 | <0.005 | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | <0.0001 | | | | 0.0002 | | <0.0001 | <0.0001 | |
| Strontium | | mg/L | | 0.086 | 0.627 | 0.34 | | 0.086 | | | | 0.52 | 0.44 | 0.50 | 0.43 | |
| Tin | | mg/L | | 0.0005 | 0.005 | 0.0012 | | <0.01 | | | | <0.001 | <0.002 | <0.002 | <0.002 | |
| Titanium | | mg/L | | 0.005 | 0.75 | 0.056 | | <0.01 | | | | 0.22 | 0.27 | 0.27 | 0.25 | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 11 | 1.18 | 0.92 | 1.91 | | | | 3 | 1 | 0.8 | 1.5 | |
| Total Phosphorus | | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | 0.11 | 0.87 | | | | 0.33 | 0.21 | <0.15 | 0.15 | |
| Vanadium | | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | 0.002 | | | | 0.025 | 0.009 | 0.022 | 0.016 | |
| Ion Percentage | | % | | 0.015 | 47.39 | 2.46 | 15.6 | 9.1 | 6.1 | 2.6 | 7.1 | | 5.1 | 7.4 | 1.1 | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.088 | | | | | | <0.2 | <0.2 | <0.2 | <0.2 | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.13 | | | | | | <0.2 | <0.2 | <0.3 | <0.2 | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.090 | | | | | | <0.2 | <0.2 | <0.2 | <0.2 | |
| o-Xylene | | ug/L | | 0.05 | 0.25 | 0.11 | | | | | | <0.2 | <0.2 | <0.3 | <0.2 | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.16 | | | | | | <0.4 | <0.4 | <0.6 | <0.4 | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.11 | | | | | | <0.4 | <0.4 | <0.6 | <0.4 | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | <0.5 | <0.5 | <0.5 | <0.5 | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14 / SS14A | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|--|-------------------|-----------------|-------------------|-------------------|-------------------|-----------------|-----------------|-----------------|-------------------|
| | | | | | | 6-Apr-09 | 9-Aug-09 | 10-Oct-09 | 24-Oct-09 | 25-Jan-10 | 6-Apr-10 | 6-Jun-10 | 14-Oct-10 | 28-Feb-11 | 20-Apr-11 |
| | | | | | | Routine Maxxam | Routine Maxxam | Storm Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Storm Maxxam | Storm Maxxam | Storm Maxxam | Routine Maxxam |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 42 | 290 | 125 | 153 | 80 | | 120 | 126 | 91 | | 95 | 122 | 179 |
| Chloride | mg/L | | 3 | 210 | 13 | 13 | 22 | 32 | 31 | 8 | 8 | 9 | 18 | 11 | 17 |
| Sulphate | mg/L | | 14 | 443 | 126 | 180 | 210 | | 350 | 99 | 150 | | 220 | 89 | 210 |
| Ammonia (as N) | mg/L | | 0.01 | 2.1 | 0.093 | 0.075 | 0.075 | 0.075 | 0.075 | 0.075 | 0.270 | 0.230 | 0.075 | 0.570 | 0.075 |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.02 | <0.02 | | <0.02 | <0.02 | <0.02 | | <0.02 | <0.02 | <0.02 |
| Nitrate | mg/L | | 0.02 | 53.2 | 0.38 | 1.1 | 0.5 | 0.9 | 0.3 | 1.3 | 0.7 | 0.7 | 0.05 | 2.3 | 0.3 |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.021 | | | 0.03 | | | | | 0.01 | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 |
| Boron | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.16 | 0.08 | 0.14 | 0.10 | 0.12 | 0.4 | 0.14 | 0.09 | 0.17 | 0.31 |
| Calcium | mg/L | | 25 | 670 | 82 | 130 | 66 | 130 | 64 | | 670 | 180 | 95 | 60 | 100 |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | 0.030 | <0.005 | <0.005 | <0.005 | 0.006 | 0.26 | 0.073 | <0.005 | <0.005 | <0.005 |
| Iron | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 29 | 1.8 | 1.0 | 1.4 | 3.0 | 260 | 76 | 2.5 | 1.5 | 3.6 |
| Magnesium | mg/L | | 6.9 | 160 | 25 | 43 | 22 | 40 | 44 | 19 | 160 | 48 | 23 | 20 | 34 |
| Potassium | mg/L | | 0.004 | 41 | 5.25 | 7.2 | 3.9 | 4.3 | 7.1 | 5.0 | 41 | 11 | 7.7 | 4.6 | 4.2 |
| Sodium | mg/L | | 1.8 | 120 | 11 | 13 | 12 | 19 | 20 | 7.3 | 16 | 9.1 | 11 | 8.3 | 15 |
| Nickel | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.045 | 0.004 | <0.001 | 0.003 | 0.004 | 0.36 | 0.11 | | 0.003 | 0.002 |
| Zinc | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.097 | 0.009 | <0.01 | 0.031 | 0.012 | 0.78 | 0.16 | 0.010 | 0.012 | 0.019 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 8.44 | 7.48 | 8.24 | 7.88 | 8.65 | 7.94 | 7.94 | 7.85 | 7.85 | 7.91 |
| Total Organic Carbon | mg/L | | 5.80 | 33.30 | 10.79 | 17 | 6.9 | | 8.2 | 5.8 | 14.8 | | 10.7 | 6.0 | 13.2 |
| Aluminum | mg/L | 0.075* | 0.23 | 40 | 2.93 | | | 0.91 | | | | 40 | 4.1 | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | | <0.001 | <0.001 | | | 0.019 | 0.001 | | |
| Barium | mg/L | | 0.03 | 0.23 | 0.057 | | | 0.039 | | | | 0.23 | 0.048 | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | <0.0006 | | | | 0.0024 | <0.0006 | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00069 | | | <0.001 | | | | <0.001 | <0.001 | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | | <0.0001 | | | | 0.0003 | <0.0001 | | |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.0018 | 0.0005 | | | 0.0005 | | | | 0.032 | 0.0008 | | |
| Copper | mg/L | | 0.003 | 0.055 | 0.0077 | | | 0.003 | | | | 0.055 | 0.003 | | |
| Lead | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | | <0.0005 | | | | 0.029 | 0.0012 | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | | 0.014 | | | | 0.022 | 0.008 | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | | <0.005 | | | | <0.005 | <0.005 | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | | <0.0001 | | | | <0.0001 | <0.0001 | | |
| Strontium | mg/L | | 0.086 | 0.627 | 0.34 | | | 0.52 | | | | 0.46 | 0.33 | | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0012 | | | <0.002 | | | | <0.002 | <0.002 | | |
| Titanium | mg/L | | 0.005 | 0.75 | 0.056 | | | 0.026 | | | | 0.75 | 0.16 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 11 | 1.18 | | | 0.9 | | | | 5 | 1.2 | | |
| Total Phosphorus | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | | | 0.05 | | | | 1.3 | 0.11 | | |
| Vanadium | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | | 0.002 | | | | 0.079 | 0.009 | | |
| Ion Percentage | % | | 0.015 | 47.39 | 2.46 | 12.0 | 2.4 | | 2.4 | 4.6 | 40.9 | | 2.4 | 2.7 | 0.2 |
| Benzene | ug/L | | 0.05 | 0.25 | 0.088 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.3 | <0.3 | <0.2 | <0.3 | <0.3 | <0.3 | <0.2 | <0.2 | <0.3 | <0.3 |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.090 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.11 | <0.3 | <0.3 | <0.2 | <0.3 | <0.3 | <0.3 | <0.2 | <0.2 | <0.3 | <0.3 |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.16 | <0.6 | <0.6 | <0.4 | <0.6 | <0.6 | <0.6 | <0.4 | <0.4 | <0.6 | <0.6 |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.11 | <0.6 | <0.6 | <0.4 | <0.6 | <0.6 | <0.6 | <0.4 | <0.4 | <0.6 | <0.6 |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.27 | | | <0.5 | | | | <0.5 | <1 | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14A | | | | | | | | | | | | | |
|-------------------------------------|------------|---------|---------|---------|----------|---|-------------|--------------|---------------|------------|---------------|--------------|------------|------------|-----------|--------|--------|--------|--------------|
| | | | | | | 7-Jun-11 | 8-Aug-11 | 13-Oct-11 | 13-Mar-12 | 4-May-12 | 28-Jul-12 | 30-Oct-12 | 13-Jan-13 | 10-Apr-13 | 29-May-13 | | | | |
| | | | | | | Storm | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Storm | | | | |
| Date | | | | | | | | | | | | | | | | | | | |
| Routine/Storm Monitoring Laboratory | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | mg/L | <25*** | 42 | 290 | 125 | | 132 | 176 | 140 | 92 | 92 | 74 | 150 | 130 | | | | | |
| Chloride | mg/L | | 3 | 210 | 13 | 3 | 13 | 20 | 12 | 12 | 6 | 7 | 9 | 7 | | | | | 7 |
| Sulphate | mg/L | | 14 | 443 | 126 | | 290 | 210 | 170 | 250 | 190 | 94 | 120 | 120 | | | | | |
| Ammonia (as N) | mg/L | | 0.01 | 2.1 | 0.093 | 0.150 | 0.075 | 0.075 | 0.075 | 0.075 | 0.200 | 0.075 | 0.075 | 0.150 | | | | | 0.150 |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | | | | | <0.02 |
| Nitrate | mg/L | | 0.02 | 53.2 | 0.38 | 0.02 | 0.05 | 0.7 | 1.6 | 1.8 | 0.99 | 2.4 | 0.56 | 1.0 | | | | | 0.17 |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.021 | 0.3 | <0.01 | | | | | | | | | | | | 0.032 |
| Phenols | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | | | 0.015 | 0.0013 | <0.0010 | 0.0035 | <0.0010 | <0.0010 | <0.0010 | | | | | |
| Boron | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.13 | 0.25 | 0.20 | 0.19 | 0.18 | 0.22 | 0.093 | 0.14 | 0.14 | | | | | 0.23 |
| Calcium | mg/L | | 25 | 670 | 82 | 51 | 120 | 120 | 88 | 100 | 95 | 51 | 80 | 80 | | | | | 87 |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | 0.045 | <0.005 | 0.007 | 0.013 | 0.0051 | 0.0094 | 0.026 | 0.0064 | 0.0063 | | | | | <0.005 |
| Iron | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 45 | 0.8 | 5.6 | 11 | 3.2 | 9.0 | 2.3 | 6.1 | 3.3 | | | | | 1.2 |
| Magnesium | mg/L | | 6.9 | 160 | 25 | 18 | 27 | 28 | 26 | 26 | 24 | 18 | 23 | 21 | | | | | 22 |
| Potassium | mg/L | | 0.004 | 41 | 5.25 | 7.5 | 6.7 | 13 | 6.6 | 4.7 | 5.1 | 8.2 | 5.0 | 5.8 | | | | | 5.1 |
| Sodium | mg/L | | 1.8 | 120 | 11 | 4.3 | 14 | 14 | 10 | 12 | 12 | 5.9 | 8.7 | 8.5 | | | | | 9.4 |
| Nickel | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.056 | 0.002 | 0.011 | 0.015 | 0.005 | 0.013 | 0.029 | 0.0081 | 0.0051 | | | | | 0.004 |
| Zinc | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.12 | <0.005 | 0.044 | 0.032 | 0.019 | 0.030 | 0.061 | 0.018 | 0.012 | | | | | 0.02 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 7.23 | 7.35 | 7.10 | 7.92 | 8.12 | 7.22 | 7.69 | 7.82 | 7.00 | | | | | |
| Total Organic Carbon | mg/L | | 5.80 | 33.30 | 10.79 | | 11.1 | 33.3 | 16 | 23 | 14 | 9.4 | 10 | 9.5 | | | | | |
| Aluminum | mg/L | 0.075* | 0.23 | 40 | 2.93 | 28 | 0.72 | | | | | | | | | | | | 0.80 |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | 0.011 | 0.003 | 0.0020 | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | 0.003 | | | | | 0.001 |
| Barium | mg/L | | 0.03 | 0.23 | 0.057 | 0.17 | 0.053 | | | | | | | | | | | | 0.035 |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | 0.0014 | <0.0005 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | | | | | <0.0006 |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00069 | <0.001 | 0.001 | | | | | | | | | | | | <0.0010 |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | 0.0003 | <0.0001 | | | | | | | | | | | | <0.0001 |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | 0.016 | 0.0007 | | | | | | | | | | | | 0.0007 |
| Copper | mg/L | | 0.003 | 0.055 | 0.0077 | 0.028 | 0.004 | | | | | | | | | | | | 0.007 |
| Lead | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | 0.019 | <0.0005 | | | | | | | | | | | | 0.001 |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | 0.010 | 0.019 | | | | | | | | | | | | 0.011 |
| Selenium | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | <0.005 | <0.002 | | | | | | | | | | | | <0.005 |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | <0.0001 | | | | | | | | | | | | | <0.00010 |
| Strontium | mg/L | | 0.086 | 0.627 | 0.34 | 0.16 | 0.44 | | | | | | | | | | | | 0.29 |
| Tin | mg/L | 0.0005 | 0.0005 | 0.005 | 0.0012 | <0.002 | <0.001 | | | | | | | | | | | | <0.002 |
| Titanium | mg/L | | 0.005 | 0.75 | 0.056 | 0.51 | 0.021 | | | | | | | | | | | | 0.017 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 11 | 1.18 | 11 | 1 | | | | | | | | | | | | 1.3 |
| Total Phosphorus | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | 0.10 | 0.10 | | | | | | | | | | | | 0.093 |
| Vanadium | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | 0.053 | 0.002 | | | | | | | | | | | | 0.002 |
| Ion Percentage | % | | 0.015 | 47.39 | 2.46 | | 0.3 | 2.2 | 1.6 | 1.2 | 4.6 | 5.6 | 2.7 | 3.9 | | | | | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.088 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | | | | | <0.20 |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | | | | | <0.20 |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.090 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | | | | | <0.20 |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.11 | <0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | | | | | <0.20 |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.16 | <0.4 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | | | | | <0.40 |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.11 | <0.4 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | | | | | <0.40 |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.27 | <0.5 | | | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14A | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|---|-------------|---------------|-------------|----------|--------------|--------------|--------------|---------------|---------------|
| | | | | | | | 5-Jul-13 | 28-Aug-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 7-Jul-14 | 15-Oct-14 | 4-Jan-15 | 10-Apr-15 | 25-Oct-15 |
| | | | | | | | Routine | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 42 | 290 | 125 | 81 | | 160 | 64 | | 52 | 200 | 70 | 220 | 180 |
| Chloride | | mg/L | | 3 | 210 | 13 | 6 | | 15 | 7 | | 140 | 5 | 24 | 10 | 15 |
| Sulphate | | mg/L | | 14 | 443 | 126 | 130 | | 110 | 37 | | 190 | 23 | 96 | 37 | 110 |
| Ammonia (as N) | | mg/L | | 0.01 | 2.1 | 0.093 | 0.075 | | 0.075 | 0.58 | | 0.075 | 0.08 | 0.075 | 0.45 | 0.075 |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.021 | | <0.0076 | 0.009 | | <0.0013 | <0.0028 | 0.0051 | <0.009 | <0.00076 |
| Nitrate | | mg/L | | 0.02 | 53.2 | 0.38 | 0.05 | | 0.05 | 0.05 | | 1.4 | 0.05 | 0.31 | 0.05 | 1.22 |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.021 | | | | | | | | | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.0010 | | <0.010 | 0.0012 | | 0.002 | 0.005 | 0.002 | 0.0097 | 0.0077 |
| Boron | | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 1.5 | 0.49 | 0.39 | 0.06 | | 1.5 | 0.10 | 0.18 | 0.063 | 0.10 |
| Calcium | | mg/L | | 25 | 670 | 82 | 92 | | 58 | 80 | | 30 | 100 | 25 | 85 | 33 |
| Chromium | | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | <0.005 | | 0.006 | <0.0050 | | <0.0050 | 0.027 | <0.0050 | <0.0050 | <0.0050 |
| Iron | | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 3.8 | 4.1 | 2.2 | 0.33 | | 0.21 | 24.0 | 3.3 | 2.2 | 0.58 |
| Magnesium | | mg/L | | 6.9 | 160 | 25 | 32 | | 15 | 22 | | 7.8 | 36 | 9 | 29 | 8.7 |
| Potassium | | mg/L | | 0.004 | 41 | 5.25 | 9 | | 7.7 | 9.1 | | 7.3 | 8.4 | 7.8 | 13 | 8.3 |
| Sodium | | mg/L | | 1.8 | 120 | 11 | 68 | | 10 | 13 | | 3.4 | 110 | 2 | 9.5 | 3.3 |
| Nickel | | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.013 | | 0.006 | 0.0041 | | <0.0010 | 0.01 | 0.031 | 0.0056 | 0.0033 |
| Zinc | | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.016 | | 0.01 | 0.01 | | 0.0089 | 0.0059 | 0.065 | 0.023 | 0.013 |
| pH | | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 8.37 | | 8.33 | 8.21 | | 8.07 | 7.73 | 7.97 | 7.85 | 7.99 |
| Total Organic Carbon | | mg/L | | 5.80 | 33.30 | 10.79 | 8.1 | | | 14 | | 7.5 | 12 | 16 | 33 | 9.2 |
| Aluminum | | mg/L | 0.075* | 0.23 | 40 | 2.93 | | | 6.1 | | | | | | | |
| Arsenic | | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | | 0.003 | | | | | | | |
| Barium | | mg/L | | 0.03 | 0.23 | 0.057 | | | 0.061 | | | | | | | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | <0.0006 | | | | | | | |
| Bismuth | | mg/L | | 0.0005 | 0.0025 | 0.00069 | | | <0.0010 | | | | | | | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | | <0.0001 | | | | | | | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | | | 0.0017 | | | | | | | |
| Copper | | mg/L | | 0.003 | 0.055 | 0.0077 | | | 0.008 | | | | | | | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | | 0.0019 | | | | | | | |
| Molybdenum | | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | | 0.017 | | | | | | | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | | <0.005 | | | | | | | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | | <0.00010 | | | | | | | |
| Strontium | | mg/L | | 0.086 | 0.627 | 0.34 | | | 0.25 | | | | | | | |
| Tin | | mg/L | | 0.0005 | 0.005 | 0.0012 | | | <0.002 | | | | | | | |
| Titanium | | mg/L | | 0.005 | 0.75 | 0.056 | | | 0.26 | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 11 | 1.18 | | | 1.3 | | | | | | | |
| Total Phosphorus | | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | | | 0.10 | | | | | | | |
| Vanadium | | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | | 0.014 | | | | | | | |
| Ion Percentage | | % | | 0.015 | 47.39 | 2.46 | 20.1 | | | 2.8 | | 2.5 | | 8.0 | 2.6 | 2.7 |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.088 | <0.2 | | <0.2 | <0.2 | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.13 | <0.3 | | <0.2 | <0.3 | | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.090 | <0.2 | | <0.2 | <0.2 | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| o-Xylene | | ug/L | | 0.05 | 0.25 | 0.11 | <0.3 | | <0.2 | <0.3 | | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.16 | <0.6 | | <0.6 | <0.6 | | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.11 | <0.6 | | <0.40 | <0.6 | | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14A | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| | | | | | | 25-Feb-16 | 7-Apr-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 28-Oct-17 | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 |
| | | | | | | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 42 | 290 | 125 | 180 | 180 | 91 | 120 | 220 | 98 | 120 | 160 | 170 | 84 |
| Chloride | mg/L | | 3 | 210 | 13 | 11 | 7.4 | 33 | 21 | 33 | 4.4 | 17 | 13 | 13 | 4.6 |
| Sulphate | mg/L | | 14 | 443 | 126 | 160 | 93 | 290 | 56 | 160 | 26 | 200 | 150 | 110 | 97 |
| Ammonia (as N) | mg/L | | 0.01 | 2.1 | 0.093 | 0.075 | 0.24 | 0.075 | 0.49 | 0.075 | 0.075 | 0.03 | 0.22 | 0.13 | 0.025 |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.0021 | 0.0019 | <0.0048 | 0.0014 | <0.0005 | <0.013 | <0.0005 | 0.0061 | <0.0005 | <0.0005 |
| Nitrate | mg/L | | 0.02 | 53.2 | 0.38 | 0.37 | 0.12 | 4.64 | 1.81 | 0.55 | 0.05 | 1.28 | 1.84 | 1.22 | 0.05 |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.021 | | | | | | | | | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0010 | <0.0010 | <0.0010 | <0.0010 |
| Boron | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.16 | 0.10 | 0.07 | 0.13 | 0.19 | 0.1 | 0.09 | 0.11 | 0.29 | 0.07 |
| Calcium | mg/L | | 25 | 670 | 82 | 89 | 73 | 120 | 120 | 110 | 53 | 86 | 79 | 83 | 57 |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | <0.0050 | 0.011 | <0.005 | 0.061 | <0.005 | 0.016 | <0.005 | <0.005 | 0.013 | 0.011 |
| Iron | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 0.32 | 6.2 | 0.90 | 58 | 1.8 | 1.8 | 1.8 | 3.3 | 13 | 9.2 |
| Magnesium | mg/L | | 6.9 | 160 | 25 | 26 | 22 | 27 | 34 | 34 | 11 | 23 | 27 | 26 | 14 |
| Potassium | mg/L | | 0.004 | 41 | 5.25 | 4.1 | 5.8 | 3.7 | 17 | 7.5 | 6.2 | 6.3 | 4.4 | 5.9 | 0.014 |
| Sodium | mg/L | | 1.8 | 120 | 11 | 11 | 8.2 | 16 | 7.1 | 18 | 7 | 10 | 9.6 | 12 | 6.1 |
| Nickel | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.0013 | 0.0078 | 0.006 | 0.077 | 0.004 | 0.028 | 0.003 | 0.006 | 0.016 | 5.2 |
| Zinc | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.0077 | 0.027 | <0.01 | 0.15 | 0.02 | 0.14 | 0.02 | <0.01 | 0.04 | 0.02 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 8.21 | 7.72 | 8.24 | 7.40 | 7.19 | 8.17 | 7.25 | 8.4 | 7.21 | 7.06 |
| Total Organic Carbon | mg/L | | 5.80 | 33.30 | 10.79 | 5.9 | 9.5 | 10 | 8.6 | 11 | 12 | 10 | 6.2 | 12 | 11 |
| Aluminum | mg/L | 0.075* | 0.23 | 40 | 2.93 | | | | | | | | | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | | | | | | | | | |
| Barium | mg/L | | 0.03 | 0.23 | 0.057 | | | | | | | | | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | | | | | | | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00069 | | | | | | | | | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | | | | | | | | | |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | | | | | | | | | | |
| Copper | mg/L | | 0.003 | 0.055 | 0.0077 | | | | | | | | | | |
| Lead | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | | | | | | | | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | | | | | | | | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | | | | | | | | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | | | | | | | | | |
| Strontium | mg/L | | 0.086 | 0.627 | 0.34 | | | | | | | | | | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0012 | | | | | | | | | | |
| Titanium | mg/L | | 0.005 | 0.75 | 0.056 | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 11 | 1.18 | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | | | | | | | | | | |
| Vanadium | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | | | | | | | | | |
| Ion Percentage | % | | 0.015 | 47.39 | 2.46 | 0.4 | 0.9 | 0.5 | 20.3 | 1.7 | 11.1 | 1.1 | 0.1 | 3.6 | 2.7 |
| Benzene | ug/L | | 0.05 | 0.25 | 0.088 | <0.2 | <0.2 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.3 | <0.3 | <0.10 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.50 | <0.20 |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.090 | <0.2 | <0.2 | <0.20 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.25 | <0.20 |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.11 | <0.3 | <0.3 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.16 | <0.6 | <0.6 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.11 | <0.6 | <0.6 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14A | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|---|-------------------|-------------------|-------------------|---------------------------|-------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| | | | | | | 8-Aug-18 | 31-Oct-18 | 7-Feb-19 | 17-Apr-19 | 2-Oct-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 |
| | | | | | | Routine/ Storm Laboratory | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Bureau Veritas | Storm Bureau Veritas | Routine Bureau Veritas | Routine Bureau Veritas | Routine Bureau Veritas | Routine Bureau Veritas |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 42 | 290 | 125 | | 140 | 190 | 230 | 150 | | 120 | 170 | 170 | 150 |
| Chloride | mg/L | | 3 | 210 | 13 | 4.7 | 13 | 13 | 15 | 6.3 | 6.9 | 8.6 | 5.6 | 210 | 14 |
| Sulphate | mg/L | | 14 | 443 | 126 | | 72 | 95 | 210 | 180 | | 74 | 140 | 200 | 150 |
| Ammonia (as N) | mg/L | | 0.01 | 2.1 | 0.093 | 0.025 | 0.057 | 0.025 | 0.025 | 0.025 | 0.025 | 0.025 | 0.078 | 0.064 | 0.025 |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | | <0.00061 | <0.00061 | <0.0079 | <0.0015 | | 0.00048 | 0.0035 | 0.00083 | <0.00055 |
| Nitrate | mg/L | | 0.02 | 53.2 | 0.38 | 0.1 | 0.9 | 1.5 | 0.05 | 0.11 | 0.16 | 0.49 | 0.22 | 23.7 | 1.88 |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.021 | <0.010 | | | | | 0.019 | | | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | | <0.0010 | <0.0010 | <0.0010 | 0.001 | | 0.0005 | <0.0010 | <0.0010 | <0.0010 |
| Boron | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.07 | 0.06 | 0.06 | 0.1 | 0.16 | 0.15 | 0.03 | 0.06 | 1.30 | 0.05 |
| Calcium | mg/L | | 25 | 670 | 82 | 58 | 60 | 74 | 110 | 87 | 86 | 55 | 72 | 130 | 83 |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | 0.01 | <0.005 | <0.005 | <0.005 | <0.005 | 0.0025 | 0.0025 | <0.005 | <0.005 | <0.005 |
| Iron | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 8.4 | 4.4 | <0.1 | 0.1 | 1.6 | 1.6 | 2.5 | 1.9 | 1.8 | 1.2 |
| Magnesium | mg/L | | 6.9 | 160 | 25 | 14 | 18 | 26 | 43 | 28 | 29 | 17 | 22 | 42 | 26 |
| Potassium | mg/L | | 0.004 | 41 | 5.25 | 6 | 11 | 5.5 | 4.9 | 4.4 | 4.4 | 0.004 | 3.5 | 18 | 7.4 |
| Sodium | mg/L | | 1.8 | 120 | 11 | 5.2 | 4.3 | 7.5 | 13 | 10 | 10 | 4.4 | 6.8 | 120 | 8.7 |
| Nickel | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.012 | 0.007 | 0.001 | 0.001 | 0.004 | 0.004 | 0.004 | 0.004 | 0.017 | 0.003 |
| Zinc | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | 0.02 | 0.02 | <0.01 | <0.01 | <0.01 | <0.01 | 0.01 | <0.01 | 0.01 | <0.01 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 7.06 | 6.72 | 7.85 | 8.53 | 7.86 | 8.0 | 8.2 | 8.2 | 7.8 | 7.8 |
| Total Organic Carbon | mg/L | | 5.80 | 33.30 | 10.79 | | 15 | 9.9 | 9.7 | 10 | | 7.5 | 18.0 | 23 | 18 |
| Aluminum | mg/L | 0.075* | 0.23 | 40 | 2.93 | 5.3 | | | | | 1 | | | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | 0.003 | | | | | 0.001 | | | | |
| Barium | mg/L | | 0.03 | 0.23 | 0.057 | 0.045 | | | | | 0.043 | | | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | <0.0006 | | | | | <0.0006 | | | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00069 | <0.001 | | | | | <0.001 | | | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | <0.0001 | | | | | <0.0001 | | | | |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | 0.0034 | | | | | 0.0008 | | | | |
| Copper | mg/L | | 0.003 | 0.055 | 0.0077 | 0.01 | | | | | 0.005 | | | | |
| Lead | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | 0.0035 | | | | | 0.001 | | | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | 0.007 | | | | | 0.012 | | | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | <0.005 | | | | | <0.005 | | | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | <0.0004 | | | | | <0.0004 | | | | |
| Strontium | mg/L | | 0.086 | 0.627 | 0.34 | 0.18 | | | | | 0.4 | | | | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0012 | <0.002 | | | | | <0.002 | | | | |
| Titanium | mg/L | | 0.005 | 0.75 | 0.056 | 0.075 | | | | | 0.021 | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 11 | 1.18 | <0.7 | | | | | <0.7 | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | 0.18 | | | | | 0.088 | | | | |
| Vanadium | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | 0.011 | | | | | 0.003 | | | | |
| Ion Percentage | % | | 0.015 | 47.39 | 2.46 | 47.1 | 1.5 | 0.6 | 0.8 | 0.9 | 47.4 | 0.9 | 3.0 | 3.7 | 1.2 |
| Benzene | ug/L | | 0.05 | 0.25 | 0.088 | <0.20 | <0.25 | <0.20 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.25 | <0.25 |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.20 | <0.50 | <0.40 | <0.50 | <1.0 | <0.20 | <0.20 | <0.50 | <0.50 | <0.50 |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.090 | <0.20 | <0.25 | <0.20 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.25 | <0.25 |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.11 | <0.20 | <0.25 | <0.20 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.25 | <0.25 |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.16 | <0.20 | <0.25 | <0.20 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.25 | <0.25 |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.11 | <0.20 | <0.25 | <0.20 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.25 | <0.25 |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | East Ditch Line (Poplar System) - SS14A | | | | | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|---|--------------|----------------|------------|----------------|------------|----------------|---------------|----------------|--|----------------|--|----------------|--|
| | | | | | | | 23-Sep-21 | | 23-Sep-21 | | 26-Oct-21 | | 17-Feb-22 | | 4-May-22 | | 28-Sep-22 | | 19-Oct-22 | |
| | | | | | | | Routine/Storm Monitoring | | Storm | | Routine | | Routine | | Routine | | Storm | | Routine | |
| | | | | | | | Laboratory | | Bureau Veritas | | Bureau Veritas | | Bureau Veritas | | Bureau Veritas | | Bureau Veritas | | Bureau Veritas | |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 42 | 290 | 125 | 170 | | | 290 | 84 | 270 | 130 | | 120 | | | | | |
| Chloride | | mg/L | | 3 | 210 | 13 | 9.4 | 9.3 | 12 | 4.8 | 11 | 22 | 24 | 8.7 | | | | | | |
| Sulphate | | mg/L | | 14 | 443 | 126 | 130 | | 140 | 14 | 93 | 66 | | 89 | | | | | | |
| Ammonia (as N) | | mg/L | | 0.01 | 2.1 | 0.093 | 0.025 | 0.075 | 0.11 | 2.1 | 0.025 | 0.025 | 0.075 | 0.2 | | | | | | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.02 | 0.0037 | <0.0012 | | 0.0008 | 0.0060 | <0.0039 | <0.0011 | | 0.0027 | | | | | | |
| Nitrate | | mg/L | | 0.02 | 53.2 | 0.38 | 0.05 | 0.05 | 0.22 | 0.35 | 0.05 | 0.05 | 0.05 | <0.10 | | | | | | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.021 | | <0.010 | | | | | <0.010 | | | | | | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.015 | 0.00074 | <0.0010 | | <0.0010 | <0.0010 | <0.0010 | <0.0010 | | 0.0018 | | | | | | |
| Boron | | mg/L | 0.200 | 0.030 | 1.500 | 0.145 | 0.07 | 0.07 | 0.07 | 0.03 | 0.09 | 0.08 | 0.07 | 0.04 | | | | | | |
| Calcium | | mg/L | | 25 | 670 | 82 | 80 | 79 | 110 | 26 | 94 | 70 | 64 | 55 | | | | | | |
| Chromium | | mg/L | 0.0089 | 0.0005 | 0.2600 | 0.0047 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.005 | | | | | | |
| Iron | | mg/L | 0.300 | 0.050 | 260.000 | 2.505 | 0.4 | 0.4 | 0.4 | 4.3 | 0.6 | 1.0 | 1.3 | 4.6 | | | | | | |
| Magnesium | | mg/L | | 6.9 | 160 | 25 | 24 | 23 | 35 | 6.9 | 32 | 21 | 17 | 16 | | | | | | |
| Potassium | | mg/L | | 0.004 | 41 | 5.25 | 8.5 | 8.4 | 6.8 | 8.4 | 4.2 | 4.1 | 3.9 | 7.2 | | | | | | |
| Sodium | | mg/L | | 1.8 | 120 | 11 | 7.4 | 7.1 | 8.9 | 2.3 | 9.2 | 9.7 | 8.5 | 5.8 | | | | | | |
| Nickel | | mg/L | 0.025 | 0.0005 | 5.2 | 0.0067 | 0.002 | 0.002 | 0.002 | 0.007 | 0.002 | 0.003 | 0.003 | 0.007 | | | | | | |
| Zinc | | mg/L | 0.02 | 0.00 | 0.78 | 0.01 | <0.01 | <0.01 | <0.01 | 0.02 | <0.01 | <0.01 | 0.01 | 0.01 | | | | | | |
| pH | | (pH units) | 6.5-8.5 | 6.7 | 8.7 | 7.8 | 7.9 | 7.9 | 7.6 | 7.4 | 8.3 | 7.8 | 7.8 | 7.8 | | | | | | |
| Total Organic Carbon | | mg/L | | 5.80 | 33.30 | 10.79 | 12 | | 10 | 14 | 11 | 9.9 | | 10 | | | | | | |
| Aluminum | | mg/L | 0.075* | 0.23 | 40 | 2.93 | | 0.23 | | | | | 1.2 | | | | | | | |
| Arsenic | | mg/L | 0.100* | 0.0005 | 0.019 | 0.0020 | | <0.001 | | | | | <0.001 | | | | | | | |
| Barium | | mg/L | | 0.03 | 0.23 | 0.057 | | 0.044 | | | | | 0.042 | | | | | | | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | <0.0006 | | | | | <0.0006 | | | | | | | |
| Bismuth | | mg/L | | 0.0005 | 0.0025 | 0.00069 | | <0.001 | | | | | <0.001 | | | | | | | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0003 | 0.000071 | | <0.0001 | | | | | <0.0001 | | | | | | | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.032 | 0.0018 | | <0.0005 | | | | | 0.0007 | | | | | | | |
| Copper | | mg/L | | 0.003 | 0.055 | 0.0077 | | 0.005 | | | | | 0.005 | | | | | | | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.029 | 0.0017 | | <0.0005 | | | | | 0.001 | | | | | | | |
| Molybdenum | | mg/L | 0.040* | 0.0025 | 0.027 | 0.012 | | 0.008 | | | | | 0.009 | | | | | | | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.025 | 0.002 | | <0.005 | | | | | <0.005 | | | | | | | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000077 | | <0.0004 | | | | | <0.0004 | | | | | | | |
| Strontium | | mg/L | | 0.086 | 0.627 | 0.34 | | 0.32 | | | | | 0.24 | | | | | | | |
| Tin | | mg/L | | 0.0005 | 0.005 | 0.0012 | | <0.002 | | | | | <0.002 | | | | | | | |
| Titanium | | mg/L | | 0.005 | 0.75 | 0.056 | | 0.007 | | | | | 0.026 | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 11 | 1.18 | | 0.8 | | | | | <0.7 | | | | | | | |
| Total Phosphorus | | mg/L | 0.02* | 0.05 | 2.68 | 0.17 | | 0.091 | | | | | 0.067 | | | | | | | |
| Vanadium | | mg/L | 0.006* | 0.0005 | 0.079 | 0.0067 | | <0.001 | | | | | 0.003 | | | | | | | |
| Ion Percentage | | % | | 0.015 | 47.39 | 2.46 | 0.5 | 46.1 | 0.4 | 1.0 | 0.6 | 5.8 | 38.3 | 0.1 | | | | | | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.088 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.13 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | | | | | | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.090 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | |
| o-Xylene | | ug/L | | 0.05 | 0.25 | 0.11 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.16 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.11 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | | | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.27 | | | | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS15 / SS14B | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|--|--------------|-------------|-------------|--------------|-------------|--------------|-------------|-------------|--------------|
| | | | | | | 4-Apr-03 | 13-Jun-03 | 15-Sep-03 | 3-May-04 | 31-Jul-04 | 23-Sep-05 | 9-Nov-05 | 18-Jan-06 | 9-Mar-06 | 3-Aug-06 |
| | | | | | | Routine | Routine | Routine | Routine | Routine | Storm | Routine | Routine | Routine | Storm |
| | | | | | | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest | Accutest |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | 89 | 148 | 76 | 166 | 84 | 131 | 75 | 141 | 97 | 102 |
| Chloride | mg/L | | 6 | 150 | 30 | 13 | 16 | 20 | 8 | 10 | 48 | 26 | 14 | 11 | 32 |
| Sulphate | mg/L | | 24 | 400 | 128 | 183 | 322 | 277 | 226 | 163 | 241 | 132 | 120 | 60 | 364 |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 0.07 | 0.06 | 0.03 | 0.35 | 0.08 | 0.05 | 0.11 | 0.39 | 0.60 | 0.03 |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | 0.02 | <0.02 |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 6.01 | 7.19 | 0.39 | 3.01 | 0.34 | 7.56 | 5.63 | 1.81 | 0.89 | 2.38 |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | | | | | | 0.14 | | | | <0.10 |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.21 | 0.51 | 0.35 | 0.37 | 0.20 | 0.63 | 0.26 | 0.37 | 0.15 | 0.26 |
| Calcium | mg/L | | 0.2 | 250 | 76 | 78 | 126 | 122 | 93 | 57 | 107 | 71 | 67 | 39 | 119 |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | <0.005 | <0.005 | <0.005 | <0.005 | 0.012 | 0.002 | 0.074 | 0.002 | 0.001 | 0.002 |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 1.33 | 1.28 | 0.52 | 0.75 | 8.42 | 0.51 | 59.0 | 0.47 | 0.65 | 0.21 |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 26 | 47 | 28 | 28 | 21 | 31 | 22 | 21 | 12 | 37 |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 3 | 3 | 10 | 4 | 4 | 6 | 4 | 3 | 4 | 7 |
| Sodium | mg/L | | 0.1 | 110 | 19 | 12 | 19 | 18 | 15 | 11 | 26 | 16 | 12 | 8 | 26 |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | <0.005 | <0.005 | <0.005 | <0.005 | 0.037 | 0.009 | 0.083 | <0.005 | <0.005 | 0.005 |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | 0.012 | 0.027 | <0.005 | 0.03 | 0.34 | <0.01 | 0.15 | 0.01 | <0.01 | <0.01 |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | | | | | | 7.31 | 7.89 | 7.68 | 7.84 | 7.45 |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | | | | | | 12.4 | | 7.7 | | 8.3 |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | | | | | 0.68 | | | | 0.20 |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | | | | | 0.001 | | | | 0.001 |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | | | | | 0.04 | | | | 0.04 |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | | | | | <0.001 | | | | <0.001 |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | | | | | <0.005 | | | | <0.005 |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | | | | | <0.0001 | | | | <0.0001 |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | | | | | 0.0009 | | | | 0.0005 |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | | | | | | | | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | | | | | <0.001 | | | | 0.006 |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | | | | | 0.012 | | | | 0.025 |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | | | | | 0.003 | | | | 0.003 |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | | | | | <0.0001 | | | | <0.0001 |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | | | | | 0.461 | | | | 0.533 |
| Tin | mg/L | 0.0005 | 0.0005 | 0.0013 | 0.0013 | | | | | | <0.01 | | | | <0.01 |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | | | | | 0.02 | | | | <0.01 |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | | | | | | 1.29 | | | | 0.73 |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | | | | | | 0.19 | | | | 0.07 |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | | | | | 0.003 | | | | 0.001 |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 4.1 | 3.6 | 4.7 | 0.1 | 0.5 | 1.9 | 6.7 | 2.3 | 2.0 | 0.3 |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | | | | | | | | | | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | | | | | | | | | | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | | | | | | | | | | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | | | | | | | | | | |
| p+m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | | | | | | | | | | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | | | | | | | | | | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS15 / SS14B | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|--------------|--|-----------|--------------|------------|---------------|-------------|---------------|---------------|--------------|-----------|
| | | | | | | | 5-Oct-06 | 17-Nov-06 | 2-Mar-07 | 9-Jan-08 | 19-Mar-08 | 14-Jun-08 | 17-Jul-08 | 9-Sep-08 | 4-Nov-08 | 12-Feb-09 |
| | | | | | | | Routine | Storm | Routine | Routine | Routine | Storm | Storm | Storm | Storm | Routine |
| Laboratory | | | | | | Accutest | Accutest | Accutest | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | 140 | 169 | 101 | 123 | 99 | 100 | 85 | 100 | 118 | 101 | |
| Chloride | mg/L | | 6 | 150 | 30 | 51 | 28 | 16 | 33 | 12 | 21 | 27 | 17 | 25 | 10 | |
| Sulphate | mg/L | | 24 | 400 | 128 | 111 | 139 | 68 | 145 | 59 | | 216 | 192 | 173 | 48 | |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 0.04 | 0.20 | 0.76 | | 0.33 | 0.075 | 0.075 | 0.075 | 0.23 | 0.1 | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 26.3 | 2.88 | 1.92 | 3.5 | 0.8 | 1.0 | 0.8 | 0.5 | 1.4 | 1.5 | |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | <0.10 | <0.10 | | | 0.02 | 0.03 | 0.04 | 0.03 | 0.03 | 0.02 | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | 0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.36 | 0.43 | 0.16 | 0.33 | 0.18 | 0.19 | 0.19 | 0.14 | 0.23 | 0.16 | |
| Calcium | mg/L | | 0.2 | 250 | 76 | 110 | 80 | 48 | 73 | 45 | | 79 | 95 | 88 | 79 | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | 0.002 | 0.001 | <0.001 | 0.017 | <0.005 | 0.009 | <0.005 | 0.017 | 0.008 | 0.02 | |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 0.37 | 0.35 | 0.27 | 7.8 | 2.1 | 9.2 | 1.4 | 11 | 8.6 | 22 | |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 30 | 25 | 14 | 22 | 14 | 23 | 29 | 31 | 26 | 16 | |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 7 | 5 | 5 | 5 | 3.8 | 5.2 | 4.3 | 8.9 | 7.8 | 6 | |
| Sodium | mg/L | | 0.1 | 110 | 19 | 20 | 19 | 14 | 19 | 10 | 16 | 19 | 15 | 14 | 8.2 | |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | <0.005 | <0.005 | <0.005 | 0.014 | 0.003 | 0.015 | 0.003 | 0.017 | 0.011 | 0.026 | |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | <0.01 | <0.01 | <0.01 | 0.03 | 0.01 | 0.03 | 0.008 | 0.04 | 0.04 | 0.058 | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 7.86 | 7.96 | 7.75 | 7.83 | 6.84 | 7.66 | 7.41 | 7.32 | 8.08 | 6.70 | |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | 10.5 | 9.8 | 7.7 | 10.6 | 7.1 | 8.2 | 7.6 | 6.9 | 11.1 | 12.7 | |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | 0.80 | | | | 5.9 | 0.93 | 11 | 5.5 | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | <0.001 | | | | 0.004 | 0.001 | 0.004 | 0.003 | | |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | 0.04 | | | | 0.058 | 0.04 | 0.088 | 0.055 | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | <0.001 | | | | <0.0006 | <0.0006 | <0.0006 | <0.0006 | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | <0.005 | | | | <0.0006 | <0.001 | <0.001 | <0.001 | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | <0.0001 | | | | 0.0005 | <0.0001 | <0.0001 | <0.0001 | | |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | 0.0005 | | | | 0.0038 | 0.0006 | 0.0047 | 0.0033 | | |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | 0.003 | | | | 0.010 | 0.004 | 0.010 | 0.008 | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | <0.001 | | | | 0.0044 | 0.007 | 0.005 | 0.0034 | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | <0.005 | | | | 0.015 | 0.02 | 0.023 | 0.009 | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | <0.001 | | | | <0.002 | <0.005 | <0.005 | <0.005 | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | <0.0001 | | | | <0.0001 | <0.0001 | <0.0001 | <0.0001 | | |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | 0.291 | | | | 0.30 | 0.39 | 0.42 | 0.31 | | |
| Tin | mg/L | 0.0005 | 0.005 | 0.0013 | 0.0013 | | <0.01 | | | | <0.001 | <0.002 | <0.002 | <0.002 | | |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | 0.01 | | | | 0.10 | 0.39 | 0.39 | 0.096 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | 1.18 | 1.28 | | | | 2 | 0.7 | 1 | 1.8 | | |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | 0.13 | 0.20 | | | | 0.21 | 0.07 | 0.23 | 0.78 | | |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | 0.001 | | | | 0.012 | 0.002 | 0.025 | 0.011 | | |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 10.0 | 2.2 | 5.1 | 1.9 | 5.4 | | 3.9 | 7.1 | 2.5 | 9.2 | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | | | | | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | | | | | | <0.2 | <0.2 | <0.3 | <0.2 | <0.3 | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | | | | | | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | | | | | | <0.2 | <0.2 | <0.3 | <0.2 | <0.3 | |
| p+m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | | | | | | <0.4 | <0.4 | <0.6 | <0.4 | <0.6 | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | | | | | | <0.4 | <0.4 | <0.6 | <0.4 | <0.6 | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | <0.5 | <0.5 | <0.5 | <0.5 | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS14B | | | | | | | | | | | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|--------------|---|---------------|--------------|-------------|--------------|------------|---------------|------------|-----------|---------|-----------|---------|----------|---------|-----------|---------|----------|---------|-----------|---------|
| | | | | | | | 6-Apr-09 | | 7-Jun-11 | | 9-Aug-11 | | 29-Nov-11 | | 13-Jan-13 | | 10-Apr-13 | | 5-Jul-13 | | 28-Aug-13 | | 7-Oct-13 | | 11-Jan-14 | |
| | | | | | | | Routine | Storm | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Storm | Routine | Routine | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Routine |
| | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | 111 | | 56 | 98 | 200 | 110 | 130 | | 250 | | 60 | | | | | | | | | | |
| Chloride | mg/L | | 6 | 150 | 30 | 16 | | 28 | 28 | 110 | 48 | 85 | 21 | 130 | | 7 | | | | | | | | | | |
| Sulphate | mg/L | | 24 | 400 | 128 | 120 | | 220 | 46 | 210 | 95 | 150 | | 170 | | 24 | | | | | | | | | | |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 0.075 | 0.15 | 0.075 | 0.075 | 0.075 | 0.21 | 0.075 | 0.075 | 0.075 | | 0.83 | | | | | | | | | | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | <0.02 | | <0.02 | <0.02 | <0.02 | <0.014 | | <0.014 | | 0.0075 | | | | | | | | | | | |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 2.0 | 0.02 | 1.2 | 0.2 | 0.37 | 0.58 | 0.05 | 0.05 | 0.05 | 0.99 | | | | | | | | | | | |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | | 0.3 | <0.01 | | | | | <0.010 | | | | | | | | | | | | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | <0.001 | | 0.001 | <0.001 | <0.0010 | <0.0010 | <0.0010 | | <0.0010 | | 0.0024 | | | | | | | | | | |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.20 | 0.16 | 0.41 | 0.67 | 1.4 | 0.75 | 1.5 | 0.3 | 2.0 | | 0.042 | | | | | | | | | | |
| Calcium | mg/L | | 0.2 | 250 | 76 | 86 | | 74 | 30 | 110 | 250 | 92 | 77 | 120 | | 26 | | | | | | | | | | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | 0.014 | 0.029 | <0.005 | <0.005 | <0.0050 | 0.092 | <0.0050 | 0.01 | <0.0050 | | <0.0050 | | | | | | | | | | |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 14 | 30 | 3.2 | 4.3 | 0.86 | 94 | 7 | 1.8 | 3.3 | | | | | | | | | | | | |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 27 | 16 | 23 | 11 | 35 | 57 | 21 | 19 | 36 | 6.2 | | | | | | | | | | | |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 4.9 | 6.3 | 5.4 | 6.2 | 8.3 | 13 | 9 | 9.8 | 10 | 8.4 | | | | | | | | | | | |
| Sodium | mg/L | | 0.1 | 110 | 19 | 13 | 4.7 | 31 | 34 | 100 | 45 | 68 | 18 | 110 | 2.3 | | | | | | | | | | | |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | 0.022 | 0.039 | 0.006 | 0.007 | 0.0080 | 0.13 | 0.013 | 0.011 | 0.012 | 0.005 | | | | | | | | | | | |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | 0.10 | 0.08 | 0.008 | 0.022 | 0.0067 | 0.45 | 0.016 | 0.02 | 0.0077 | 0.018 | | | | | | | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 8.45 | 7.21 | 6.92 | 7.10 | 7.47 | 7.09 | 8.19 | 8.22 | 8.11 | 7.84 | | | | | | | | | | | |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | 17 | | 7.8 | 8.2 | 11 | 7.9 | 16 | | 9.3 | | | | | | | | | | | | |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | 18 | 1.9 | | | | | 8.4 | | | | | | | | | | | | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | 0.008 | 0.002 | | | | | 0.004 | | | | | | | | | | | | | |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | 0.14 | 0.031 | | | | | 0.078 | | | | | | | | | | | | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | 0.0010 | <0.0005 | | | | | <0.0006 | | | | | | | | | | | | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | <0.001 | <0.001 | | | | | <0.0010 | | | | | | | | | | | | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | 0.0002 | <0.0001 | | | | | <0.0001 | | | | | | | | | | | | | |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | 0.011 | 0.0015 | | | | | 0.0039 | | | | | | | | | | | | | |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | 0.021 | 0.005 | | | | | 0.01 | | | | | | | | | | | | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | 0.015 | 0.0013 | | | | | 0.0037 | | | | | | | | | | | | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | 0.009 | 0.02 | | | | | 0.016 | | | | | | | | | | | | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | <0.005 | 0.004 | | | | | <0.005 | | | | | | | | | | | | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | <0.0001 | | | | | | <0.00010 | | | | | | | | | | | | | |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | 0.16 | 0.36 | | | | | 0.39 | | | | | | | | | | | | | |
| Tin | mg/L | 0.0005 | 0.005 | 0.0013 | 0.0013 | | <0.002 | <0.001 | | | | | <0.002 | | | | | | | | | | | | | |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | 0.34 | 0.047 | | | | | 0.2 | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | | 5 | 2 | | | | | 1.5 | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | | 0.8 | 0.092 | | | | | 0.18 | | | | | | | | | | | | | |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | 0.035 | 0.004 | | | | | 0.017 | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 10.3 | | 2.0 | 2.2 | 3.0 | 28.3 | 4.0 | 41.6 | 3.5 | 3.0 | | | | | | | | | | | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | | | | | | | | | | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.3 | <0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | | | | | | | | | | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | | | | | | | | | | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | <0.3 | <0.2 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | | | | | | | | | | |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | <0.6 | <0.4 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | | | | | | | | | | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | <0.6 | <0.4 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | | | | | | | | | | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | <0.5 | | | | | | | | | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS14B | | | | | | | | | | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|---|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------|--|--|--|--|
| | | | | | | 8-Apr-14 | 7-Jul-14 | 4-Jan-15 | 10-Apr-15 | 25-Oct-15 | 7-Apr-16 | 14-Jul-16 | 21-Oct-16 | 12-Jan-17 | 6-Apr-17 | | | | | |
| | | | | | | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | Routine Maxxam | | | | | |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | | | | | | | | | | | | | | | |
| Chloride | mg/L | | 6 | 150 | 30 | 130 | 12 | 10 | 48 | 30 | 21 | 22 | 33 | 21 | 33 | | | | | |
| Sulphate | mg/L | | 24 | 400 | 128 | 180 | 120 | 38 | 250 | 150 | 130 | 110 | 310 | 62 | 160 | | | | | |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 0.075 | 0.075 | 0.44 | 0.075 | 0.075 | 0.075 | 0.075 | 0.075 | 0.51 | 0.075 | | | | | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | <0.0034 | <0.0013 | 0.0076 | <0.0061 | <0.0014 | <0.0019 | <0.0068 | <0.0037 | 0.0013 | <0.0014 | | | | | |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 0.05 | 0.05 | 1.19 | 1.15 | 0.57 | 0.65 | 0.05 | 4.28 | 1.89 | 0.54 | | | | | |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | | | | | | | | | | | | | | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | 0.005 | 0.003 | 0.0084 | <0.0010 | <0.0010 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | | | | | |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 1.4 | 0.23 | 0.064 | 0.28 | 0.10 | 0.15 | 0.13 | 0.08 | 0.14 | 0.20 | | | | | |
| Calcium | mg/L | | 0.2 | 250 | 76 | 100 | 80 | 33 | 150 | 62 | 94 | 130 | 110 | 120 | | | | | | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | <0.0050 | 0.013 | <0.0050 | 0.0057 | <0.005 | <0.0050 | 0.007 | <0.005 | 0.052 | <0.005 | | | | | |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 0.14 | 12 | 2.2 | 5.2 | 1.4 | 1.6 | 3.5 | 1.7 | 5.2 | 2.4 | | | | | |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 33 | 19 | 9 | 48 | 15 | 27 | 16 | 28 | 31 | 35 | | | | | |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 8.1 | 5.9 | 8.3 | 5.5 | 11 | 4.2 | 9.9 | 4.7 | 15 | 6.7 | | | | | |
| Sodium | mg/L | | 0.1 | 110 | 19 | 100 | 13 | 3.3 | 29 | 16 | 14 | 12 | 16 | 6.7 | 18 | | | | | |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | 0.0096 | 0.018 | 0.0035 | 0.014 | 0.004 | 0.0029 | 0.006 | 0.004 | 0.072 | 0.005 | | | | | |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | <0.0050 | 0.03 | 0.012 | 0.032 | 0.020 | 0.011 | 0.010 | <0.01 | 0.14 | 0.020 | | | | | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 8.12 | 7.16 | 8.14 | 8.27 | 7.71 | 8.02 | 7.93 | 8.09 | 7.36 | 7.81 | | | | | |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | 12 | 10 | 11 | 11 | 6.9 | 9.2 | 9.5 | 12 | 8.6 | 11 | | | | | |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | | | | | | | | | | | | | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | | | | | | | | | | | | | | |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | | | | | | | | | | | | | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | | | | | | | | | | | | | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | | | | | | | | | | | | | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | | | | | | | | | | | | | | |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | | | | | | | | | | | | | | |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | | | | | | | | | | | | | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | | | | | | | | | | | | | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | | | | | | | | | | | | | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | | | | | | | | | | | | | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | | | | | | | | | | | | | | |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | | | | | | | | | | | | | | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0013 | | | | | | | | | | | | | | | |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | | | | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | | | | | | | | | | | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | | | | | | | | | | | | | | | |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | | | | | | | | | | | | | | |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 12.2 | 10.5 | 2.7 | 2.6 | 1.1 | 0.4 | 1.8 | 0.6 | 17.7 | 3.2 | | | | | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.10 | <0.10 | <0.20 | <0.20 | <0.10 | | | | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | | | | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS14B | | | | | | | | | |
|------------------------------------|-------------------------------------|---------|---------|---------|----------|------------|---|------------|--------------|------------|---------------|----------|------------|--------------|--------------|----------------|
| | | | | | | | 13-Jul-17 | 28-Oct-17 | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 | 8-Aug-18 | 2-Oct-18 | 7-Feb-19 | 19-Apr-19 | 2-Oct-19 |
| | | | | | | | Routine | Routine | Routine | Routine | Routine | Storm | Routine | Routine | Routine | Routine |
| | Routine/Storm Monitoring Laboratory | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | 65 | 130 | 180 | 170 | 49 | 240 | 180 | 180 | 45 | 33 | 150 |
| Chloride | mg/L | | 6 | 150 | 30 | 13 | 33 | 39 | 13 | 7.7 | 9.5 | 120 | 45 | 33 | 150 | |
| Sulphate | mg/L | | 24 | 400 | 128 | 98 | 240 | 70 | 120 | 63 | | 180 | 84 | 93 | 240 | |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 0.075 | 0.056 | 0.089 | 0.13 | 0.13 | 0.086 | 0.092 | 0.19 | 0.025 | 0.76 | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | <0.013 | <0.0005 | 0.0021 | 0.0009 | 0.0025 | | 0.0018 | 0.0019 | <0.0024 | 0.081 | |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 1.46 | 0.75 | 1.26 | 1.19 | 1.07 | 1.07 | 8.63 | 2.23 | 0.99 | 5.16 | |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | | | | | | 0.026 | | | | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | <0.0040 | <0.0010 | 0.0015 | <0.0010 | <0.0010 | | <0.0010 | <0.0010 | <0.0010 | 0.001 | |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.1 | 0.09 | 0.46 | 0.24 | 0.06 | 0.06 | 0.02 | 0.16 | 0.11 | 0.77 | |
| Calcium | mg/L | | 0.2 | 250 | 76 | 200 | 100 | 66 | 83 | 45 | 44 | 80 | 160 | 130 | | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | 0.11 | <0.005 | <0.005 | 0.013 | 0.008 | 0.007 | 0.005 | <0.005 | 0.052 | <0.005 | |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 110 | 0.7 | 1.5 | 12 | 6.6 | 6.2 | | 0.8 | 51 | 1.4 | |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 51 | 27 | 16 | 26 | 16 | 16 | 0.05 | 24 | 41 | 40 | |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 26 | 5.5 | 6.9 | 5.7 | 4.1 | 3.9 | 0.2 | 5.5 | 10 | 10 | |
| Sodium | mg/L | | 0.1 | 110 | 19 | 9 | 19 | 30 | 12 | 7.6 | 7.6 | 0.1 | 21 | 17 | 63 | |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | 0.15 | 0.003 | 0.005 | 0.015 | 0.01 | 0.009 | 0.001 | 0.003 | 0.072 | 0.014 | |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | 0.4 | <0.01 | 0.01 | 0.04 | 0.01 | 0.01 | 0.01 | <0.01 | 0.14 | 0.01 | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 8.16 | 7.35 | 8.32 | 7.71 | 7.5 | 7.5 | 7.67 | 7.96 | 8.43 | 8.43 | |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | 8.2 | 8.6 | 9.8 | 12 | 4.9 | | 16 | 7.3 | 18 | 18 | |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | | | | | 4.4 | | | | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | | | | | 0.002 | | | | | |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | | | | | 0.038 | | | | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | | | | | <0.0006 | | | | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | | | | | <0.001 | | | | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | | | | | <0.0001 | | | | | |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | | | | | 0.0026 | | | | | |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | | | | | 0.007 | | | | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | | | | | 0.0021 | | | | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | | | | | 0.018 | | | | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | | | | | <0.005 | | | | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | | | | | <0.0004 | | | | | |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | | | | | 0.16 | | | | | |
| Tin | mg/L | | 0.0005 | 0.005 | 0.0013 | | | | | | <0.002 | | | | | |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | | | | | 0.054 | | | | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | | | | | | <0.7 | | | | | |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | | | | | | 0.087 | | | | | |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | | | | | 0.009 | | | | | |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 30.8 | 1.2 | 0.3 | 2.7 | 11.7 | 43.7 | 54.1 | 1.5 | 16.2 | 1.5 | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 | <0.20 | <0.25 | <0.10 | <0.25 | <0.50 | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.20 | <0.10 | <0.20 | <0.50 | <0.20 | <0.20 | <0.50 | <0.20 | <0.50 | <1.0 | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | <0.10 | <0.20 | <0.10 | <0.25 | <0.20 | <0.20 | <0.25 | <0.10 | <0.25 | <0.50 | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 | <0.20 | <0.25 | <0.10 | <0.25 | <0.50 | |
| p-m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 | <0.20 | <0.25 | <0.10 | <0.25 | <0.50 | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | <0.10 | <0.10 | <0.10 | <0.25 | <0.20 | <0.20 | <0.25 | <0.10 | <0.25 | <0.50 | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS14B | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | | | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 | 3-Jun-21 | 9-Jul-21 | 8-Sep-21 | 23-Sep-21 | 26-Oct-21 |
| | | | | | | | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Storm | Storm | Routine |
| | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 49 | 330 | 120 | | 150 | 200 | 130 | 160 | 72 | 120 | | 330 | |
| Chloride | | mg/L | | 6 | 150 | 30 | 150 | 49 | 94 | 140 | 130 | 41 | 94 | 33 | 120 | |
| Sulphate | | mg/L | | 24 | 400 | 128 | | 48 | 150 | 190 | 160 | 400 | 170 | | 150 | |
| Ammonia (as N) | | mg/L | | 0.025 | 2.4 | 0.119 | 0.93 | 0.11 | 0.62 | 0.17 | 0.19 | 0.09 | 0.025 | 0.075 | 0.025 | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | | 0.0026 | 0.034 | 0.0046 | 0.0020 | 0.0019 | <0.0068 | | <0.0015 | |
| Nitrate | | mg/L | | 0.02 | 26.3 | 0.81 | 5.15 | 6.15 | 6.00 | 12 | 9.91 | 0.48 | 0.05 | 0.30 | 0.15 | |
| Nitrite | | mg/L | | 0.005 | 0.915 | 0.035 | 0.915 | | | | | | 0.031 | 0.027 | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | | 0.0005 | <0.0010 | <0.0010 | <0.0010 | 0.0011 | <0.0010 | | <0.0010 | |
| Boron | | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.78 | 0.43 | 0.77 | 1 | 0.71 | 0.14 | 0.82 | 0.13 | 0.89 | |
| Calcium | | mg/L | | 0.2 | 250 | 76 | 130 | 120 | 100 | 110 | 110 | 120 | 75 | 85 | 160 | |
| Chromium | | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | <0.005 | 0.041 | 0.012 | 0.009 | 0.007 | <0.005 | 0.005 | <0.005 | 0.017 | |
| Iron | | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 1.3 | 41 | 11 | 6.2 | 6.4 | 2.1 | 4.2 | 2.0 | 16 | |
| Magnesium | | mg/L | | 0.05 | 57 | 23 | 40 | 32 | 33 | 35 | 34 | 43 | 27 | 31 | 46 | |
| Potassium | | mg/L | | 0.2 | 26 | 6.62 | 10 | 14 | 10 | 21 | 13 | 4.4 | 8 | 5.7 | 11 | |
| Sodium | | mg/L | | 0.1 | 110 | 19 | 62 | 37 | 63 | 86 | 72 | 28 | 58 | 21 | 76 | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | 0.014 | 0.06 | 0.022 | 0.02 | 0.018 | 0.004 | 0.012 | 0.004 | 0.030 | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | 0.01 | 0.14 | 0.04 | 0.02 | 0.02 | <0.01 | 0.01 | <0.01 | 0.04 | |
| pH | | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 8.43 | 8.23 | 8.30 | 8.1 | 7.8 | 7.6 | 8.5 | 8.1 | 8.2 | |
| Total Organic Carbon | | mg/L | | 0.40 | 27.00 | 9.62 | | 7.1 | 0.4 | 27 | | 5 | 13 | | 13 | |
| Aluminum | | mg/L | 0.075* | 0.2 | 18 | 2.77 | 0.77 | | | | | | | 1.5 | 9.1 | |
| Arsenic | | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | 0.001 | | | | | | | 0.001 | 0.005 | |
| Barium | | mg/L | | 0.026 | 0.14 | 0.054 | 0.063 | | | | | | | 0.026 | 0.11 | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | <0.0006 | | | | | | | <0.0006 | <0.0006 | |
| Bismuth | | mg/L | | 0.0005 | 0.0025 | 0.00071 | <0.001 | | | | | | | <0.001 | <0.001 | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | 0.0002 | | | | | | | <0.0001 | 0.0001 | |
| Cobalt | | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | 0.0022 | | | | | | | 0.0011 | 0.0074 | |
| Copper | | mg/L | | 0.003 | 0.021 | 0.0084 | 0.01 | | | | | | | 0.006 | 0.019 | |
| Lead | | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | 0.0009 | | | | | | | 0.0009 | 0.0061 | |
| Molybdenum | | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | 0.021 | | | | | | | 0.023 | 0.011 | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | <0.005 | | | | | | | <0.005 | <0.005 | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | <0.0004 | | | | | | | <0.0004 | <0.0004 | |
| Strontium | | mg/L | | 0.16 | 0.57 | 0.35 | 0.56 | | | | | | | 0.43 | 0.57 | |
| Tin | | mg/L | | 0.0005 | 0.005 | 0.0013 | <0.002 | | | | | | | <0.002 | <0.002 | |
| Titanium | | mg/L | | 0.005 | 0.39 | 0.057 | 0.018 | | | | | | | 0.025 | 0.13 | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 5 | 1.13 | 2.4 | | | | | | | <0.7 | 1.3 | |
| Total Phosphorus | | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | 0.11 | | | | | | | 0.048 | 0.33 | |
| Vanadium | | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | 0.002 | | | | | | | 0.003 | 0.018 | |
| Ion Percentage | | % | | 0.115 | 54.13 | 3.67 | 25.2 | 16.9 | 2.3 | 4.7 | 3.6 | 0.3 | 0.2 | 39.5 | 30.8 | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.082 | <0.20 | <0.10 | <0.25 | <0.50 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.13 | <0.20 | <0.20 | <0.50 | <1.0 | <0.50 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.085 | <0.20 | <0.10 | <0.25 | <0.50 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | |
| o-Xylene | | ug/L | | 0.05 | 0.25 | 0.09 | <0.20 | <0.10 | <0.25 | <0.50 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.12 | <0.20 | <0.10 | <0.25 | <0.50 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | <0.20 | <0.10 | <0.25 | <0.50 | <0.25 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | West Ditch Line (Poplar System) - SS14B | | | | | |
|------------------------------------|------------|---------|---------|---------|----------|---|----------------|----------------|----------------|----------------|----------------|
| | | | | | | 17-Feb-22 | 4-May-22 | 30-Aug-22 | 28-Sep-22 | 18-Oct-22 | |
| | | | | | | Routine/Storm Monitoring Laboratory | Routine | Routine | Routine | Storm | Routine |
| | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 49 | 330 | 120 | 120 | 300 | 68 | | 58 | |
| Chloride | mg/L | | 6 | 150 | 30 | 18 | 84 | 31 | 7.0 | 14 | |
| Sulphate | mg/L | | 24 | 400 | 128 | 24 | 120 | 270 | | 170 | |
| Ammonia (as N) | mg/L | | 0.025 | 2.4 | 0.119 | 2.4 | 0.13 | 0.15 | 0.075 | <0.050 | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.081 | 0.0047 | 0.0084 | 0.03 | 0.01 | | <0.0011 | |
| Nitrate | mg/L | | 0.02 | 26.3 | 0.81 | 0.63 | 0.05 | 0.05 | 0.24 | 0.27 | |
| Nitrite | mg/L | | 0.005 | 0.915 | 0.035 | | | | <0.010 | | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.0084 | 0.00074 | 0.0012 | <0.0010 | 0.0020 | | <0.0010 | |
| Boron | mg/L | 0.200 | 0.020 | 2.000 | 0.258 | 0.29 | 0.98 | 0.20 | 0.05 | 0.09 | |
| Calcium | mg/L | | 0.2 | 250 | 76 | 42 | 100 | 130 | 52 | 87 | |
| Chromium | mg/L | 0.0089 | 0.0005 | 0.1100 | 0.0056 | <0.005 | <0.005 | 0.010 | 0.016 | 0.027 | |
| Iron | mg/L | 0.300 | 0.100 | 110.000 | 3.495 | 4.2 | 2.5 | 9.3 | 16 | 25 | |
| Magnesium | mg/L | | 0.05 | 57 | 23 | 11 | 32 | 38 | 19 | 28 | |
| Potassium | mg/L | | 0.2 | 26 | 6.62 | 10 | 6.5 | 7.2 | 4.6 | 8 | |
| Sodium | mg/L | | 0.1 | 110 | 19 | 13 | 61 | 19 | 5.9 | 10 | |
| Nickel | mg/L | 0.025 | 0.001 | 0.15 | 0.0100 | 0.008 | 0.011 | 0.015 | 0.022 | 0.038 | |
| Zinc | mg/L | 0.020 | 0.00 | 0.45 | 0.02 | 0.03 | <0.01 | 0.02 | 0.04 | 0.07 | |
| pH | (pH units) | 6.5-8.5 | 6.7 | 8.8 | 7.8 | 7.5 | 8.8 | 8.1 | 8.1 | 8.1 | |
| Total Organic Carbon | mg/L | | 0.40 | 27.00 | 9.62 | 16 | 13 | 10 | | 7.7 | |
| Aluminum | mg/L | 0.075* | 0.2 | 18 | 2.77 | | | | 9.1 | | |
| Arsenic | mg/L | 0.100* | 0.0005 | 0.008 | 0.0021 | | | | 0.005 | | |
| Barium | mg/L | | 0.026 | 0.14 | 0.054 | | | | 0.056 | | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.001 | 0.000 | | | | <0.0006 | | |
| Bismuth | mg/L | | 0.0005 | 0.0025 | 0.00071 | | | | <0.001 | | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000073 | | | | <0.0001 | | |
| Cobalt | mg/L | 0.0009 | 0.0005 | 0.011 | 0.0022 | | | | 0.006 | | |
| Copper | mg/L | | 0.003 | 0.021 | 0.0084 | | | | 0.013 | | |
| Lead | mg/L | 0.005 | 0.0005 | 0.015 | 0.0023 | | | | 0.0053 | | |
| Molybdenum | mg/L | 0.040* | 0.0025 | 0.025 | 0.014 | | | | 0.016 | | |
| Selenium | mg/L | 0.100 | 0.001 | 0.004 | 0.002 | | | | <0.005 | | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000085 | | | | <0.0004 | | |
| Strontium | mg/L | | 0.16 | 0.57 | 0.35 | | | | 0.22 | | |
| Tin | mg/L | 0.0005 | 0.0005 | 0.0005 | 0.0013 | | | | <0.002 | | |
| Titanium | mg/L | | 0.005 | 0.39 | 0.057 | | | | 0.1 | | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 5 | 1.13 | | | | <0.7 | | |
| Total Phosphorus | mg/L | 0.02* | 0.048 | 0.8 | 0.17 | | | | 0.17 | | |
| Vanadium | mg/L | 0.006* | 0.001 | 0.035 | 0.0062 | | | | 0.018 | | |
| Ion Percentage | % | | 0.115 | 54.13 | 3.67 | 3.1 | 1.1 | 7.5 | 45.9 | 8.9 | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.082 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.13 | <0.20 | <0.20 | <0.20 | <0.20 | <0.20 | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.085 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| o-Xylene | ug/L | | 0.05 | 0.25 | 0.09 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| p+m-Xylene | ug/L | | 0.05 | 0.3 | 0.12 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | |
| Total Oil & Grease | mg/L | | 0.25 | 0.25 | 0.25 | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Downstream station SS15 redesignated as background station SS14B as a result of grading modifications in September 2009, and was further redesignated as a station
- 13) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 14) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | | |
|------------------------------------|------------|---------|---------|----------|----------|---|---------------|-------------|-------------|--------------|-------------|---------------|-------------|--------------|--------------|----------|
| | | | | | | Date | 3-Oct-09 | 10-Oct-09 | 25-Jan-10 | 6-Apr-10 | 6-Jun-10 | 5-Aug-10 | 14-Oct-10 | 28-Feb-11 | 20-Apr-11 | 7-Jun-11 |
| | | | | | | Routine/Storm Monitoring Laboratory | Routine | Storm | Routine | Routine | Storm | Routine | Storm | Routine | Routine | Storm |
| | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | mg/L | <25%*** | 51 | 220 | 115 | 118 | | 101 | 116 | | 167 | 88 | 115 | 160 | | |
| Chloride | mg/L | | 2.9 | 94 | 16 | 24 | 39 | 15 | 18 | 8 | 18 | 14 | 19 | 20 | 5 | |
| Sulphate | mg/L | | 23 | 900 | 105 | 260 | 105 | 73 | 180 | | 230 | 180 | 91 | 140 | | |
| Ammonia (as N) | mg/L | | 0.0025 | 1.69 | 0.107 | 0.075 | 0.075 | 0.075 | 0.870 | 0.240 | 0.075 | 0.075 | 0.640 | 0.075 | 0.075 | |
| Ammonia Unionized | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | |
| Nitrate | mg/L | | 0.02 | 7.61 | 0.92 | 0.4 | 1.8 | 1.7 | 2.4 | 0.9 | 0.05 | 0.4 | 1.9 | 0.8 | 0.02 | |
| Nitrite | mg/L | | 0.005 | 0.3 | 0.041 | | 0.02 | | | | | 0.01 | | | 0.3 | |
| Phenols | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | <0.001 | | <0.001 | <0.001 | | <0.001 | <0.001 | <0.001 | <0.001 | <0.001 | |
| Boron | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.11 | 0.21 | 0.17 | 0.5 | 0.15 | 0.31 | 0.16 | 0.26 | 0.38 | 0.14 | |
| Calcium | mg/L | | 26 | 530 | 75 | 100 | 94 | 50 | 530 | 150 | 120 | 250 | 56 | 88 | 48 | |
| Chromium | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | <0.005 | <0.005 | <0.005 | 0.31 | 0.057 | <0.005 | 0.080 | <0.005 | 0.007 | 0.030 | |
| Iron | mg/L | 0.300 | 0.200 | 310.0000 | 5.413 | 2.2 | 2.7 | 2.5 | 310 | 59 | 1.0 | 84 | 1.4 | 3.6 | 31 | |
| Magnesium | mg/L | | 7.1 | 150 | 22 | 32 | 28 | 15 | 150 | 40 | 29 | 61 | 19 | 29 | 16 | |
| Potassium | mg/L | | 2.6 | 41 | 7.41 | 5.4 | 5.8 | 5.2 | 41 | 10 | 6.8 | 16 | 4.5 | 5.5 | 6.9 | |
| Sodium | mg/L | | 4 | 41 | 11 | 17 | 19 | 12 | 22 | 8.9 | 16 | 9.2 | 16 | 21 | 4.5 | |
| Nickel | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.004 | 0.004 | 0.004 | 0.42 | 0.083 | 0.002 | 0.11 | 0.003 | 0.011 | 0.041 | |
| Zinc | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | 0.006 | <0.01 | 0.013 | 0.76 | 0.13 | <0.005 | 0.20 | 0.012 | 0.025 | 0.08 | |
| pH | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 7.72 | 8.26 | 8.83 | 7.94 | 7.98 | 7.73 | 8.10 | 7.70 | 8.01 | 7.23 | |
| Total Organic Carbon | mg/L | | 6.40 | 42.00 | 12.36 | 6.6 | | 6.5 | 16.7 | | 13.2 | 9.3 | 6.5 | 14.0 | | |
| Aluminum | mg/L | 0.075* | 0.45 | 45 | 4.24 | | 2.0 | | | 32 | | 45 | | | 19 | |
| Arsenic | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | | 0.001 | | | 0.015 | | 0.019 | | | 0.009 | |
| Barium | mg/L | | 0.028 | 0.26 | 0.059 | | 0.043 | | | 0.18 | | 0.26 | | | 0.12 | |
| Beryllium | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | <0.0006 | | | 0.0017 | | 0.0022 | | | 0.0011 | |
| Bismuth | mg/L | | 0.0005 | 0.0005 | 0.00050 | | <0.001 | | | <0.001 | | <0.001 | | | <0.001 | |
| Cadmium | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | | <0.001 | | | 0.0002 | | 0.0005 | | | 0.0002 | |
| Cobalt | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | | 0.0010 | | | 0.025 | | 0.033 | | | 0.012 | |
| Copper | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | | 0.005 | | | 0.044 | | 0.054 | | | 0.021 | |
| Lead | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | | 0.0011 | | | 0.022 | | 0.033 | | | 0.014 | |
| Molybdenum | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | | 0.009 | | | 0.020 | | 0.017 | | | 0.008 | |
| Selenium | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | | <0.005 | | | <0.005 | | <0.005 | | | <0.005 | |
| Silver | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | | <0.0001 | | | <0.0001 | | 0.0001 | | | <0.0001 | |
| Strontium | mg/L | | 0.15 | 0.47 | 0.27 | | 0.39 | | | 0.39 | | 0.47 | | | 0.15 | |
| Tin | mg/L | 0.0005 | 0.001 | 0.0009 | 0.0009 | | <0.002 | | | <0.002 | | <0.002 | | | <0.002 | |
| Titanium | mg/L | | 0.015 | 0.72 | 0.083 | | 0.037 | | | 0.66 | | 0.72 | | | 0.35 | |
| Total Kjeldahl Nitrogen (TKN) | mg/L | | 0.35 | 7 | 1.20 | | 1.5 | | | 4 | | 5 | | | 7 | |
| Total Phosphorus | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | | 0.12 | | | 1.0 | | 1.6 | | | 1.0 | |
| Vanadium | mg/L | 0.006* | 0.0014 | 0.085 | 0.0091 | | 0.004 | | | 0.063 | | 0.085 | | | 0.037 | |
| Ion Percentage | % | | 0.195 | 46.63 | 3.77 | 1.4 | | 5.1 | 36.9 | | 3.6 | 26.6 | 2.2 | 4.1 | | |
| Benzene | ug/L | | 0.05 | 0.25 | 0.091 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | |
| Toluene | ug/L | | 0.05 | 0.5 | 0.14 | <0.3 | <0.2 | <0.3 | <0.3 | <0.2 | <0.3 | <0.2 | <0.3 | <0.3 | <0.2 | |
| Ethylbenzene | ug/L | | 0.05 | 0.25 | 0.095 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | |
| o-Xylene | ug/L | | 0.05 | 0.3 | 0.11 | <0.3 | <0.2 | <0.3 | <0.3 | <0.2 | <0.6 | <0.2 | <0.6 | <0.3 | <0.2 | |
| p+m-Xylene | ug/L | | 0.05 | 0.3 | 0.15 | <0.6 | <0.4 | <0.6 | <0.6 | <0.4 | <0.3 | <0.4 | <0.6 | <0.6 | <0.4 | |
| Total Xylenes | ug/L | | 0.05 | 0.3 | 0.09 | <0.6 | <0.4 | <0.6 | <0.6 | <0.4 | <0.3 | <0.4 | <0.6 | <0.6 | <0.4 | |
| Total Oil & Grease | mg/L | | 0.25 | 0.5 | 0.31 | | <0.5 | | | <0.5 | | <1 | | | <0.5 | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | |
|-------------------------------------|------|------------|---------|---------|---------|----------|---|--------------|---------------|-------------|---------------|--------------|--------------|--------------|---------------|----------|
| | | | | | | | 9-Aug-11 | 13-Oct-11 | 13-Mar-12 | 4-May-12 | 28-Jul-12 | 30-Oct-12 | 13-Jan-13 | 10-Apr-13 | 29-May-13 | 5-Jul-13 |
| Routine/Storm Monitoring Laboratory | | | | | | | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Storm | Routine | |
| | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 51 | 220 | 115 | 123 | 191 | 140 | 95 | 82 | 81 | 100 | | 82 | |
| Chloride | | mg/L | | 2.9 | 94 | 16 | 12 | 20 | 15 | 28 | 11 | 19 | 14 | 11 | 13 | |
| Sulphate | | mg/L | | 23 | 900 | 105 | 310 | 140 | 130 | 200 | 120 | 84 | 87 | 79 | 110 | |
| Ammonia (as N) | | mg/L | | 0.0025 | 1.69 | 0.107 | 0.075 | 0.075 | 0.075 | 0.075 | 0.075 | 0.20 | 0.075 | 0.075 | 0.075 | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.02 | <0.015 | |
| Nitrate | | mg/L | | 0.02 | 7.61 | 0.92 | 0.1 | 0.5 | 1.2 | 4.9 | 1.1 | 2.3 | 0.62 | 0.82 | 0.34 | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.041 | 0.03 | | | | | | | 0.11 | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | | 0.012 | 0.0023 | <0.0010 | 0.0041 | <0.0010 | <0.0010 | <0.0010 | <0.0010 | |
| Boron | | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.32 | 0.26 | 0.29 | 0.38 | 0.21 | 0.18 | 0.20 | 0.26 | 0.32 | |
| Calcium | | mg/L | | 26 | 530 | 75 | 130 | 93 | 78 | 86 | 73 | 56 | 59 | 110 | 59 | |
| Chromium | | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | <0.005 | 0.005 | 0.012 | <0.0050 | 0.015 | 0.027 | 0.0073 | 0.042 | <0.0050 | |
| Iron | | mg/L | 0.300 | 0.200 | 310.000 | 5.413 | 0.4 | 4.0 | 12 | 2.7 | 15 | 27 | 6.8 | 43 | 3.9 | |
| Magnesium | | mg/L | | 7.1 | 150 | 22 | 27 | 24 | 24 | 24 | 19 | 19 | 18 | 30 | 16 | |
| Potassium | | mg/L | | 2.6 | 41 | 7.41 | 6.6 | 13 | 6.5 | 5.7 | 6.2 | 8.7 | 5.5 | 8.9 | 6.5 | |
| Sodium | | mg/L | | 4 | 41 | 11 | 16 | 14 | 14 | 15 | 11 | 13 | 13 | 12 | 13 | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.002 | 0.016 | 0.016 | 0.005 | 0.021 | 0.033 | 0.0090 | 0.059 | 0.007 | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | <0.005 | 0.021 | 0.031 | 0.010 | 0.039 | 0.070 | 0.021 | 0.11 | 0.02 | |
| pH | | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 8.16 | 6.87 | 8.28 | 7.39 | 7.36 | 7.65 | 7.88 | 7.16 | 8.2 | |
| Total Organic Carbon | | mg/L | | 6.40 | 42.00 | 12.36 | 10.4 | 29.5 | 17 | 14.0 | 12.0 | 17 | 11 | 8.8 | 8.7 | |
| Aluminum | | mg/L | 0.075* | 0.45 | 45 | 4.24 | 0.45 | | | | | | | | 2.6 | |
| Arsenic | | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | 0.001 | | | | | | | | 0.002 | |
| Barium | | mg/L | | 0.028 | 0.26 | 0.059 | 0.05 | | | | | | | | 0.036 | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | <0.0005 | | | | | | | | <0.0006 | |
| Bismuth | | mg/L | | 0.0005 | 0.0005 | 0.00050 | <0.001 | | | | | | | | <0.0010 | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | <0.0001 | | | | | | | | <0.0001 | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | <0.0005 | | | | | | | | 0.0015 | |
| Copper | | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | 0.005 | | | | | | | | 0.007 | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | <0.0005 | | | | | | | | 0.0017 | |
| Molybdenum | | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | 0.014 | | | | | | | | 0.007 | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | <0.002 | | | | | | | | <0.005 | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | | | | | | | | | <0.00010 | |
| Strontium | | mg/L | | 0.15 | 0.47 | 0.27 | 0.43 | | | | | | | | 0.18 | |
| Tin | | mg/L | | 0.0005 | 0.001 | 0.0009 | <0.001 | | | | | | | | <0.002 | |
| Titanium | | mg/L | | 0.015 | 0.72 | 0.083 | 0.015 | | | | | | | | 0.045 | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 7 | 1.20 | 1.5 | | | | | | | | 1.9 | |
| Total Phosphorus | | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | 0.086 | | | | | | | | 0.10 | |
| Vanadium | | mg/L | 0.006* | 0.0014 | 0.085 | 0.0091 | 0.0014 | | | | | | | | 0.005 | |
| Ion Percentage | | % | | 0.195 | 46.63 | 3.77 | 0.7 | 0.9 | 2.9 | 0.7 | 6.9 | 7.0 | 2.8 | 19.3 | 4.0 | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.091 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.14 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.20 | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.095 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.20 | |
| o-Xylene | | ug/L | | 0.05 | 0.3 | 0.11 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.20 | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.15 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.20 | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.40 | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.31 | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | | | |
|------------------------------------|---------------|------------|---------|---------|---------|----------|---|---------------|--------------|--------------|--------------|--------------|---------------|-----------|-----------|------------|--------|--------|
| | | | | | | | 28-Aug-13 | 7-Oct-13 | 11-Jan-14 | 8-Apr-14 | 7-Jul-14 | 15-Oct-14 | 4-Jan-15 | 10-Apr-15 | 25-Oct-15 | 25-Feb-16 | | |
| | | | | | | | Storm | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | | |
| | Routine/Storm | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 51 | 220 | 115 | | 180 | 60 | | 61 | 150 | 71 | 51 | 130 | | | |
| Chloride | | mg/L | | 2.9 | 94 | 16 | 21 | 44 | 11 | 26 | 6 | 28 | 9 | 11 | 8.2 | 6.9 | | |
| Sulphate | | mg/L | | 23 | 900 | 105 | | 110 | 46 | 120 | 68 | 56 | 33 | 60 | 900 | 92 | | |
| Ammonia (as N) | | mg/L | | 0.0025 | 1.69 | 0.107 | 0.075 | 1.69 | 0.58 | 0.075 | 0.19 | 0.075 | 0.27 | 0.075 | 0.35 | 0.08 | | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | | 0.12 | 0.0055 | <0.0019 | 0.0085 | <0.0021 | 0.0031 | <0.0057 | 0.0051 | <0.0013 | | |
| Nitrate | | mg/L | | 0.02 | 7.61 | 0.92 | 0.05 | 0.42 | 1.60 | 0.79 | 0.47 | 0.05 | 1.02 | 0.35 | 1.67 | 1.00 | | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.041 | <0.010 | | | | | | | | | | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | | 0.0011 | 0.002 | 0.006 | 0.002 | 0.013 | 0.0083 | <0.0010 | <0.0010 | <0.0010 | | |
| Boron | | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.39 | 0.91 | 0.095 | 0.28 | 0.19 | 0.19 | 0.099 | 0.12 | 0.13 | 0.11 | | |
| Calcium | | mg/L | | 26 | 530 | 75 | 63 | 78 | 30 | 80 | 41 | 67 | 32 | 63 | 250 | 63 | | |
| Chromium | | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | <0.005 | <0.0050 | <0.0050 | 0.005 | 0.033 | 0.0057 | <0.0050 | <0.0050 | <0.005 | <0.0050 | | |
| Iron | | mg/L | 0.300 | 0.200 | 310.000 | 5.413 | 2.8 | 2.1 | 0.36 | 2.90 | 30 | 4.7 | 3.2 | 0.20 | | 2.4 | | |
| Magnesium | | mg/L | | 7.1 | 150 | 22 | 22 | 23 | 8.3 | 24 | 14 | 27 | 8.4 | 17 | 88 | 18 | | |
| Potassium | | mg/L | | 2.6 | 41 | 7.41 | 5.2 | 11 | 7.8 | 6.2 | 8.4 | 17 | 9.3 | 5.2 | 2.6 | 4.8 | | |
| Sodium | | mg/L | | 4 | 41 | 11 | 12 | 41 | 6.3 | 17 | 4.9 | 8.0 | 4 | 5.8 | 14 | 6.6 | | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.005 | 0.0065 | 0.001 | 0.0078 | 0.038 | 0.0079 | 0.003 | 0.0047 | 0.002 | 0.0038 | | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | <0.01 | 0.011 | 0.012 | 0.011 | 0.077 | 0.021 | 0.014 | 0.010 | <0.02 | 0.0069 | | |
| pH | | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 7.9 | 8.13 | 7.82 | 7.87 | 7.88 | 7.74 | 8.02 | 8.27 | 7.84 | 7.99 | | |
| Total Organic Carbon | | mg/L | | 6.40 | 42.00 | 12.36 | | 15 | 7.4 | 10 | 18.0 | 42 | 11 | 9.9 | 7.6 | 6.4 | | |
| Aluminum | | mg/L | 0.075* | 0.45 | 45 | 4.24 | 4.5 | | | | | | | | | | | |
| Arsenic | | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | 0.002 | | | | | | | | | | | |
| Barium | | mg/L | | 0.028 | 0.26 | 0.059 | 0.054 | | | | | | | | | | | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | <0.0006 | | | | | | | | | | | |
| Bismuth | | mg/L | | 0.0005 | 0.0005 | 0.00050 | <0.0010 | | | | | | | | | | | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | <0.0001 | | | | | | | | | | | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | 0.0012 | | | | | | | | | | | |
| Copper | | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | 0.007 | | | | | | | | | | | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | 0.0011 | | | | | | | | | | | |
| Molybdenum | | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | 0.014 | | | | | | | | | | | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | <0.005 | | | | | | | | | | | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | <0.00010 | | | | | | | | | | | |
| Strontium | | mg/L | | 0.15 | 0.47 | 0.27 | 0.33 | | | | | | | | | | | |
| Tin | | mg/L | | 0.0005 | 0.001 | 0.0009 | <0.002 | | | | | | | | | | | |
| Titanium | | mg/L | | 0.015 | 0.72 | 0.083 | 0.16 | | | | | | | | | | | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 7 | 1.20 | 1.5 | | | | | | | | | | | |
| Total Phosphorus | | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | 0.2 | | | | | | | | | | | |
| Vanadium | | mg/L | 0.006* | 0.0014 | 0.085 | 0.0091 | 0.01 | | | | | | | | | | | |
| Ion Percentage | | % | | 0.195 | 46.63 | 3.77 | | 2.4 | 1.9 | | 6.6 | 6.5 | 3.5 | 0.2 | 0.3 | 1.7 | | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.091 | <0.20 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.14 | <0.20 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.095 | <0.20 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 | <0.2 |
| o-Xylene | | ug/L | | 0.05 | 0.3 | 0.11 | <0.20 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 | <0.3 |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.15 | <0.40 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 | <0.6 |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | | | | | | | | | | | | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.31 | | | | | | | | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | |
|-------------------------------------|------|------------|---------|---------|---------|----------|---|--------------|--------------|-------------|--------------|------------|------------|--------------|---------------|----------|
| | | | | | | | 7-Apr-16 | 14-Jul-16 | 12-Jan-17 | 6-Apr-17 | 13-Jul-17 | 28-Oct-17 | 23-Jan-18 | 4-Apr-18 | 8-Aug-18 | 8-Aug-18 |
| Routine/Storm Monitoring Laboratory | | | | | | | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Routine | Storm | |
| | | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | Maxxam | |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 51 | 220 | 115 | 150 | 77 | 110 | 220 | 84 | 100 | 120 | 170 | 80 | |
| Chloride | | mg/L | | 2.9 | 94 | 16 | 5.8 | 8.4 | 13 | 33 | 2.9 | 15 | 10 | 12 | 7.6 | |
| Sulphate | | mg/L | | 23 | 900 | 105 | 70 | 120 | 40 | 160 | 77 | 160 | 110 | 120 | 150 | |
| Ammonia (as N) | | mg/L | | 0.0025 | 1.69 | 0.107 | 0.075 | 0.075 | 0.42 | 0.075 | 0.55 | 0.03 | 0.13 | 0.16 | 0.025 | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | <0.0018 | <0.0044 | 0.0009 | <0.0016 | 0.04 | <0.0005 | 0.0032 | 0.0006 | <0.0005 | |
| Nitrate | | mg/L | | 0.02 | 7.61 | 0.92 | 0.37 | 1.15 | 1.23 | 0.52 | 1.04 | 2.73 | 3.14 | 1.22 | 5.28 | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.041 | | | | | | | | | 4.83 | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | <0.0010 | <0.0040 | <0.0040 | <0.0040 | <0.0040 | <0.0010 | 0.001 | <0.0010 | <0.0010 | |
| Boron | | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.12 | 0.18 | 0.13 | 0.19 | 0.25 | 0.15 | 0.12 | 0.26 | 0.33 | |
| Calcium | | mg/L | | 26 | 530 | 75 | 64 | 62 | 50 | 110 | 76 | 81 | 64 | 86 | 79 | |
| Chromium | | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | 0.013 | 0.009 | 0.027 | <0.005 | 0.037 | 0.008 | 0.008 | 0.012 | 0.008 | |
| Iron | | mg/L | 0.300 | 0.200 | 310.000 | 5.413 | 6.6 | 7.9 | 23 | 2.00 | 38 | 5.5 | 7.7 | 12 | 7.3 | |
| Magnesium | | mg/L | | 7.1 | 150 | 22 | 19 | 14 | 16 | 33 | 21 | 22 | 21 | 27 | 19 | |
| Potassium | | mg/L | | 2.6 | 41 | 7.41 | 6.3 | 4.6 | 12 | 6.8 | 7.6 | 5.6 | 4.5 | 5.6 | 6 | |
| Sodium | | mg/L | | 4 | 41 | 11 | 6.7 | 8.0 | 4.8 | 18 | 5.8 | 10 | 7.8 | 12 | 9.9 | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.0086 | 0.012 | 0.030 | 0.004 | 0.051 | 0.008 | 0.01 | 0.015 | 0.0110 | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | 0.019 | 0.020 | 0.060 | 0.020 | 0.10 | 0.02 | 0.02 | 0.04 | 0.020 | |
| pH | | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 7.98 | 7.76 | 7.29 | 7.81 | 8.1 | 7.05 | 8.31 | 7.49 | 7.1 | |
| Total Organic Carbon | | mg/L | | 6.40 | 42.00 | 12.36 | 10 | 6.7 | 15 | 11 | 14 | 10 | 8.4 | 12 | 11 | |
| Aluminum | | mg/L | 0.075* | 0.45 | 45 | 4.24 | | | | | | | | | 5.8 | |
| Arsenic | | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | | | | | | | | | 0.003 | |
| Barium | | mg/L | | 0.028 | 0.26 | 0.059 | | | | | | | | | 0.052 | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | | | | | | | <0.0006 | |
| Bismuth | | mg/L | | 0.0005 | 0.0005 | 0.00050 | | | | | | | | | <0.001 | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | | | | | | | | | <0.0001 | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | | | | | | | | | 0.0028 | |
| Copper | | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | | | | | | | | | 0.008 | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | | | | | | | | | 0.0029 | |
| Molybdenum | | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | | | | | | | | | 0.009 | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | | | | | | | | | <0.005 | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | | | | | | | | | <0.0004 | |
| Strontium | | mg/L | | 0.15 | 0.47 | 0.27 | | | | | | | | | 0.26 | |
| Tin | | mg/L | | 0.0005 | 0.001 | 0.0009 | | | | | | | | | <0.002 | |
| Titanium | | mg/L | | 0.015 | 0.72 | 0.083 | | | | | | | | | 0.15 | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 7 | 1.20 | | | | | | | | | <0.7 | |
| Total Phosphorus | | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | | | | | | | | | 0.18 | |
| Vanadium | | mg/L | 0.005* | 0.0014 | 0.085 | 0.0091 | | | | | | | | | 0.012 | |
| Ion Percentage | | % | | 0.195 | 46.63 | 3.77 | 3.1 | 2.4 | 6.4 | 1.4 | 14.4 | 2.8 | 2.0 | 3.6 | 5.3 | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.091 | <0.2 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.14 | <0.3 | <0.20 | <0.20 | <0.20 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.095 | <0.2 | <0.10 | <0.10 | <0.10 | <0.20 | <0.10 | <0.20 | <0.20 | <0.20 | |
| o-Xylene | | ug/L | | 0.05 | 0.3 | 0.11 | <0.3 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.15 | <0.6 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.31 | | | | | | | | | <0.20 | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|---|----------|---------------|----------------|----------------|----------------|----------------|----------------|----------------|-----------|
| | | | | | | | 26-Sep-18 | 2-Oct-18 | 24-Jan-19 | 17-Apr-19 | 2-Oct-19 | 2-Oct-19 | 11-Jan-20 | 18-May-20 | 15-Nov-20 | 26-Mar-21 |
| | | | | | | | Storm | Routine | Routine | Routine | Routine | Storm | Routine | Routine | Routine | Routine |
| Laboratory | | | | | | Maxxam | Maxxam | Maxxam | Maxxam | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 51 | 220 | 115 | | 180 | 77 | 210 | 120 | 120 | 170 | 100 | 130 | |
| Chloride | | mg/L | | 2.9 | 94 | 16 | 7.9 | 28 | 12 | 28 | 24 | 24 | 41 | 35 | 48 | |
| Sulphate | | mg/L | | 23 | 900 | 105 | | 110 | 26 | 160 | 90 | 50 | 110 | 63 | 120 | |
| Ammonia (as N) | | mg/L | | 0.0025 | 1.69 | 0.107 | 0.025 | 0.025 | 0.9 | 0.025 | 0.12 | 0.03 | 0.099 | 0.39 | 0.42 | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | | <0.00061 | 0.00087 | <0.008 | 0.01 | 0.003 | 0.014 | 0.008 | <0.00061 | |
| Nitrate | | mg/L | | 0.02 | 7.61 | 0.92 | 0.05 | 2.75 | 0.88 | 0.90 | 1.21 | 1.13 | 1.95 | 4.36 | 7.61 | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.041 | <0.010 | | | | | 0.28 | | | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | | <0.0010 | 0.0014 | <0.0010 | <0.0010 | | 0.0005 | <0.0010 | <0.0010 | |
| Boron | | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.16 | 0.26 | 0.06 | 0.29 | 0.34 | 0.33 | 0.21 | 0.56 | 0.17 | |
| Calcium | | mg/L | | 26 | 530 | 75 | 59 | 78 | 26 | 61 | 61 | 62 | 64 | 57 | 74 | |
| Chromium | | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | <0.005 | <0.005 | <0.005 | <0.005 | <0.0050 | <0.0050 | 0.037 | 0.006 | 0.007 | |
| Iron | | mg/L | 0.300 | 0.200 | 310.000 | 5.413 | 1.60 | 3.8 | 0.6 | 0.7 | 2.30 | 2.30 | 36.0 | 5.3 | 6.1 | |
| Magnesium | | mg/L | | 7.1 | 150 | 22 | 16 | 23 | 7.1 | 32 | 17 | 17 | 22 | 20 | 16 | |
| Potassium | | mg/L | | 2.6 | 41 | 7.41 | 5.5 | 6.5 | 10 | 4.6 | 8.1 | 8.3 | 12.0 | 6.6 | 19 | |
| Sodium | | mg/L | | 4 | 41 | 11 | 7.1 | 14 | 4.2 | 16 | 15 | 14 | 14.0 | 33 | 9.3 | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.003 | 0.007 | 0.001 | 0.003 | 0.005 | 0.005 | 0.044 | 0.012 | 0.01 | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | <0.01 | 0.01 | 0.01 | <0.01 | 0.010 | 0.010 | 0.1 | 0.030 | 0.040 | |
| pH | | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 7.14 | 7.15 | 6.98 | 8.63 | 8.0 | 7.9 | 8.3 | 8.1 | 7.9 | |
| Total Organic Carbon | | mg/L | | 6.40 | 42.00 | 12.36 | | 13 | 12 | 10 | 11 | | 9.7 | 20 | 34 | |
| Aluminum | | mg/L | 0.075* | 0.45 | 45 | 4.24 | 1 | | | | | 1.40 | | | | |
| Arsenic | | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | 0.001 | 0.0029 | | | | | 0.002 | | | |
| Barium | | mg/L | | 0.028 | 0.26 | 0.059 | 0.028 | | | | | | 0.035 | | | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | <0.0006 | | | | | | <0.0006 | | | |
| Bismuth | | mg/L | | 0.0005 | 0.0005 | 0.00050 | <0.001 | | | | | | <0.001 | | | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | <0.0001 | | | | | | <0.0001 | | | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | 0.0011 | | | | | | 0.0006 | | | |
| Copper | | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | 0.004 | | | | | | 0.005 | | | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | 0.0007 | | | | | | 0.001 | | | |
| Molybdenum | | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | 0.007 | | | | | | 0.009 | | | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | <0.005 | | | | | | <0.005 | | | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | <0.0004 | | | | | | <0.0004 | | | |
| Strontium | | mg/L | | 0.15 | 0.47 | 0.27 | 0.22 | | | | | | 0.22 | | | |
| Tin | | mg/L | | 0.0005 | 0.001 | 0.0009 | <0.002 | | | | | | <0.002 | | | |
| Titanium | | mg/L | | 0.015 | 0.72 | 0.083 | 0.016 | | | | | | 0.027 | | | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 7 | 1.20 | <0.7 | | | | | | 0.8 | | | |
| Total Phosphorus | | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | 0.066 | | | | | | 0.11 | | | |
| Vanadium | | mg/L | 0.006* | 0.0014 | 0.085 | 0.0091 | 0.003 | | | | | | 0.003 | | | |
| Ion Percentage | | % | | 0.195 | 46.63 | 3.77 | 45.5 | 0.5 | 1.1 | 1.0 | 1.7 | 38.7 | 9.0 | 1.7 | 4.2 | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.091 | <0.20 | <0.25 | <0.25 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.50 | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.14 | <0.20 | <0.50 | <0.50 | <0.50 | <1.0 | <0.20 | <0.20 | <0.50 | <1.0 | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.095 | <0.20 | <0.25 | <0.25 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.50 | |
| o-Xylene | | ug/L | | 0.05 | 0.3 | 0.11 | <0.20 | <0.25 | <0.25 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.50 | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.15 | <0.20 | <0.25 | <0.25 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.50 | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | <0.20 | <0.25 | <0.25 | <0.25 | <0.50 | <0.20 | <0.10 | <0.25 | <0.50 | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.31 | | | | | | | | | | |

NOTES:


- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.

Table B-3
Precipitation Event Surface Water Quality - Poplar System
Twin Creeks Environmental Centre

| Parameter | Date | Units | PWQO | Min | Max | Geomean | Inlet Point to Sedimentation Pond 1 (Poplar System) - SS15A | | | | | | | | | | | | | | | |
|------------------------------------|------|------------|---------|---------|---------|----------|---|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| | | | | | | | 9-Jul-21 | | 23-Sep-21 | | 4-Oct-21 | | 17-Feb-22 | | 4-May-22 | | 4-Aug-22 | | 28-Sep-22 | | 18-Oct-22 | |
| | | | | | | | Routine | | Storm | | Routine | | Routine | | Routine | | Storm | | Storm | | Routine | |
| | | | | | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas |
| Alkalinity (as CaCO ₃) | | mg/L | <25%*** | 51 | 220 | 115 | 160 | | 190 | | 85 | | 200 | | 88 | | 76 | | | | | |
| Chloride | | mg/L | | 2.9 | 94 | 16 | 94 | | 66 | | 11 | | 21 | | 13 | | 14 | | | | | |
| Sulphate | | mg/L | | 23 | 900 | 105 | 110 | | 140 | | 23 | | 79 | | 220 | | 240 | | | | | |
| Ammonia (as N) | | mg/L | | 0.0025 | 1.69 | 0.107 | 0.025 | | 0.0025 | | 1.3 | | 0.12 | | 0.074 | | 0.075 | | | | | |
| Ammonia Unionized | | mg/L | 0.02 | 0.00025 | 0.12 | 0.0033 | <0.0011 | | <0.0013 | | 0.0043 | | 0.0052 | | 0.002 | | <0.0011 | | | | | |
| Nitrate | | mg/L | | 0.02 | 7.61 | 0.92 | 5.82 | | 4.55 | | 1.48 | | 0.97 | | 1.18 | | 2.19 | | | | | |
| Nitrite | | mg/L | | 0.005 | 0.3 | 0.041 | | | 0.023 | | | | | | 0.153 | | 0.38 | | | | | |
| Phenols | | mg/L | 0.001 | 0.0005 | 0.013 | 0.00092 | <0.0010 | | | | <0.0010 | | 0.0010 | | 0.0012 | | 0.011 | | | | | |
| Boron | | mg/L | 0.200 | 0.060 | 0.910 | 0.226 | 0.26 | | 0.64 | | 0.77 | | 0.07 | | 0.39 | | 0.24 | | | | | |
| Calcium | | mg/L | | 26 | 530 | 75 | 81 | | 76 | | 92 | | 33 | | 70 | | 180 | | | | | |
| Chromium | | mg/L | 0.0089 | 0.0025 | 0.3100 | 0.0070 | <0.005 | | <0.005 | | 0.020 | | 0.006 | | 0.023 | | <0.005 | | | | | |
| Iron | | mg/L | 0.300 | 0.200 | 310.000 | 5.413 | 1.5 | | 2.5 | | 1.8 | | 20 | | 5.5 | | 23 | | | | | |
| Magnesium | | mg/L | | 7.1 | 150 | 22 | 21 | | 22 | | 26 | | 11 | | 23 | | 39 | | | | | |
| Potassium | | mg/L | | 2.6 | 41 | 7.41 | 5.9 | | 8.8 | | 11 | | 7.3 | | 4.9 | | 9.4 | | | | | |
| Sodium | | mg/L | | 4 | 41 | 11 | 14 | | 38 | | 40 | | 4.5 | | 20 | | 12 | | | | | |
| Nickel | | mg/L | 0.025 | 0.001 | 0.42 | 0.0100 | 0.004 | | 0.008 | | 0.007 | | 0.027 | | 0.009 | | 0.033 | | | | | |
| Zinc | | mg/L | 0.020 | 0.00 | 0.76 | 0.02 | 0.005 | | 0.01 | | <0.01 | | 0.05 | | 0.02 | | 0.05 | | | | | |
| pH | | (pH units) | 6.5-8.5 | 6.9 | 8.8 | 7.7 | 7.7 | | 7.8 | | 7.7 | | 7.4 | | 8.1 | | 7.5 | | | | | |
| Total Organic Carbon | | mg/L | | 6.40 | 42.00 | 12.36 | 12 | | | | 15 | | 17 | | 12 | | 11 | | | | | |
| Aluminum | | mg/L | 0.075* | 0.45 | 45 | 4.24 | | | 1.8 | | | | | | | | 2.8 | | | | | |
| Arsenic | | mg/L | 0.100* | 0.001 | 0.019 | 0.0029 | | | 0.001 | | | | | | | | 0.002 | | | | | |
| Barium | | mg/L | | 0.028 | 0.26 | 0.059 | | | 0.046 | | | | | | | | 0.036 | | | | | |
| Beryllium | | mg/L | 1.100 | 0.000 | 0.002 | 0.000 | | | <0.0006 | | | | | | | | <0.0006 | | | | | |
| Bismuth | | mg/L | | 0.0005 | 0.0005 | 0.00050 | | | <0.001 | | | | | | | | <0.001 | | | | | |
| Cadmium | | mg/L | 0.0002 | 0.00005 | 0.0005 | 0.000076 | | | <0.0001 | | | | | | | | <0.0001 | | | | | |
| Cobalt | | mg/L | 0.0009 | 0.00025 | 0.033 | 0.0026 | | | 0.0011 | | | | | | | | 0.0023 | | | | | |
| Copper | | mg/L | 0.005 | 0.004 | 0.054 | 0.0098 | | | 0.006 | | | | | | | | 0.007 | | | | | |
| Lead | | mg/L | 0.005 | 0.00025 | 0.033 | 0.0024 | | | 0.0009 | | | | | | | | 0.0019 | | | | | |
| Molybdenum | | mg/L | 0.040* | 0.006 | 0.02 | 0.010 | | | 0.006 | | | | | | | | 0.01 | | | | | |
| Selenium | | mg/L | 0.100 | 0.001 | 0.003 | 0.002 | | | <0.005 | | | | | | | | <0.005 | | | | | |
| Silver | | mg/L | 0.0001 | 0.00005 | 0.0002 | 0.000113 | | | <0.0004 | | | | | | | | <0.0004 | | | | | |
| Strontium | | mg/L | | 0.15 | 0.47 | 0.27 | | | 0.27 | | | | | | | | 0.33 | | | | | |
| Tin | | mg/L | | 0.0005 | 0.001 | 0.0009 | | | <0.002 | | | | | | | | <0.002 | | | | | |
| Titanium | | mg/L | | 0.015 | 0.72 | 0.083 | | | 0.027 | | | | | | | | 0.045 | | | | | |
| Total Kjeldahl Nitrogen (TKN) | | mg/L | | 0.35 | 7 | 1.20 | | | 1.2 | | | | | | | | <0.7 | | | | | |
| Total Phosphorus | | mg/L | 0.02* | 0.066 | 1.6 | 0.21 | | | 0.15 | | | | | | | | 0.11 | | | | | |
| Vanadium | | mg/L | 0.006* | 0.0014 | 0.085 | 0.0091 | | | 0.004 | | | | | | | | 0.011 | | | | | |
| Ion Percentage | | % | | 0.195 | 46.63 | 3.77 | | | 5.7 | | 30.4 | | 0.5 | | 4.4 | | 0.6 | | | | | |
| Benzene | | ug/L | | 0.05 | 0.25 | 0.091 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |
| Toluene | | ug/L | | 0.05 | 0.5 | 0.14 | | | <0.20 | | <0.20 | | <0.50 | | <0.20 | | <0.25 | | | | | |
| Ethylbenzene | | ug/L | | 0.05 | 0.25 | 0.095 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |
| o-Xylene | | ug/L | | 0.05 | 0.3 | 0.11 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |
| p-m-Xylene | | ug/L | | 0.05 | 0.3 | 0.15 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |
| Total Xylenes | | ug/L | | 0.05 | 0.3 | 0.09 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |
| Total Oil & Grease | | mg/L | | 0.25 | 0.5 | 0.31 | | | <0.10 | | <0.10 | | <0.25 | | <0.10 | | <0.25 | | | | | |

NOTES:

- 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
- 2) * denotes interim PWQO.
- 3) *** denotes change from background concentrations.
- 4) Historic chemical anomalies retained in database.
- 5) Unionized ammonia values are calculated based on field determined pH and temperature values.
- 6) mg/L denotes milligrams per litre.
- 7) umho/cm denotes microsiemens per centimeter.
- 8) BOD denotes biological oxygen demand.
- 9) COD denotes chemical oxygen demand.
- 10) Blank denotes parameter not analyzed.
- 11) Bolded text and shading denotes concentration exceeds criterion.
- 12) Italics denotes parameter concentration was below the laboratory RDL, where the RDL exceeds the relevant PWQO.
- 13) The Geomean assumes that any value below the RDL is equal to half of the value of the RDL.



NOTES:

1. mg/L denotes milligrams per litre.
2. For datum plotted off of the graph, refer to data tables.

**CONCENTRATION VS. TIME PLOT
Chloride**

Landfill Optimization Environmental Assessment

TWIN CREEKS ENVIRONMENTAL CENTRE
WASTE MANAGEMENT OF CANADA CORPORATION

FIGURE NUMBER

Figure B-9

DATE REVISED

3-Nov-23


PROJECT NUMBER

2101750

REVISED BY

PEJ





NOTES:

1. mg/L denotes milligrams per litre.
2. For datum plotted off of the graph, refer to data tables.

**CONCENTRATION VS. TIME PLOT
Boron**

Landfill Optimization Environmental Assessment

TWIN CREEKS ENVIRONMENTAL CENTRE
WASTE MANAGEMENT OF CANADA CORPORATION

FIGURE NUMBER

Figure B-10

DATE REVISED

3-Nov-23


PROJECT NUMBER

2101750

REVISED BY

PEJ





NOTES:

1. mg/L denotes milligrams per litre.
2. For datum plotted off of the graph, refer to data tables.

**CONCENTRATION VS. TIME PLOT
Ammonia Un-ionized**

Landfill Optimization Environmental Assessment

TWIN CREEKS ENVIRONMENTAL CENTRE
WASTE MANAGEMENT OF CANADA CORPORATION

FIGURE NUMBER

Figure B-11

DATE REVISED

3-Nov-23


PROJECT NUMBER

2101750

REVISED BY

PEJ





NOTES:

1. mg/L denotes milligrams per litre.
2. For datum plotted off of the graph, refer to data tables.

**CONCENTRATION VS. TIME PLOT
Zinc**

Landfill Optimization Environmental Assessment

TWIN CREEKS ENVIRONMENTAL CENTRE
WASTE MANAGEMENT OF CANADA CORPORATION

FIGURE NUMBER

Figure B-12

DATE REVISED

3-Nov-23

PROJECT NUMBER

2101750

REVISED BY

PEJ



Table B-4
MECP Approved Changes to Site EMP
Twin Creeks Environmental Centre - Surface Water Quality EA

| Monitoring Station | Date | MECP Approved Change |
|---|---|--|
| Surface Water | | |
| SS17A, SS17B, SS18A, SS18B | 01-Jun-11 (Waste ECA) 20-Feb-13 (Sewage ECA) | Surface water monitoring at these locations temporarily idle and will resume 2 months prior to irrigation application and 2 years after cessation of irrigation liquid application. Waste ECA Condition 8.7 (r) and Notice No. 1 of the Sewage ECA. |
| SP1 | 18-May-12 | Boron Trigger Concentration changed from 0.20 mg/L to 0.39 mg/L per MOE letter, dated May 18, 2012. |
| Offsite discharge points | 18-May-12 | Exceedance of a trigger concentration shall initiate verification testing, identification of any potential source of contamination, an alternate source evaluation, and an evaluation of remedial options. Verification sampling should include the collection of a grab sample of stormwater at the outlet to analyse for toxicity to rainbow trout and daphnia magna. |
| Offsite discharge points and internal monitoring point SP1 | 27-Feb-14 | Annual surface water trigger concentrations are updated after each calendar year using the 90th percentile of results for both background monitoring stations SS10 and SS16. Acceptable Biological monitoring results, regardless of any chemical parameter results noted for the verification monitoring event deems the surface water as acceptable for continued discharge. |

Table B-5
Precipitation Event Surface Water Quality - Polyaromatic Hydrocarbons
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | SW1 | | | | | | | | | | |
|----------------------------------|-------|----------|----------------|----------------|----------------|----------------|--|--|--|--|--|--|--|
| | | | 17-Feb-22 | 4-May-22 | 2-Aug-22 | 18-Oct-22 | | | | | | | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | |
| Polyaromatic Hydrocarbons | | | | | | | | | | | | | |
| Biphenyl | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Acenaphthene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Acenaphthylene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Anthracene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(a)anthracene | ug/L | 0.0004* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(a)pyrene | ug/L | - | <0.0090 | <0.0090 | <0.0090 | <0.0090 | | | | | | | |
| Benzo(b/j)fluoranthene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(g,h,i)perylene | ug/L | 0.00002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(k)fluoranthene | ug/L | 0.0002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Chrysene | ug/L | 0.0001* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Dibenzo(a,h)anthracene | ug/L | 0.002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Fluoranthene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Fluorene | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| 1-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| 2-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Naphthalene | ug/L | 7* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Phenanthrene | ug/L | 0.03* | 0.044 | <0.030 | <0.030 | <0.030 | | | | | | | |
| Pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) ug/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** and **Shaded** indicates select parameter was detected at concentration greater than the PWQO.
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-5
Precipitation Event Surface Water Quality - Polyaromatic Hydrocarbons
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | SW2 | | | | | | | | | | |
|----------------------------------|-------|----------|----------------|----------------|----------------|----------------|--|--|--|--|--|--|--|
| | | | 17-Feb-22 | 4-May-22 | 2-Aug-22 | 18-Oct-22 | | | | | | | |
| | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | | |
| Polyaromatic Hydrocarbons | | | | | | | | | | | | | |
| Biphenyl | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Acenaphthene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Acenaphthylene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Anthracene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(a)anthracene | ug/L | 0.0004* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(a)pyrene | ug/L | - | <0.0090 | <0.0090 | <0.0090 | <0.0090 | | | | | | | |
| Benzo(b/j)fluoranthene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(g,h,i)perylene | ug/L | 0.00002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Benzo(k)fluoranthene | ug/L | 0.0002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Chrysene | ug/L | 0.0001* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Dibenzo(a,h)anthracene | ug/L | 0.002* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Fluoranthene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Fluorene | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| 1-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| 2-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Naphthalene | ug/L | 7* | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |
| Phenanthrene | ug/L | 0.03* | 0.038 | <0.030 | <0.030 | <0.030 | | | | | | | |
| Pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | <0.050 | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) ug/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** and **Shaded** indicates select parameter was detected at concentration greater than the PWQO.
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-5
Precipitation Event Surface Water Quality - Polyaromatic Hydrocarbons
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | SW3 | | | | | | | | |
|----------------------------------|-------|----------|----------------|----------------|----------------|--|--|--|--|--|--|
| | | | 17-Feb-22 | 4-May-22 | 18-Oct-22 | | | | | | |
| Date | | | Bureau Veritas | Bureau Veritas | Bureau Veritas | | | | | | |
| Laboratory | | | | | | | | | | | |
| Polyaromatic Hydrocarbons | | | | | | | | | | | |
| Biphenyl | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | | | | | | |
| Acenaphthene | ug/L | - | <0.050 | <0.050 | <0.050 | | | | | | |
| Acenaphthylene | ug/L | - | <0.050 | <0.050 | <0.050 | | | | | | |
| Anthracene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | | | | | | |
| Benzo(a)anthracene | ug/L | 0.0004* | <0.050 | <0.050 | <0.050 | | | | | | |
| Benzo(a)pyrene | ug/L | - | <0.0090 | <0.0090 | <0.0090 | | | | | | |
| Benzo(b/j)fluoranthene | ug/L | - | <0.050 | <0.050 | <0.050 | | | | | | |
| Benzo(g,h,i)perylene | ug/L | 0.00002* | <0.050 | <0.050 | <0.050 | | | | | | |
| Benzo(k)fluoranthene | ug/L | 0.0002* | <0.050 | <0.050 | <0.050 | | | | | | |
| Chrysene | ug/L | 0.0001* | <0.050 | <0.050 | <0.050 | | | | | | |
| Dibenzo(a,h)anthracene | ug/L | 0.002* | <0.050 | <0.050 | <0.050 | | | | | | |
| Fluoranthene | ug/L | 0.0008* | <0.050 | <0.050 | <0.050 | | | | | | |
| Fluorene | ug/L | 0.2* | <0.050 | <0.050 | <0.050 | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | | | | | | |
| 1-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | | | | | | |
| 2-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | <0.050 | | | | | | |
| Naphthalene | ug/L | 7* | <0.050 | <0.050 | <0.050 | | | | | | |
| Phenanthrene | ug/L | 0.03* | <0.030 | <0.030 | <0.030 | | | | | | |
| Pyrene | ug/L | - | <0.050 | <0.050 | <0.050 | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) ug/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** and **Shaded** indicates select parameter was detected at concentration greater than the PWQO.
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-5
Precipitation Event Surface Water Quality - Polyaromatic Hydrocarbons
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | SW4 | | | | | | | | | | | |
|----------------------------------|-------|----------|----------------|----------------|--|--|--|--|--|--|--|--|--|--|
| | | | 17-Feb-22 | 4-May-22 | | | | | | | | | | |
| Date | | | Bureau Veritas | Bureau Veritas | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | |
| Polyaromatic Hydrocarbons | | | | | | | | | | | | | | |
| Biphenyl | ug/L | 0.2* | <0.050 | <0.050 | | | | | | | | | | |
| Acenaphthene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Acenaphthylene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Anthracene | ug/L | 0.0008* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(a)anthracene | ug/L | 0.0004* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(a)pyrene | ug/L | - | <0.0090 | <0.0090 | | | | | | | | | | |
| Benzo(b/j)fluoranthene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(g,h,i)perylene | ug/L | 0.00002* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(k)fluoranthene | ug/L | 0.0002* | <0.050 | <0.050 | | | | | | | | | | |
| Chrysene | ug/L | 0.0001* | <0.050 | <0.050 | | | | | | | | | | |
| Dibenzo(a,h)anthracene | ug/L | 0.002* | <0.050 | <0.050 | | | | | | | | | | |
| Fluoranthene | ug/L | 0.0008* | <0.050 | <0.050 | | | | | | | | | | |
| Fluorene | ug/L | 0.2* | <0.050 | <0.050 | | | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| 1-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | | | | | | | | | | |
| 2-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | | | | | | | | | | |
| Naphthalene | ug/L | 7* | <0.050 | <0.050 | | | | | | | | | | |
| Phenanthrene | ug/L | 0.03* | <0.030 | <0.030 | | | | | | | | | | |
| Pyrene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) ug/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** and **Shaded** indicates select parameter was detected at concentration greater than the PWQO.
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.

Table B-5
Precipitation Event Surface Water Quality - Polyaromatic Hydrocarbons
Twin Creeks Environmental Centre

| Parameter | Units | PWQO | SWS | | | | | | | | | | | |
|----------------------------------|-------|----------|----------------|----------------|--|--|--|--|--|--|--|--|--|--|
| | | | 17-Feb-22 | 4-May-22 | | | | | | | | | | |
| Date | | | Bureau Veritas | Bureau Veritas | | | | | | | | | | |
| Laboratory | | | | | | | | | | | | | | |
| Polyaromatic Hydrocarbons | | | | | | | | | | | | | | |
| Biphenyl | ug/L | 0.2* | <0.050 | <0.050 | | | | | | | | | | |
| Acenaphthene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Acenaphthylene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Anthracene | ug/L | 0.0008* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(a)anthracene | ug/L | 0.0004* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(a)pyrene | ug/L | - | <0.0090 | <0.0090 | | | | | | | | | | |
| Benzo(b/j)fluoranthene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(g,h,i)perylene | ug/L | 0.00002* | <0.050 | <0.050 | | | | | | | | | | |
| Benzo(k)fluoranthene | ug/L | 0.0002* | <0.050 | <0.050 | | | | | | | | | | |
| Chrysene | ug/L | 0.0001* | <0.050 | <0.050 | | | | | | | | | | |
| Dibenzo(a,h)anthracene | ug/L | 0.002* | <0.050 | <0.050 | | | | | | | | | | |
| Fluoranthene | ug/L | 0.0008* | <0.050 | <0.050 | | | | | | | | | | |
| Fluorene | ug/L | 0.2* | <0.050 | <0.050 | | | | | | | | | | |
| Indeno(1,2,3-cd)pyrene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |
| 1-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | | | | | | | | | | |
| 2-Methylnaphthalene | ug/L | 2* | <0.050 | <0.050 | | | | | | | | | | |
| Naphthalene | ug/L | 7* | <0.050 | <0.050 | | | | | | | | | | |
| Phenanthrene | ug/L | 0.03* | <0.030 | <0.030 | | | | | | | | | | |
| Pyrene | ug/L | - | <0.050 | <0.050 | | | | | | | | | | |

- NOTE:** 1) PWQO denotes Provincial Water Quality Objectives (1994) with updates.
2) * denotes interim PWQO.
3) ug/L denotes micrograms per litre.
4) Blank denotes parameter not analyzed.
5) **Bold** and **Shaded** indicates select parameter was detected at concentration greater than the PWQO.
6) *Italics* denotes parameter concentration was below the laboratory reportable detection limit (RDL), where the RDL exceeds the relevant PWQO.




FIGURE B-13




FIGURE B-14