

RESPONSE 103

of scrap tires or tire pieces. Outdoor piles consisting of scrap tires or tire pieces and entire buildings used to store scrap tires or tire pieces shall not be within 40 feet of the property line or within an easement.

The tire processing area will be located within the permit boundary and suitable drainage structures or features will be provided to divert the flow of rainfall run-off or other uncontaminated surface water within the scrap tire storage site to a location off-site.

The tire storage area will not be located within a designated 100-year floodplain.

Tires will be split, quartered, shredded, and otherwise processed to ensure current approved limits for MSW landfills are not exceeded. (i.e., 500 tires on the ground or 2,000 tires in enclosed and lockable container[s]). Scrap tires shall be split, quartered, or shredded within 180 days from the date of delivery to the scrap tire storage site. Off-the-road tires that are used on heavy machinery, including earthmovers, loader/dozers, graders, agricultural machinery, and mining equipment are exempt from this requirement. Truck tires shall not be classified as off-the-road tires and thus are not exempt from this requirement. Appropriate vector controls shall be used at a frequency based upon type and size of piles, weather conditions, and other applicable local ordinances. The tire storage area will remain free of putrescible materials and household wastes. The tire storage and processing activity shall not be conducted in a manner that will adversely affect operations of the MSW disposal site, or otherwise endanger human health or the environment.

Quartered, shredded, or otherwise processed tires may be beneficially reused or disposed of within the landfill. In the event that tires are not processed on-site they will be transported to an appropriately authorized facility.

4.6.4 Unloading Waste in Unauthorized Areas

The unloading of waste in unauthorized areas shall be prohibited. Any waste deposited in an unauthorized area shall be promptly removed and disposed of properly. A trained employee shall be present at the entrance at all times during operating hours to monitor all incoming loads of waste, and shall direct traffic to the appropriate unloading area. Trained personnel will also be on duty during regular operating hours at the working face to direct and observe unloading of solid waste.

4.6.5 Unauthorized Loads

The LM or designated alternate has the authority and responsibility to reject unauthorized loads, have unauthorized material removed by the transporter, and/or assess appropriate surcharges and have the unauthorized material removed by on-site personnel or otherwise properly managed by the facility. The employees will be trained to recognize both industrial and hazardous waste and their transportation and disposal requirements. These employers will contact the LM or designated alternate who will determine appropriate measures to be implement. A record of unauthorized material removal will be maintained in

the SOR. The facility is not required to accept any solid waste that may cause problems in maintaining full and continuous compliance with the permit.

4.6.6 Prohibited Wastes

Certain wastes are prohibited from disposal at this facility as specified in Section 4.2.2 above. Prohibited wastes include hazardous waste (except hazardous waste from CESQG), PCB waste, wastes identified in 30 TAC §330.15(e), and unauthorized special waste. The known disposal of prohibited wastes at the landfill shall not be allowed. Necessary steps shall be taken by site personnel to ensure compliance with this provision, as discussed in Sections 4.2 and 4.27 of this plan. Any prohibited waste shall be returned promptly to the transporter or waste generator. The driver shall be advised and will be responsible for the proper disposal of this rejected waste. In the event the prohibited waste is not discovered until after the vehicle that delivered it is gone, the waste will be segregated and controlled as necessary. The working face staff, as well as the gate attendant(s), will contact the LM or designated alternate regarding the receipt of prohibited wastes. An effort will first be made to identify the entity that deposited the prohibited waste and have them return to the site and properly dispose of the waste. In the event that identification is not possible, the LM or designated alternate will notify the TCEQ and seek guidance on how to dispose of the waste as soon as practical.

4.6.7 Disposal Vehicles

Only those persons operating vehicles that comply with the following requirements will be authorized by the LM or designated alternate to dispose of waste at this site:

1. Vehicles and equipment used to collect and transport waste that are in good working order to prevent loss of waste material and to minimize health and safety hazards to landfill personnel and the public
2. Collection vehicles not equipped with an enclosed transport body will be required to have tarpaulins to preclude accidental spillage
3. Private vehicles and trailers from individuals as long as waste is properly secured prior to entrance into the landfill

4.6.8 Site Signage to Disposal Areas

Signs with directional arrows and/or portable traffic barricades will help to restrict traffic to designated disposal locations. Signs will be placed along the access route to the current disposal area or other designated disposal areas that may be established. In addition, rules for waste disposal and prohibited waste will be prominently displayed on signs at the site entrance.

4.7 Hours of Operation §330.135

The site may be open to the public and accepting waste from 6:00 a.m. to 6:00 p.m. Monday through Friday and 7:00 a.m. to 5:00 p.m. Saturday. The facility's operating hours are from 5:00 a.m. to 8:00 p.m. Monday